

# Joseph Road Precinct

---



## Development Contributions Plan

July 2019

Amended December 2023 (VC249)

<b>Version</b>	<b>Date</b>	<b>Amendment</b>	<b>Description of changes</b>
1	December 2013	VC249	Incorporate changes associated with small second dwelling exemption.

# CONTENTS

1	INTRODUCTION.....	4
1.1	Purpose .....	4
1.2	Report Structure .....	4
1.3	Planning & Environment Act 1987 .....	4
1.4	Area to which this Development Contributions Plan applies .....	5
2	STRATEGIC PLANNING AND JUSTIFICATION .....	6
3	CHARGE AREAS & DEVELOPMENT SCENARIO.....	10
3.1	Main Charge Area.....	10
3.2	Development Projections .....	10
3.3	Equivalence Ratios and Demand Units.....	11
3.4	Items not included in this DCP .....	11
Amended by VC249	3.5 Land or development excluded from this DCP.....	12
3.6	Contributions made under existing Planning Permits or Infrastructure Agreements .....	12
3.7	Public Open Space Contributions .....	12
4	INFRASTRUCTURE PROJECTS & CALCULATION OF CONTRIBUTIONS .....	13
4.1	Infrastructure Projects.....	13
4.2	Calculation of costs.....	13
4.3	Cost apportionment .....	15
4.4	Summary of costs .....	15
4.5	Summary of contributions .....	15
4.6	Project Staging .....	16
5	DEVELOPMENT CONTRIBUTIONS PLAN ADMINISTRATION & IMPLEMENTATION .....	18
5.1	Collecting Agency .....	18
5.2	Development Agency.....	18
5.3	Payment of Contribution Levies and Payment Timing .....	18
5.4	Works-In-Kind .....	19
5.5	Funds Administration .....	19
5.6	Project Indexation .....	20
5.7	Development Contributions Plan review period .....	20
6	OTHER INFORMATION.....	21
6.1	Supporting Documentation .....	21

# 1 INTRODUCTION

---

## 1.1 Purpose

The Joseph Road Precinct Development Contributions Plan (the 'DCP') has been prepared by the Victorian Planning Authority (VPA) with the assistance of the City of Maribyrnong, service authorities, and other major stakeholders.

The DCP:

- Outlines public realm projects required to assist in meeting the Joseph Road Precinct Objectives and Guidelines;
- Outlines infrastructure projects required to ensure that future residents, visitors and workers in the area can be provided with timely access to infrastructure and services necessary to support a quality and affordable lifestyle;
- Establishes a framework for development proponents to make a financial contribution towards the cost the identified infrastructure projects in the public realm (principally on streets). It ensures that the cost of providing new infrastructure and services is shared equitably between various development proponents in accordance with the demand to be created by each development; and
- Provides the details of the calculation of financial contributions that must be made by future developments towards the nominated projects. In this way, it provides developers, investors and local communities with certainty about development contribution requirements and how these will be administered.

## 1.2 Report Structure

The DCP document comprises six parts:

### Section 2 – Strategic Planning and Justification

Section 2 explains the strategic basis for the DCP, which includes information about the Joseph Road Precinct.

### Section 3 – Charge Areas and Development Scenarios

Section 3 sets out the charge areas, development projections and project staging.

### Section 4 – Infrastructure Projects and Calculation of Contributions

Section 4 outlines the projects to be funded by the DCP and sets out how the development contributions are calculated and costs apportioned.

### Section 5 - Development Contributions Plan Administration and Implementation

Section 5 focuses on administration and implementation of the DCP

### Section 6 - Other Information

Section 6 provides other supporting information.

## 1.3 Planning & Environment Act 1987

The DCP has been prepared in accordance with Part 3B of the *Planning and Environment Act 1987* (the Act) as well as other relevant legislation and has been developed in line with the State and Local Planning

Policy Framework of the Maribyrnong Planning Scheme. It is consistent with the Minister for Planning’s Direction on Development Contributions made under section 46M(1) of the Act and has regard to the Victorian Government’s Development Contributions Guidelines (the ‘DCP Guidelines’).

The DCP provides for the charging of a Development Infrastructure Levy pursuant to section 46J(a) of the Act towards works, services and facilities. The DCP will not be providing for the charging of a Community Infrastructure Levy pursuant to section 46J(b) of the Act.


The DCP forms part of the Maribyrnong Planning Scheme pursuant to section 46I of the Act and is an incorporated document under Clause 72.04 of the Maribyrnong Planning Scheme.

## 1.4 Area to which this Development Contributions Plan applies

The Development Contributions Plan Overlay applies to the area comprising approximately 15 hectares shown in Plan 1.

The area is generally bounded by the public reserves on the west bank of the Maribyrnong River to the east, the railway reserve between Footscray and South Kensington stations to the north and west, and Hopkins Street to the south. In accordance with section 46K(1)(a) of the Act the DCP applies to land shown in Plan 1. The area is also shown on Development Contributions Plan Overlay Schedule 1 of the Maribyrnong Planning Scheme.

Plan 1 Joseph Road Precinct Development Contributions Plan Area



## 2 STRATEGIC PLANNING AND JUSTIFICATION


### Maribyrnong Planning Scheme

The strategic basis for the DCP is established by the State and Local Planning Policy Framework of the Maribyrnong Planning Scheme. The key sections of the Maribyrnong Planning Scheme are Clause 21.11-1, which is the local areas policy for the Footscray Metropolitan Activity Centre; Clause 21.12, which references the Footscray CAA Structure Plan; and Clause 37.08, the Activity Centre Zone Schedule 1 (ACZ1).

The local area policy explains that the Footscray Metropolitan Activity Centre (FMAC) is the most regionally significant activity centre of Melbourne's west.

The majority of the land in the Joseph Road precinct is affected by the ACZ1 with the exception of the north eastern part of the precinct which is affected by the Special Use Zone Schedule 1 (SUZ1) and Public Use Zone Schedule 4 (PUZ4), as shown in Plan 2.

#### Plan 2 Planning zones in the Joseph Road Precinct



The ACZ1 identifies the following objectives in the Planning Scheme:

- To create a vibrant, mixed use precinct that complements the role and function of the Footscray Central Activities Area through:
  - a diverse range of higher-density housing development accommodating
  - approximately 4,000 dwellings
  - a viable mix of commercial, retail, community, entertainment, and recreation land uses
  - a wide range of employment opportunities to complement the role of central Footscray.
- To encourage retail, entertainment and recreational uses along the existing and extended Warde Street, and along the riverfront.
- To encourage the provision of showroom, restricted retail and office along the Hopkins Street frontage.
- To establish a robust urban character with:
  - high quality architecture and urban design
  - an active, attractive and accessible riverfront with improved public recreation
  - opportunities and high amenity public spaces and places

- an active and improved frontage to Hopkins Street that marks the precinct as a ‘gateway’ to Footscray.
  - To provide a high amenity, upgraded street and pathway network with improved pedestrian and cyclist connections to areas beyond the precinct.
  - To encourage sustainable development that:
    - incorporates best practice energy efficiency and water management measures
    - promotes sustainable travel patterns through an integrated approach to transport planning
    - supports the inclusion of community facilities and housing affordability.
  - To ensure that development responds to the site features and constraints including heritage values of the heritage listed features, potential contamination, flooding, and service infrastructure requirements.
  - To provide built form that does not result in significant overshadowing of the St Monica’s Primary School.

The Joseph Road precinct guidelines envisage the following:

- A network of high amenity public places and pedestrian spaces should be provided as shown in the Precinct Plan.
- Visual and physical connections between the river and the precinct should be provided.
- Active frontages created by retail, entertainment, and recreation uses at ground level are encouraged along the main connections to the river along Warde Street and along Hopkins Street.
- Development proposals should respect planned pedestrian and cycling network.
- Pedestrian/cycle bridges provided across the passenger rail line and crossing points of the freight rail line should be defined by robust landscaping and clear sight lines, and designed to the satisfaction of VicTrack, the Department of Economic Development, Jobs, Transport and Resources and Public Transport Victoria.
- Development proposals with river frontage should include opportunities for activation along the riverside.
- Development should provide a high quality street environment which incorporates, footpaths, cycle paths, and on-street car parking, and maximises opportunities for street planting where appropriate.
- Opportunities should be provided to green the urban environment both in the public realm and as a part of new developments.
- The primary vehicle access point to and from the precinct should be via a signalised intersection at the corner of Hopkins Street and Hallenstein Street, with associated intersection treatments. Secondary vehicle access points should be provided at the intersection of Whitehall Street and Joseph Road, with Hopkins Street.
- On-street car parking should be provided in streets whilst ensuring sufficient width to accommodate parallel car parking spaces as well as bicycle lanes, pedestrian footpaths, and landscaping treatments.

### Footscray CAA Structure Plan (2014)

The Footscray CAA Structure Plan is the basis for the local area policy. It is a reference document in Clause 21.12 of the Scheme, under Economic Development.

The vision for the Joseph Road Precinct as stated in the Footscray CAA Structure Plan is for a thriving, vibrant, mixed use precinct, with high quality public areas that is inviting to residents, workers and visitors alike. The Joseph Road Precinct will be home to approximately 4,000 new households which will enjoy proximity and access to the Maribyrnong River, Footscray station and the central precinct.

The Footscray CAA Structure Plan is now reflected in and given effect by the Activity Centre Zone Schedule 1 that was introduced to the Planning Scheme in March 2015.

To realise the Footscray CAA Structure Plan vision for the Joseph Road Precinct, Council has prepared the Joseph Road Precinct Public Realm Plan (2017). This will become an incorporated document in the Planning Scheme. It forms an important strategic foundation for the DCP.

A number of other reports also provide insight into the likely future development trends for the area. These include:

- Forecast of retail commercial and Housing Activity in Footscray CAD (Tim Nott, 2012)
- 22 Hopkins St Footscray Retail Economic Assessment (Essential Economics, 2012)
- Footscray Retail Study (Collie, 2009)
- Review of Retail Development and Activity Centre Policy (Peter McNabb and Associates 2009)
- Priority Development Panel Report on Joseph Road Precinct Footscray (PDP 2009)

These reports have been taken into account in the preparation of the Joseph Road Precinct Public Realm Plan (2017).

### Joseph Road Precinct Public Realm Plan (2017)

The Joseph Road Precinct Public Realm Plan provides guidance on the design of the public realm areas and identifies the locations where new roads, footpaths, bike routes, drainage, street lighting and furniture, traffic signals and street trees will be needed.

The design of the Plan has been guided by standards specified in the Maribyrnong City Design Manual and urban design objectives including:

- Providing connections through the precinct and to surrounding areas.
- Providing a seamless transition in activity levels and function between Footscray central and Melbourne's CBD.
- Having regard to the built form outcomes of the Precinct.
- Creating a public realm that complements active ground floor uses, provides for safe and pleasant pedestrian circulation, and encourages wider public access and usage.
- Prioritising pedestrians, cyclists and encourage active transport modes.
- Providing an accessible and equitable public realm.
- Providing services and infrastructure required for the level of development in ways that do not limit opportunities for quality green infrastructure in the streetscape.
- Considering and managing the grading of the site and stormwater drainage in a positive way to contribute towards a resilient city.

### Current zoning and proposed land exchange with Department of Economic Development, Jobs, Transport and Resources (DEDJTR) and VicTrack

The boundaries of the Development Contributions Plan Overlay Schedule 1 (DCPO1) closely aligns with those of the ACZ1. However, the north-eastern portion of the DCPO also extends into land zoned Public Use (PUZ4) and Special Use (SUZ1). This is a result of the arrangement of land titles and current alignment of the Joseph Road and its desired future alignment.

The Regional Rail Link project completed in 2015, expanded the width of the rail corridor to the north of the precinct onto land currently zoned ACZ1. Many land parcels affected have not had their title boundaries updated to reflect the expanded corridor. It is understood that VicTrack is working with affected landowners to address this issue along the entire rail corridor.



The Regional Rail Link project also resulted in the north eastern section of Joseph Road to move east, which changed the zoning of the road to SUZ1. The existing cadastral and zoning maps show the road in its former alignment while the Joseph Road Public Realm Plan shows the road in its current alignment. Due to the move, the road is vested in multiple ownerships including Council, VicTrack and DEDJTR. Council is working with VicTrack and DEDJTR to facilitate the exchange of land and update of title boundaries. Once finalised, Council plans to review the cadastral map and determine if any land along the rail corridor is required to be rezoned to ensure it is consistent with the existing use.

## 3 CHARGE AREAS & DEVELOPMENT SCENARIO

### 3.1 Main Charge Area

The Joseph Road Precinct DCP has a single Main Charge Area (MCA). Therefore, all demand units within the DCP area will be charged the same rate for all projects.

### 3.2 Development Projections

A projection of all development within the DCP area has been undertaken to understand:

- what infrastructure will be required to service the new development and calculate the rate per demand unit; and
- the likely duration of the life of the DCP.

The development projection for the DCP area over the next 15 years is for approximately 4,500 dwellings and for complementary retail and office activity. The development projections are based on approved planning permits for a number of sites within the Precinct.

Assumed yields for sites not currently subject of an approved planning permit have been prepared. The scenarios are based on the provisions of the Maribyrnong Planning Scheme.

It is expected that the area will develop over the next 15 years to full build at a rate of approximately 300 dwellings per year.

Table 1 Development Projections over the next 15 years

Parcel #	ADDRESS	SITE AREA (m2 Approx.)	DWELLINGS (Propd)	COMMERCIAL (m2 Propd)	RETAIL (m2 Propd)
<b>Planning Permits</b>					
1	1 Warde Street	2,149	350	-	916
2	10 Moreland Street	1,248	198	-	426
3	2 Neilson Place	6,303	513	3,418	620
4	2 Hopkins Street	9,393	723	197	581
5	4 Hopkins Street (2-6 Hallenstein Street)	12,866	937	1,417	3,421
6	18-24 Hopkins Street	9,459	966	-	4,687
7	7 Wightman Street	710	85	383	178
	<b>SUB-TOTAL</b>	<b>42,128</b>	<b>3,772</b>	<b>5,415</b>	<b>10,829</b>

Other					
a	30-40, 44 Hopkins Street	2,081	209	-	1,041
b	4 Neilson Place	1,742	147	-	151
c	6 Neilson Place	1,511	59	567	-
d	11 Joseph Road (VicTrack site)	4,400	347	1,650	-
	<b>SUB-TOTAL</b>	<b>9,734</b>	<b>762</b>	<b>2,217</b>	<b>1,192</b>
<b>TOTALS</b>		<b>51,862</b>	<b>4,534</b>	<b>7,632</b>	<b>12,021</b>

### 3.3 Equivalence Ratios and Demand Units

The purpose of this DCP is to ensure that the cost of providing new road and public realm infrastructure is shared between developers on a fair and reasonable basis. As all the new infrastructure demand will be created by the development within the Joseph Road Precinct, it is reasonable that development pays for the full cost of implementing the works identified in the *Joseph Road Precinct Public Realm Plan (2017)* and the *Joseph Road Precinct Preferred WSUD Concepts report (2017)*.

All residential, commercial and retail including mixed use development within the charge area is required to pay the Development Infrastructure Levy. One dwelling or one vacant single dwelling lot is equal to one demand unit. Dwelling is as defined in Part 3B of the *Planning and Environment Act 1987* and also includes independent living units within a retirement village. For retail and commercial development, the equivalence ratios for all road, drainage and other public realm infrastructure are indicated in Table 2. The equivalence ratios for retail and office are in accordance with the standard ratios indicated in *Development Contributions Guidelines (March 2007)*.

Table 2 Proposed Development

Retail	19 sqm floor space = 1 demand unit
Office/Commercial	121 sqm floor space = 1 demand unit
Source: <i>Development Contributions Guidelines</i> (Department of Sustainability and the Environment, March 2007) pp.45-46, available for download from the DELWP website at <a href="https://www.planning.vic.gov.au/data/assets/pdf_file/0022/102982/Preparing_a_Full_Cost_Apportment_DCP.pdf">https://www.planning.vic.gov.au/data/assets/pdf_file/0022/102982/Preparing_a_Full_Cost_Apportment_DCP.pdf</a>	

For a mixed use development, the Development Infrastructure Levy is to be based on the total number of demand units comprising the development.

### 3.4 Items not included in this DCP

The following items are not included in the DCP. These items are considered to be normal to the construction of a development and do not warrant cost sharing arrangements.

Planning permits for development in the area covered by the DCP must contain conditions which require the provision of the infrastructure set out below:

- Waterway management works and drainage systems.
- Water, sewerage, underground power, gas and telecommunications services.
- Basic levelling, provision of biodiversity offsets, water tapping and landscaping of open space.
- Public open space reserve masterplans and any agreed associated works.
- Council's plan checking and supervision fees.
- Bus stops.

### 3.5 Land or development excluded from this DCP

The following items are exempted from this DCP:

Inserted  
by VC249

- The development of land for a small second dwelling.
- The extension of a building or extension of works associated with an established use in the area at the date of approval, providing the extension results in no more than a 50% increase in the floor area of the building or works as compared to the floor space at the date of approval.
- Development of land for housing by or for the Department of Health and Human Services, as defined in Ministerial Direction on Development Contributions Plans of 11 October 2016.
- Development of land for a non-government school. In this provision, “non-government school” has the same meaning as in section 1.1.3 of the Education and Training Reform Act 2006.
- Development of land by Council for the area.

### 3.6 Contributions made under existing Planning Permits or Infrastructure Agreements

There are existing permit with conditions requiring some contributions to the public realm.

Where under such a permit condition, or an agreement entered into under such a permit condition, a monetary contribution is required to be made for public realm improvements or infrastructure works are to be provided in the public realm, those monetary contributions and infrastructure works may be recognised by the Collecting Agency and credited towards an owner’s liability to pay any Development Infrastructure Levy that is imposed pursuant to this DCP provided that the infrastructure which is to be or has been provided is included as infrastructure which is funded by this DCP.

However, where the quantum of any such monetary contribution or the value of the infrastructure works in respect of the public realm are less than the Development Infrastructure Levy required to be paid under this DCP, the development must pay a top-up payment to make the Development Infrastructure Levy in respect of each Demand Unit equal to the amount of the Development Infrastructure Levy required under this DCP.

### 3.7 Public Open Space Contributions

This DCP does not provide funding towards the cost of public open space. A development that proposes to subdivide land must make a contribution to public open space in an amount specified in the schedule to Clause 53.01 of the Maribyrnong Planning Scheme.


## 4 INFRASTRUCTURE PROJECTS & CALCULATION OF CONTRIBUTIONS

### 4.1 Infrastructure Projects

The DCP uses a project identification system of project category and sequential number in its tables and plans. The following types of projects are included in the DCP (refer to Plan 3):

- RD – Road Projects;
- TR – Traffic Improvement Works Projects;
- GPT01 – Gross Pollutant Trap;
- BR01 – Bio-Retention System

Plan 3: DCP infrastructure project areas



### 4.2 Calculation of costs

The costs of all projects were determined by a detailed costing advice provided by WT Partnership Quantity Surveyor. A copy of the cost estimates used to inform this DCP may be obtained from the City of Maribyrnong upon request.

Further information on the nature of the infrastructure projects which are funded is provided in Attachment 1.

Table 3: Infrastructure Projects and calculation of costs

DCP Project No.	Project	Infrastructure Category	Estimated Project Cost: Construction	% Apportioned to DCP	Total cost recovered by DCP
<b>Road Projects</b>					
RD01	Whitehall Street	Development	\$1,118,039	100.0%	\$1,118,039
RD02	Hallenstein Street	Development	\$1,664,503	100.0%	\$1,664,503
RD03	Hopkins Street (Central West)	Development	\$748,152	94.5%	\$706,933
RD04	Warde Street	Development	\$3,928,592	100.0%	\$3,928,592
RD05	South Joseph Road	Development	\$3,201,075	100.0%	\$3,201,075
RD06	Hopkins Street (Central East)	Development	\$696,967	94.8%	\$660,555
RD08	Neilson Place (East)	Development	\$3,647,787	100.0%	\$3,647,787
RD09	North Joseph Road <sup>1</sup>	Development	\$3,247,853	100.0%	\$3,247,853
RD10	Neilson Place (West)	Development	\$1,208,902	100.0%	\$1,208,902
RD11	Wightman Street	Development	\$1,421,537	100.0%	\$1,421,537
RD12	Hopkins Street (Far West)	Development	\$871,028	91.5%	\$796,921
<b>Sub-Total Road Projects</b>			<b>\$21,754,435</b>	<b>99.3%</b>	<b>\$21,602,697</b>
<b>Traffic Improvement Works</b>					
TR01	Hopkins St & Hallenstein St - Traffic Lights – Construction	Development	\$3,131,920	97.7% <sup>2</sup>	\$3,058,732
TR03	Hopkins St & Whitehall St signals upgrade	Development	\$1,092,752	100%	\$1,092,752
<b>Sub-Total Traffic Improvement Works</b>			<b>\$4,224,672</b>	<b>98.3%</b>	<b>\$4,151,484</b>
<b>Drainage Project</b>					
GPT01	Gross Pollutant Trap	Development	\$396,211	100.0%	\$396,211
BR01	Bio-Retention System	Development	\$404,682	100.0%	\$404,682
<b>Sub-Total Infrastructure Project</b>			<b>\$800,893</b>	<b>100.0%</b>	<b>\$800,893</b>
<b>Plan Preparation Charge</b>					
PP01	Plan Preparation Charge	Development	\$0	-	\$0
<b>Sub-Total Plan Preparation Charges</b>			<b>\$0</b>	<b>-</b>	<b>\$0</b>
<b>TOTALS</b>					
<b>Total cost all projects</b>			<b>\$26,780,000</b>	<b>99.2%</b>	<b>\$26,555,074</b>

Notes:

1. The north-east extent of Joseph Road is not funded under this DCP. The road works may be considered for funding by alternative mechanisms such as a planning permit condition or requirement where land abutting the road has sufficient nexus with the need for the road.
2. TR01's percentage apportioned to the DCP is 97.7% because \$73,188 was received from the development at 1-11 Moreland Street towards the cost of the traffic signals.

### 4.3 Cost apportionment

This DCP apportions a charge to all new development within the MCA according to each site’s projected shared use of an identified infrastructure item. Costs must be shared in accordance with the projected development outcomes and estimated shared use of each infrastructure project.

The proposed shared bicycle path on the northern side of Hopkins Street that forms part of projects RD03, RD06 and RD12 is likely to be used by cyclists from the precinct and the broader community alike. As a result, a portion of the pavement component of the shared bicycle path is externally apportioned to recognise potential external usage. The external cost apportionment is 76.6% of the pavement component to each project. Specifically, that is \$41,219 for RD03, \$36,412 for RD06 and \$74,107 for RD12. The apportioned percentage takes into consideration the future population of the precinct relative to Footscray suburb, and the externally apportioned amounts have been subtracted from the costs funded under the DCP. For detailed cost information, refer to Attachment 1, Sections 5.1 and 5.2 in the Cost Estimate Report.

A contribution of \$73,188 has been received from 1-11 Moreland Street towards the cost of Traffic Improvement Works at the intersection of Hopkins Street and Hallenstein Street (TR01). The site is located adjacent to the precinct and was required to contribute towards the cost of the traffic improvement works when their planning permit was amended in 2016. As such, the cost of TR01 apportioned to the DCP is its estimated project cost minus \$73,188.

For all other projects, the full cost of the projects are apportioned to new developments within the precinct given the demand for them is created by these developments.

This DCP calculates what each new development should pay towards the provision of each identified infrastructure project. This is the total cost of the item (after deducting other funding sources and making allowance for any external demand) divided by the total demand units (dwellings, or non-residential floor space) for the main charge area.

### 4.4 Summary of costs

Table Four sets out a summary of costs payable for each infrastructure category.

Table 4: Summary of total costs by project type

SUMMARY - TOTAL COSTS BY PROJECT TYPE	
Project Type	Total Costs of Projects
Road Projects	\$21,754,435
Traffic Improvement Works	\$4,224,672
Drainage Project	\$800,893
<b>Total</b>	<b>\$26,780,000</b>
<b>Externally apportioned amount</b>	<b>\$151,738</b>
<b>Traffic Improvement Works Previously Recovered</b>	<b>\$73,188</b>
<b>Total Cost Recovered by DCP</b>	<b>\$26,555,074</b>
SUMMARY - TOTAL COSTS BY INFRASTRUCTURE CATEGORY	
Project Type	Total Costs of Projects
Total - Development Infrastructure Levy (DIL)	\$26,780,000
Total - Community Infrastructure Levy (CIL)	\$0
<b>Total</b>	<b>\$26,780,000</b>
<b>Total Cost Recovered by DCP</b>	<b>\$26,555,074</b>

## 4.5 Summary of contributions

The table below sets out charges payable for each main charge area.

Table 5: Summary of contributions rates for development outcomes

SUMMARY - DEVELOPMENT INFRASTRUCTURE LEVY (DIL) BY MAIN CHARGE AREA		
Main Charge Area	Rate	
MCA1 (Residential)	\$5,077.68	per lot/dwelling
MCA1 (Commercial)	\$41.96	per m2 leasable floorspace
MCA1 (Retail)	\$267.25	per m2 leasable floorspace
SUMMARY - COMMUNITY INFRASTRUCTURE LEVY (CIL) BY MAIN CHARGE AREA		
Main Charge Area	Rate	
MCA1 (Residential)	\$0.00	per lot/dwelling

## 4.6 Project Staging

For the purpose of preparation of the DCP, each item to be funded by the DCP has an assumed indicative provision date specified (Table 6). The indicative timing of the provision of the items is consistent with the information available at the time that this DCP was prepared. The Collecting Agency will monitor and will determine when items should be provided after having regard to funding available through capital works programs, the staging and progression of development and the availability of development contribution funds to undertake the items.

The Collecting Agency may re-order the timing of the delivery of infrastructure works or land where:

- Infrastructure is to be constructed / provided by development proponents as works in kind, as agreed by the Collecting Agency;
- Network priorities require the delivery of works or land in a different order to facilitate broader road network connections.

Every endeavour will be made to provide all items in this DCP as soon as is practicable provided sufficient contributions are available and also having regard to the Development Agency's capacity to source any balance of funds not recovered under this DCP.

All items included in the DCP will be provided before the expiry date of this DCP which is 15 years from when this DCP is incorporated into the Maribyrnong Planning Scheme. If development projections vary as against what is anticipated in this DCP, an application will be made to the Minister pursuant to the Act to extend the life of the DCP.



Table 6: Estimated project staging and sequencing of projects

DCP Project No.	Project	Project Staging	Estimate year of construction works
	<b>Road Projects</b>		
RD01	Whitehall Street	1	2019-2021
RD02	Hallenstein Street	1	2019-2021
RD03	Hopkins Street (Central West)	1	2019-2021
RD04	Warde Street	2	2020-2022
RD05	South Joseph Road	1	2019-2021
RD06	Hopkins Street (Central East)	1	2019-2021
RD08	Neilson Place (East)	2	2020-2022
RD09	North Joseph Road	2	2020-2022
RD10	Neilson Place (West)	3	2021-2024
RD11	Wightman Street	5	2025 or later
RD12	Hopkins Street (Far West)	3	2021-2024
	<b>Traffic Improvement Works</b>		
TR01	Hopkins St & Hallenstein St - Traffic Lights - Construction	1	2019-2021
TR03	Hopkins St & Whitehall St signals upgrade	1	2019-2021
	<b>Drainage Project</b>		
GPT01	Gross Pollutant Trap	2	2020-2022
BR01	Bio-Retention System	4	2023 or later

## 5 DEVELOPMENT CONTRIBUTIONS PLAN ADMINISTRATION & IMPLEMENTATION

---

This section sets out how this DCP will be administered and covers the timing of payment, provision of works-in-kind and how funds generated by this DCP will be managed in terms of reporting, indexation and review periods.

The DCP applies to the subdivision and / or development of land.

### 5.1 Collecting Agency

Maribyrnong City Council is the Collecting Agency pursuant to section 46K(1)(fa) of the *Planning and Environment Act 1987* which means that it is the public authority to whom all levies are payable. As the Collecting Agency, Maribyrnong City Council is also responsible for the administration of the DCP and its enforcement pursuant to Section 46QC of the Act.

### 5.2 Development Agency

Maribyrnong City Council is the Development Agency pursuant to section 46K(1)(fb) of the *Planning and Environment Act 1987* and is responsible for the provision of all the infrastructure projects identified in this DCP.

### 5.3 Payment of Contribution Levies and Payment Timing

Where a planning permit is issued, the following conditions must be included on the planning permit:

#### 5.3.1 Planning Permit for subdivision of land

A Development Infrastructure Levy in accordance with the approved Development Contributions Plan which applies to the land must be paid to the Collecting Agency for the land in respect of each demand unit within the following specified time, namely after the certification of the relevant plan of subdivision but no earlier than up to 21 days prior to the issue of a Statement of Compliance for that plan of subdivision.

Where the subdivision is to be developed in stages, the Development Infrastructure Levy for the stage to be developed may only be paid to the Collecting Agency no earlier than up to 21 days prior to the issue of a Statement of Compliance for that stage.

The Collecting Agency may agree to a different time for payment.

A Schedule of Development Contributions must be submitted with each stage of a plan of subdivision. The Schedule of Development Contributions must show the amount of the Development Infrastructure Levy payable for each stage to the satisfaction of the Collecting Agency.

If the Collecting agency agrees to works-in-kind in lieu of the payment of the Development Infrastructure Levy, the owner must enter into an agreement under Section 173 of the *Planning and Environment Act 1987* in respect of the proposed work in kind arrangements.

#### 5.3.2 Planning Permit for development of land

A Development Infrastructure Levy in accordance with the approved Development Contributions Plan which applies to the land must be paid to the Collecting Agency for each demand unit proposed to be developed. The Development Infrastructure Levy must be paid prior to the issue of any Building Approval under the *Building Act 1993* unless the Collecting Agency agrees to a different time for payment.

If the Collecting agency agrees to works-in-kind in lieu of the payment of the Development Infrastructure Levy, the owner must enter into an agreement under Section 173 of the *Planning and Environment Act 1987* in respect of the proposed works-in-kind arrangements.

### 5.3.3 Where no planning permit is required

Where no planning permit is required to use or develop land, the land may only be used and developed when a Development Infrastructure Levy in accordance with the approved Development Contributions Plan that applies to the land is paid to the Collecting Agency prior to the issue of a Building Approval under the *Building Act 1993* unless the Collecting Agency agrees to any other time for payment.

If the Collecting Agency agrees to works-in-kind in lieu of the payment of the Development Infrastructure Levy, the owner must enter into an agreement under Section 173 of the *Planning and Environment Act 1987* in respect of the proposed work-in-kind arrangement.

## 5.4 Works-In-Kind

The Collecting Agency may allow a development proponent to satisfy its obligations under this DCP by undertaking building or works provided that:

- The building or works constitute infrastructure funded by this DCP.
- The Collecting Agency agrees that the timing of the building or works would be consistent with the priorities as determined by the Collecting Agency to relevant matters including to this DCP.
- The building or works are defined and agreed in an agreement made under Section 173 of the Act.
- The building or works are to be provided to a standard that accords with this DCP to the satisfaction of the Development Agency, unless an alternative is agreed by both the Development and Collecting Agencies.
- Detailed design are approved by the Development and Collecting Agencies which generally accord with the design upon which this DCP is based unless an alternative is agreed by both the Development and Collecting Agencies.
- The construction of the buildings and works are completed to the satisfaction of the Development and Collecting Agencies.
- There is no negative financial impact on this DCP to the satisfaction of the Collecting Agency.
- Buildings and works will only be accepted in lieu of a financial contribution required by this DCP to the extent that they constitute part or all of the design of an infrastructure funded by this DCP or otherwise reduce the cost to complete that design, to the Collecting Agency's satisfaction. Temporary works will not be accepted as works-in-kind unless they can be incorporated into the final design at no additional cost to the DCP.

## 5.5 Funds Administration

The administration of the development contributions made under the DCP will be held until required for provision of the items in that class of development (transport, community buildings or sporting reserves). Details of funds received and expenditures will be held by the Collecting Agency in accordance with the provisions of the *Local Government Act 1993* and the Act.

The administration of contributions made under the DCP will be transparent and demonstrate the:

- Amount and timing of funds collected;
- Source of the funds collected;
- Amount and timing of expenditure on specific projects;
- Project on which the expenditure was made;
- Account balances for individual project classes;
- Details of works-in-kind arrangements for project provision;
- Pooling or quarantining of funds to deliver specific projects where applicable.

The Collecting Agency will provide for regular monitoring, reporting and review of the monies received and expended in accordance with this DCP.

The Collecting Agency will establish interest bearing accounts and all monies held in these accounts will be used solely for the provision of infrastructure as itemised in this DCP, as required under Section 46Q of the Act.

Should the Collecting Agency resolve to not proceed with any of the infrastructure projects listed in this DCP, the funds collected for these items will be used for the provision of alternative works in the same infrastructure class as specified in this DCP. Such funds may also be used for the provision of additional works, services or facilities where approved by the Minister responsible for the Act, or will be refunded to owners of land subject to these infrastructure charges.

## 5.6 Project Indexation

The Development Contributions Levy must be indexed on 1 July 2017 for the 2017/2018 financial year and on 1 July for each subsequent financial year in accordance with the following requirement. The amount of the Development Infrastructure Levy must be indexed using the Producer Price Index Numbers for Road and Bridge construction – Victoria published by the Australian Bureau of Statistics (catalogue 6427.0, Table 17, Output of the Construction of Industries, subdivision and class index numbers) for the June, September, December and March quarters occurring immediately before the beginning of the financial year in respect of which the indexed rate is being determined.

## 5.7 Development Contributions Plan review period

This DCP adopts a long term outlook for development. It takes into account planned future development in the Joseph Road Precinct. For the purposes of the preparation of this DCP, a 'full development' horizon of fifteen years after gazettal of the DCP has been adopted.

This DCP commences on the Approval Date of the amendment introducing the DCP into the Maribyrnong Planning Scheme. This DCP will end on the 15th anniversary from the Approval Date unless it is extended in accordance with the provision of the Act.

The DCP should be reviewed and if necessary updated every five years (or more frequently if required). This may require an amendment to the Maribyrnong Planning Scheme to amend, review, or replace this document. Any review should have regard to any arrangements (for example an agreement under s173 of the Act) for the implementation of this DCP and the rate that development is occurring including the rate of collection of funds.

The projected development outcome in Table 1 is based on the proposed yield of new developments with planning permits and the expected yield of sites that are likely to be developed but not currently in receipt of a planning permit. In determining the expected yield, preferred maximum height provisions in the Maribyrnong Planning Scheme were used to estimate the number of dwellings that may be developed. If there is evidence to suggest that a site is not likely to be developed within the 15 year time frame of the DCP, it is excluded from DCP calculations.

In the event that the excluded sites are proposed to be developed within the time frame of the DCP, they will be required to pay the relevant contribution and the DCP will be amended (through a planning scheme amendment) accordingly.

## 6 OTHER INFORMATION

---

### 6.1 Supporting Documentation

The DCP is supported by the following documents and reports which together form part of the incorporated document:

- Joseph Road Public Realm Cost Estimate Report by WT Partnership, 17 June 2019 (Attachment 1)
- Joseph Road Precinct Public Realm Plan by Aspect Studios, 7 July 2017 (Attachment 2)
- Joseph Road Precinct Preferred WSUD Concepts Report by Alluvium Consulting, 12 May 2017 (Attachment 3)




Joseph Road Precinct  
Development Contributions Plan

**Attachment 1**

Joseph Road Public Realm Cost Estimate  
Report (WT Partnership)

# Joseph Road Precinct DCP Project Areas





## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 19,787.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Area Schedule				
2	Basis of Estimate				
3	Exclusions				
4					
5	Whitehall Street Public Realm Works (RD01)	m2	1,090	1,026	1,118,039
6	Hallenstein Street Public Realm Works (RD02)	m2	1,512	1,101	1,664,503
7	Hopkins Street Footpath Update Works (Central West) (RD03)	m2	693	1,080	748,152
8	Warde Street Public Realm Works (RD04)	m2	3,528	1,114	3,928,592
9	South Joseph Road Public Realm Works (RD05)	m2	3,122	1,025	3,201,075
10	Hopkins Street Footpath Upgrade Works (Central East) (RD06)	m2	580	1,202	696,967
11	Hopkins Street Footpath Upgrade Works (East) (RD07) (Project Removed)	Excl			
12	East Neilson Place Public Realm Works (RD08)	m2	1,605	2,273	3,647,787
13	North Joseph Road Public Realm Works (RD09)	m2	3,174	1,023	3,247,853
14	West Neilson Place Public Realm Works (RD10)	m2	1,045	1,157	1,208,902
15	Wightman Street Public Realm Works (RD11)	m2	1,237	1,149	1,421,537
16	Hopkins Street Footpath Upgrade Works (West) (RD12)	m2	673	1,294	871,028
17	Traffic Improvement Works - Traffic Lights at the intersection of Hallenstein Street and Hopkins Street (TR01)	m2	768	4,078	3,131,920
18	Traffic Improvement Works - Pedestrian operated crossing near Cowper Street (TR02) (Project Removed)	Excl			
19	Traffic Improvement Works - Whitehall Street / Hopkins Street signal upgrade (TR03)	m2	760	1,438	1,092,752
20	Gross Pollutant Trap (GPT01)	Item	1	396,211	396,211
21	Bio-Retention Basin (BR01)	Item	1	404,682	404,682



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 19,787.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	19,787	1,353	26,780,000

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (Detail)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 19,787.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1</b>	<b>Area Schedule</b>				
1.1	The following areas have been used in this cost plan: <u>Public Realm area schedule</u>				
1.2	Whitehall Street Public Realm Works (RD01)	m2	1,090		
1.3	Hallenstein Street Public Realm Works (RD02)	m2	1,512		
1.4	Hopkins Street Footpath Update Works (Central West) (RD03)	m2	693		
1.5	Warde Street Public Realm Works (RD04)	m2	3,528		
1.6	South Joseph Road Public Realm Works (RD05)	m2	3,122		
1.7	Hopkins Street Footpath Upgrade Works (Central East) (RD06)	m2	580		
1.8	Hopkins Street Footpath Upgrade Works (East) (RD07) - Removed from scope	Note			
1.9	East Neilson Place Public Realm Works (RD08)	m2	1,605		
1.10	North Joseph Road Public Realm Works (RD09)	m2	3,174		
1.11	West Neilson Place Public Realm Works (RD10)	m2	1,045		
1.12	Wightman Street Public Realm Works (RD11)	m2	1,237		
1.13	Hopkins Street Footpath Upgrade Works (West) (RD12)	m2	673		
1.14	Traffic Improvement Works - Traffic Lights at the intersection of Hallenstein Street and Hopkins Street (TR01)	m2	768		
1.15	Traffic Improvement Works - Pedestrian operated crossing near Cowper Street (TR02) - Removed from scope	Note			
1.16	Traffic Improvement Works - Whitehall Street / Hopkins Street signal upgrade (TR03)	m2	760		
	<b>TOTAL AREA</b>	<b>m2</b>	<b>19,787</b>		

**2 Basis of Estimate**

2.1 The following information forms the basis of this cost plan:

**ESTIMATE DETAIL****16291 - Joseph Road Precinct****Joseph Road Precinct - 17 June 2019 (Detail)****Job No: 16291****Cost Base Date: July 2017****GFA (m2): 19,787.00****Date Printed: 17/06/2019**

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**2 Basis of Estimate***(Continued)*

2.2	DCP Project Areas (Revised) - Public Realm Plan dated received 6 June 2019				
2.3	Joseph Road DCP Project Areas high quality print received 6 June 2019				
2.4	TTW Minor Stormwater (5 Year) Drainage Concept Plan - Sheet 1 dated 11 January 2017				
2.5	TTW Minor Stormwater (5 Year) Drainage Concept Plan - Sheet 2 dated 11 January 2017				
2.6	Maribyrnong City Council Public Realm Plan - Concept Design Report dated 7 July 2017				
2.7	Catchment Flow Calcs - 12D Model - Hydraulic Design Sheet dated 18 January 2017				
2.8	LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16 June 2017				
2.9	One Mile Grid Hopkins Street / Whitehall Street Maribyrnong City Traffic Signal Plan dated 20 November 2018				
2.10	One Mile Grid Hopkins Street / Hallenstein Street Maribyrnong City Traffic Signal Plan dated 20 November 2018				
2.11	Alluvium Consulting Preferred WSUD Concepts dated 12 May 2017 (Bio-Retention Basin Design)				
2.12	Jemena Overhead/Underground Joseph RD Precinct - Package B Footscray drawings dated 13 September 2018				
2.13	Project Area RD09 update revision 3 dated received 29 May 2019				
2.14	C145 Joseph Road Precinct DCP - Quantity Surveyor Brief May 2019 received 29 May 2019				

**3 Exclusions**

3.1	The following items are specifically excluded from this cost plan:
3.2	Trunk services into the development lots; all services stop at the perimeter boundary of the development lots

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 19,787.00

Joseph Road Precinct - 17 June 2019 (Detail)

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>3</b>	<b>Exclusions</b>				
					<i>(Continued)</i>
3.3	Substations				
3.4	Heritage restoration works				
3.5	Works within development lots				
3.6	Works to railway corridor				
3.7	Works to banks of Maribyrnong river such as scour protection, groins, etc.				
3.8	Marine works				
3.9	Open space land purchase				
3.10	Public open space works adjacent the Maribyrnong river				
3.11	Costs associated with Archaeological excavations				
3.12	Cost impact of Cultural heritage management plan				
3.13	Works outside site boundary except traffic signalisation				
3.14	Works outside of designated work areas				
3.15	Roadworks to Hopkins St except traffic signalisation				
3.16	Tram works				
3.17	Work out of normal working hours				
3.18	Fibre to the home				
3.19	Sewer, water, gas and communications to the public realm as advised by Maribyrnong City Council (2 February 2017)				
3.20	Authority and Headwork charges as these costs are assumed to be borne by developers and are not apart of the DCP				
3.21	CCTV as advised by Maribyrnong City Council (2 February 2017)				
3.22	Contamination remediation and removal to ground within the development lots				
3.23	Removal of Non-Rippable rock				
3.24	Latent Conditions				
3.25	Remediation of ground water				

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 19,787.00

Joseph Road Precinct - 17 June 2019 (Detail)

Date Printed: 17/06/2019



Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**3 Exclusions***(Continued)*

3.26	Cost escalation beyond July 2017				
3.27	Retention of existing infrastructure				
3.28	GST				

# PROJECT AREA: RD01

Description: Whitehall Street Public Realm Works  
 Drawing Ref: Page 12 of the Joseph Road Public Realm Plan (Aspect Studios)  
 Date: 7 July 2017  
 Revision: 3



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD01)

 Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,090.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	1,090	91.49	99,725
2	Contamination	m3	545	313.00	170,585
3	Groundworks	m3	164	433.33	70,850
4	Roadworks	m2	644	254.10	163,643
5	Pavements	m2	438	115.23	50,470
6	Street Furniture	m2	1,090	19.54	21,300
7	Street lighting (Electrical Measured Separately)	No	2	5,000.00	10,000
8	Traffic Signalisation - Measured separately	N/A			
9	Landscaping	m2	1,090	5.76	6,280
10	Power	m2	1,090	37.30	40,658
11	Stormwater	m2	1,090	36.89	40,215
12	Sewer	m2	1,090		
13	Water	m2	1,090		
14	Gas	m2	1,090		
15	Communications	m2	1,090		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>1,090</b>	<b>618.10</b>	<b>673,726</b>
16	Design Development Contingency	%	10.0	673,726.00	67,373
17	Temporary works	%	2	741,098.60	14,822
18	Preliminaries and Supervision	%	8	755,921	60,474
19	Builder's Margin	%	5	816,394	40,820
20	Cost Escalation (FEB - JUL)	%	1	857,214	8,572
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>1,090</b>	<b>794.30</b>	<b>865,786</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	865,786	129,868
22	Design and Consultant Fees	%	9	995,654	89,609
23	Project Management Fees	%	3	1,085,263	32,776



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD01)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,090.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	1,090	1,025.72	1,118,039
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	1,090	1,025.72	1,118,039

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD01)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,090.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for demolition of roads and pavement	m2	1,090	20.00	21,800
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
1.3	Demolition of existing stormwater pipework including redundant pit removal	m	39	75.00	2,925
					<b>99,725</b>

**2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities and disposal methodology at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assume 100% of RD01 area @ 0.50m deep is contaminated: $1,090\text{m}^2 \times 100\% \times 0.50\text{m deep} = 545\text{m}^3$ approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	27	1,700	46,325
2.5	Allow Nil% at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	518	240	124,260
					<b>170,585</b>

**3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of RD01 area @ 0.50m deep is affected: $1,090\text{m}^2 \times 30\% \times 0.50\text{m deep} = 164\text{m}^3$ approx	m3	164	100.00	16,350
3.3	Allowance for engineered fill in lieu of contamination removal	m3	545	100.00	54,500

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD01)

 Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,090.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>3</b>	<b>Groundworks</b>				<i>(Continued)</i>

70,850

**4 Roadworks**

<u>Road</u>					
4.1	180mm Asphalt road with 400mm crushed rock sub-base including associated excavation works	m2	644	165.00	106,260
4.2	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	119	350.00	41,650
4.3	Allowance for linemarking to the extent of the works	m2	644	10.00	6,440
4.4	Allowance for traffic signage	Item	1	5,500.00	5,500
4.5	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.6	We have allowed for rippable rock to 10% of road excavation	Note			
4.7	Allowance for trenching in rock	m3	32	120.00	3,793

163,643

**5 Pavements**

<u>Pavement</u>					
5.1	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	438	65.00	28,470
5.2	E/O Vehicle Crossover	No	1	10,000.00	10,000
5.3	E/O Pram/Pedestrian Crossover (assumed sloped into asphalt pavement as per Maribyrnong City Design Manual SF 003)	No	4	3,000.00	12,000

50,470

**6 Street Furniture**

6.1	Stainless steel bicycle hoops (SF 401)	No	2	750.00	1,500
6.2	Aluminium framed waste unit - Single (SF 301 & 302)	No	2	2,500.00	5,000
6.3	Aluminium framed recycling unit - Single (SF 301 & 302)	No	2	2,650.00	5,300
6.4	Butt Out Bin fixed to waste units	No	2	450.00	900
6.5	Promenade seating including back rest (SF 201)	No	2	2,100.00	4,200

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,090.00

Joseph Road Precinct - 17 June 2019 (RD01)

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>6</b>	<b>Street Furniture</b>				<i>(Continued)</i>
6.6	Way finding signage (SF 701)	No	1	2,500.00	2,500
6.7	Traffic Sign - As advised by Maribyrnong City Council	No	2	250.00	500
6.8	Parking Sign - As advised by Maribyrnong City Council	No	7	200.00	1,400

**21,300****7 Street lighting (Electrical Measured Separately)**

7.1	Aluminium Light Pole including luminaries - Power supply measured in Power trade	No	2	5,000.00	10,000
-----	--	----	---	----------	--------

**10,000****8 Landscaping**

	<u>Street Landscaping</u>				
8.1	Allowance of \$450 per tree advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	4	450.00	1,800
8.3	Granitic gravel mixture to tree base	m2	8	100.00	800
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	23	160.00	3,680

**6,280****9 Power**

	<u>General</u>				
9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
	<u>Electricity</u>				
9.2	Allowance for substations	Excl			
	<u>Underground Power Distribution</u>				
9.3	LV 1x150 conduit run including trenching and cable installation	m	27	315	8,505
9.4	Allowance for cable joints	No	3	750	2,250
9.5	Pulling of cables undertaken by Authority	EXCL			
	<u>Pits</u>				

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD01)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,090.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>9</b>	<b>Power</b>				<i>(Continued)</i>
9.6	Allowance for precast pits <i>Street Lighting</i>	Item	1	10,000.00	10,000
9.7	Allowance for luminary fitting to light pole	No	2	1,500.00	3,000
9.8	Allowance work in connecting to street mains	No	2	450.00	900
9.9	LV cabling ran within street light poles (assumed standard 11m height)	No	2	460.00	920
9.10	Conduit including LV cabling ran from light pole base to street mains (assumed 10 m per pole) <i>Misc</i>	m	20	350.00	7,000
9.11	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
9.12	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
9.13	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.14	We have allowed for rippable rock to 30% of trench excavation	Note			
9.15	Allowance for trenching in rock in assumed 600 wide	m3	5	120.00	583
					<b>40,658</b>

**10 Stormwater**

	<u>Stormwater</u>				
	<i>Pits</i>				
10.1	New stormwater pits	No	7	4,000.00	28,000
	<i>Pipework</i>				
10.2	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network	Note			
	<i>Existing</i>				
10.3	300 dia concrete pipe including excavation and backfill - Existing	m	32		
10.4	375 dia concrete pipe including excavation and backfill - Existing	m			

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD01)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,090.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>10 Stormwater</b> <span style="float: right;">(Continued)</span>					
10.5	450 dia concrete pipe including excavation and backfill - Existing	m	26		
10.6	600 dia concrete pipe including excavation and backfill - Existing	m			
10.7	675 dia concrete pipe including excavation and backfill - Existing	m			
10.8	1250 dia concrete pipe including excavation and backfill - Existing	m			
	<i>Proposed</i>				
10.9	300 dia concrete pipe including excavation and backfill	m	28	130.00	3,640
10.10	375 dia concrete pipe including excavation and backfill	m	3	135.00	405
10.11	450 dia concrete pipe including excavation and backfill	m		175.00	
10.12	525 dia concrete pipe including excavation and backfill	m		200.00	
10.13	600 dia concrete pipe including excavation and backfill	m		350.00	
10.14	675 dia concrete pipe including excavation and backfill	m		410.00	
	<i>Misc</i>				
10.15	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.16	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.17	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
10.18	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
10.19	We have allowed for rippable rock to 30% of trench excavation	Note			
10.20	Allowance for trenching in rock in assumed 600 wide	m3	6	120.00	670
					<b>40,215</b>

**11 Sewer**

<u>Sewer</u>					
11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD01)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,090.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**11 Sewer***(Continued)***12 Water**Water Supply

12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note
------	--	------

**13 Gas**Gas

13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note
------	--	------

**14 Communications**Communications



14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note
------	--	------

*This page is intentionally left blank*



# PROJECT AREA: RD02

Description: Hallenstein Street Public Realm Works  
Drawing Ref: Page 16 of the Joseph Road Public Realm Plan (Aspect Studios)  
Date: 7 July 2017  
Revision: 3



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD02)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,512.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	1,512	72.13	109,065
2	Contamination	m3	756	313.00	236,628
3	Groundworks	m3	227	433.33	98,280
4	Roadworks	m2	1,052	253.82	267,018
5	Pavements	m2	710	110.07	78,150
6	Street Furniture	m2	1,512	17.36	26,250
7	Street lighting (Electrical Measured Separately)	No	6	4,166.67	25,000
8	Traffic Signalisation	N/A			
9	Landscaping	m2	1,512	10.78	16,300
10	Power	m2	1,512	73.72	111,470
11	Stormwater	m2	1,512	23.10	34,927
12	Sewer	m2	1,512		
13	Water	m2	1,512		
14	Gas	m2	1,512		
15	Communications	m2	1,512		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>1,512</b>	<b>663.42</b>	<b>1,003,088</b>
16	Design Development Contingency	%	10	1,003,087.62	100,309
17	Temporary works	%	2	1,103,396.38	22,068
18	Preliminaries and Supervision	%	8	1,125,464	90,037
19	Builder's Margin	%	5	1,215,501	60,775
20	Cost Escalation (FEB - JUL)	%	1	1,276,277	12,763
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>1,512</b>	<b>852.54</b>	<b>1,289,039</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	1,289,039	193,356
22	Design and Consultant Fees	%	9	1,482,395	133,416
23	Project Management Fees	%	3	1,615,811	48,692

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD02)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,512.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	1,512	1,100.86	1,664,503
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	1,512	1,100.86	1,664,503

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD02)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,512.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for demolition of roads and pavement	m2	1,512	20.00	30,240
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
1.3	Demolition of existing stormwater pipework including redundant pit removal	m	51	75.00	3,825

**109,065****2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities and disposal methodology at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assume 100% of RD02 area @ 0.50m deep is contaminated: $1,512\text{m}^2 \times 100\% \times 0.50\text{m deep} = 756\text{m}^3$ approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	38	1,700	64,260
2.5	Allow Nil at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	718	240	172,368

**236,628****3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of RD02 area affected @ 0.50m deep : $1,512\text{m}^2 \times 30\% \times 0.50\text{m deep} = 227\text{m}^3$ approx	m3	227	100.00	22,680
3.3	Allowance for engineered fill in lieu of contamination removal	m3	756	100.00	75,600

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD02)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,512.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>3</b>	<b>Groundworks</b>				<i>(Continued)</i>

98,280

**4 Roadworks**

<u>Road</u>					
4.1	180mm Asphalt road with 480mm crushed rock sub-base including associated excavation works	m2	1,052	180.00	189,360
4.2	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	159	350.00	55,650
4.3	Allowance for linemarking to the extent of the works	m2	1,052	10.00	10,520
4.4	Allowance for traffic signage	Item	1	5,500.00	5,500
4.5	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.6	We have allowed for rippable rock to 10% of road excavation	Note			
4.7	Allowance for trenching in rock	m3	50	120.00	5,988

267,018

**5 Pavements**

<u>Pavement</u>					
5.1	Cobblestone footpaths included under roadworks	Note			
5.2	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	710	65.00	46,150
5.3	E/O Vehicle Crossover	No	2	10,000.00	20,000
5.4	E/O Pram/Pedestrian Crossover (assumed sloped into asphalt pavement as per Maribyrnong City Design Manual SF 003)	No	4	3,000.00	12,000

78,150

**6 Street Furniture**

6.1	Stainless steel bicycle hoops (SF 401)	No	5	750.00	3,750
6.2	Aluminium framed waste unit - Single (SF 301 & 302)	No	2	2,500.00	5,000
6.3	Aluminium framed recycling unit - Single (SF 301 & 302)	No	2	2,650.00	5,300
6.4	Butt Out Bin fixed to waste units	No	2	450.00	900

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD02)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,512.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**6 Street Furniture***(Continued)*

6.5	Promenade seating including back rest (SF 201)	No	3	2,100.00	6,300
6.6	Way finding signage (SF 701)	No	1	2,500.00	2,500
6.7	Traffic Sign - As advised by Maribyrnong City Council	No	2	250.00	500
6.8	Parking Sign - As advised by Maribyrnong City Council	No	10	200.00	2,000

**26,250****7 Street lighting (Electrical Measured Separately)**

7.1	Aluminium Light Pole including luminaries - Power supply measured in Power trade	No	5	5,000.00	25,000
-----	--	----	---	----------	--------

**25,000****8 Landscaping**

<u>Street Landscaping</u>					
8.1	Allowance of \$450 per plant advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	10	450.00	4,500
8.3	Gravel / Sand mixture to tree base	m2	22	100.00	2,200
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	60	160.00	9,600

**16,300****9 Power**

<u>General</u>					
9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
<u>Electricity</u>					
9.2	Allowance for substations	Excl			
<u>Underground Power Distribution</u>					
9.3	LV 1x63 conduit run including trenching and cable installation	m	14	200	2,804
9.4	LV 1x150 conduit run including trenching and cable installation	m	25	315	7,875

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD02)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,512.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>9</b>	<b>Power</b>				<i>(Continued)</i>
9.5	HV 4x150 conduit run including trenching and cable installation	m	60	760	45,585
9.6	Allowance for cable joints	No	5	750	3,750
9.7	Pulling of cables undertaken by Authority <i>Pits</i>	EXCL			
9.8	Allowance for precast pits between conduit runs <i>Street Lighting</i>	Item	1	10,000.00	10,000
9.9	Allowance for luminary fitting to light pole	No	5	1,500.00	7,500
9.10	Allowance for work in connecting to street mains	No	5	450.00	2,250
9.11	LV cabling ran within street light poles (assumed standard 11m height)	No	5	460.00	2,300
9.12	Conduit including LV cabling ran from light pole base to street mains (assumed 10 m per pole) <i>Misc</i>	m	50	350.00	17,500
9.13	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
9.14	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
9.15	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.16	We have allowed for rippable rock to 30% of trench excavation	Note			
9.17	Allowance for trenching in rock in assumed 600 wide	m3	37	120.00	4,406
					<b>111,470</b>

**10 Stormwater**

	<u>Stormwater</u>				
	<i>Pits</i>				
10.1	New stormwater pits	No	4	4,000.00	16,000
	<i>Pipework</i>				
10.2	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network	Note			

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD02)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,512.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>10 Stormwater</b> <span style="float: right;">(Continued)</span>					
<i>Proposed</i>					
10.3	300 dia concrete pipe including excavation and backfill	m	19	130.00	2,470
10.4	600 dia concrete pipe including excavation and backfill	m	23	350.00	8,050
<i>Misc</i>					
10.5	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.6	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.7	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
10.8	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
10.9	We have allowed for rippable rock to 30% of trench excavation	Note			
10.10	Allowance for trenching in rock in assumed 600 wide	m3	8	120.00	907

**34,927****11 Sewer**

<u>Sewer</u>					
11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

**12 Water**

<u>Water Supply</u>					
12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

**13 Gas**

<u>Gas</u>					
13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,512.00

Joseph Road Precinct - 17 June 2019 (RD02)

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------




**14 Communications**Communications

14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

*This page is intentionally left blank*

# PROJECT AREA: RD03

Description: Hopkins Street Footpath Upgrade Works (Central West)  
 Drawing Ref: Pages 26 & 28 of the Joseph Road Public Realm Plan (Aspect Studios)  
 Date: 7 July 2017  
 Revision: 3



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD03)

 Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 693.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	693	128.23	88,860
2	Contamination	m3	347	313.00	108,455
3	Groundworks	m3	104	433.33	45,045
4	Roadworks	m2	693	54.40	37,700
5	Pavements	m2	670	80.31	53,810
6	Street Furniture	m2	693	45.53	31,550
7	Street lighting (Electrical Measured Separately)	m2	693		
8	Traffic Signalisation	N/A			
9	Landscaping	m2	693	25.24	17,490
10	Power	m2	693	87.13	60,381
11	Stormwater	m2	693	10.82	7,500
12	Sewer	m2	693		
13	Water	m2	693		
14	Gas	m2	693		
15	Communications	m2	693		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>693</b>	<b>650.49</b>	<b>450,790</b>
16	Design Development Contingency	%	10.0	450,790.10	45,079
17	Temporary works	%	2	495,869.11	9,917
18	Preliminaries and Supervision	%	8	505,786	40,463
19	Builder's Margin	%	5	546,249	27,312
20	Cost Escalation (FEB - JUL)	%	1	573,562	5,736
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>693</b>	<b>835.93</b>	<b>579,298</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	579,298	86,895
22	Design and Consultant Fees	%	9	666,192	59,957
23	Project Management Fees	%	3	726,149	22,003

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD03)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 693.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	693	1,079.58	748,152
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	693	1,079.58	748,152

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD03)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 693.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**1 Demolition**

1.1	Allowance for demolition of roads and pavement	m2	693	20.00	13,860
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000

**88,860****2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities and disposal methodology at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assumed RD03 has the same contamination classification as RD01 & RD02	Note			
2.4	Assume 100% of RD03 area @ 0.50m deep is contaminated: $693\text{m}^2 \times 100\% \times 0.50\text{m deep} = 347\text{m}^3$ approx	Note			
2.5	Allow 5% at Cat A [\$850/t]	m3	17	1,700	29,453
2.6	Allow Nil at Cat B	m3	Nil		
2.7	Allow 95% at Cat C [\$140/t]	m3	329	240	79,002

**108,455****3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of public realm area affected @ 0.50m deep : $693\text{m}^2 \times 30\% \times 0.50\text{m deep} = 104\text{m}^3$ approx	m3	104	100.00	10,395
3.3	Allowance for engineered fill in lieu of contamination removal	m3	347	100.00	34,650

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD03)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 693.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>3</b>	<b>Groundworks</b>				<i>(Continued)</i>

45,045

**4 Roadworks**

<u>Road</u>					
4.1	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	92	350.00	32,200
4.2	Allowance for traffic signage	Item	1	5,500.00	5,500

37,700

**5 Pavements**

<u>Pavement</u>					
5.1	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	670	65.00	43,550
5.2	300 wide sawn bluestone banding within Asphalt including mortar bedding, 32 MPa concrete pad and crushed rock subbase	m	76	135.00	10,260
5.3	The cost of the pavement (5.1 & 5.2) will be externally apportioned through Amendment C145 at 76.6% (\$41,219)	Note			

53,810

**6 Street Furniture**

6.1	Stainless steel bicycle hoops (SF 401)	No	7	750.00	5,250
6.2	Aluminium framed waste unit - Single (SF 301 & 302)	No	2	2,500.00	5,000
6.3	Aluminium framed recycling unit - Single (SF 301 & 302)	No	2	2,600.00	5,200
6.4	Butt Out Bin fixed to waste unit	No	2	450.00	900
6.5	Promenade seating including back rest (SF 201)	No	2	2,100.00	4,200
6.6	Bus shelter (SF 801)	No	1	10,000.00	10,000
6.7	Parking Sign - As advised by Maribyrnong City Council	No	5	200.00	1,000

31,550

**7 Street lighting (Electrical Measured Separately)**

7.1	Street lights shown within RD03 are existing	Note			
-----	--	------	--	--	--

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD03)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 693.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>7</b>	<b>Street lighting (Electrical Measured Separately)</b>				<i>(Continued)</i>

**8 Landscaping**

Item	Section	Unit	Qty	Rate	Cost \$
	<u>Street Landscaping</u>				
8.1	Allowance of \$450 per plant advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	11	450.00	4,950
8.3	Gravel / Sand mixture to tree base	m2	23	100.00	2,300
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	64	160.00	10,240
					<b>17,490</b>

**9 Power**

Item	Section	Unit	Qty	Rate	Cost \$
	<u>General</u>				
9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
	<u>Electricity</u>				
9.2	Allowance for substations	Excl			
	<u>Underground Power Distribution</u>				
9.3	LV 1x150 conduit run including trenching and cable installation	m	91	315	28,665
9.4	Allowance for cable joints	No	3	750	2,250
9.5	Pulling of cables undertaken by Authority	EXCL			
	<u>Pits</u>				
9.6	Allowance for precast pits between conduit runs	Item	1	10,000.00	10,000
	<u>Street Lighting</u>				
9.7	Allowance to connect existing street lights to newly proposed underground cables	Item	1	10,000.00	10,000
	<u>Misc</u>				
9.8	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
9.9	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD03)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 693.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>9 Power</b> (Continued)					
9.10	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.11	We have allowed for rippable rock to 30% of trench excavation	Note			
9.12	Allowance for trenching in rock in assumed 600 wide	m3	16	120.00	1,966
					<b>60,381</b>

**10 Stormwater**

<u>Stormwater</u>					
<i>Pipework</i>					
10.1	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network	Note			
<i>Existing</i>					
10.2	450 dia concrete pipe including excavation and backfill - Existing	m	106		
<i>Misc</i>					
10.3	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.4	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.5	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
					<b>7,500</b>

**11 Sewer**

<u>Sewer</u>					
11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

**12 Water**

<u>Water Supply</u>					
12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD03)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 693.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**12 Water***(Continued)***13 Gas**Gas




13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note
------	--	------

**14 Communications**Communications

14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note
------	--	------

# PROJECT AREA: RD04

Description: Warde Street Public Realm Works  
 Drawing Ref: Pages 12, 14, 15, 16 of the Joseph Road Public Realm Plan (Aspect Studios)  
 Date: 7 July 2017  
 Revision: 3



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD04)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,528.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	3,528	43.32	152,835
2	Contamination	m3	1,764	313.00	552,132
3	Groundworks	m3	529	433.33	229,320
4	Roadworks	m2	1,523	273.43	416,434
5	Pavements	m2	1,958	282.22	552,580
6	Street Furniture	m2	3,528	31.60	111,500
7	Street lighting (Electrical Measured Separately)	No	9	5,000.00	45,000
8	Traffic Signalisation	N/A			
9	Landscaping	m2	3,528	11.04	38,960
10	Power	m2	3,528	60.48	213,360
11	Stormwater	m2	3,528	15.75	55,565
12	Sewer	m2	3,528		
13	Water	m2	3,528		
14	Gas	m2	3,528		
15	Communications	m2	3,528		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>3,528</b>	<b>671.11</b>	<b>2,367,685</b>
16	Design Development Contingency	%	10.0	2,367,685.49	236,769
17	Temporary works	%	2	2,604,454.04	52,089
18	Preliminaries and Supervision	%	8	2,656,543	212,523
19	Builder's Margin	%	5	2,869,067	143,453
20	Cost Escalation (FEB - JUL)	%	1	3,012,520	30,125
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>3,528</b>	<b>862.43</b>	<b>3,042,645</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	3,042,645	456,397
22	Design and Consultant Fees	%	9	3,499,042	314,914
23	Project Management Fees	%	3	3,813,956	114,636

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD04)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,528.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	3,528	1,113.55	3,928,592
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	3,528	1,113.55	3,928,592

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD04)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,528.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for demolition of roads and pavement	m2	3,528	20.00	70,560
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
1.3	Demolition of existing stormwater pipework including redundant pit removal	m	97	75.00	7,275

**152,835****2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assume 100% of RD04 area @ 0.50m deep is contaminated: $3,528\text{m}^2 \times 100\% \times 0.50\text{m deep} = 1,764\text{m}^3$ approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	88	1,700	149,940
2.5	Allow Nil at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	1,676	240	402,192

**552,132****3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of public RD04 affected @ 0.50m deep : $3,528\text{m}^2 \times 30\% \times 0.50\text{m deep} = 529\text{m}^3$ approx	m3	529	100.00	52,920
3.3	Allowance for engineered fill in lieu of contamination removal	m3	1,764	100.00	176,400

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD04)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,528.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>3</b>	<b>Groundworks</b>				<i>(Continued)</i>

**229,320****4 Roadworks**

<u>Road</u>					
4.1	180mm Asphalt road with 360mm crushed rock sub-base including associated excavation works	m2	1,225	160.00	196,000
4.2	Bluestone pavement including subbase (Warde / Hallenstein Street Intersection & Joseph Road)	m2	262	350.00	91,700
4.3	Bluestone cobble pavement including subbase (Bluestone pavement (Warde / Hallenstein Intersection & Joseph Road)	m2	36	400.00	14,400
4.4	300 wide flush bluestone kerb strip including 150 thick concrete footing on 75 thick crushed rock base	m	246	275.00	67,650
4.5	150 wide bluestone spoon drain including 150 thick concrete footing on 75 thick crushed rock base and drainage channel	m	123	155.00	19,065
4.6	Allowance for linemarking to the extent of the works	m2	1,225	10.00	12,250
4.7	Allowance for traffic signage	Item	1	5,500.00	5,500
4.8	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.9	We have allowed for rippable rock to 10% of road excavation	Note			
4.10	Allowance for trenching in rock	m3	82	120.00	9,869

**416,434****5 Pavements**

<u>Pavement</u>					
5.1	Bluestone pavement including subbase (Warde / Hallenstein Street Intersection & Joseph Road)	m2	1,366	350.00	478,100
5.2	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	592	65.00	38,480
5.3	E/O Vehicle Crossover	No	3	10,000.00	30,000

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,528.00

Joseph Road Precinct - 17 June 2019 (RD04)

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**5 Pavements***(Continued)*

5.4	E/O Pram/Pedestrian Crossover (assumed sloped into asphalt pavement as per Maribyrnong City Design Manual SF 003)	No	2	3,000.00	6,000
-----	---	----	---	----------	-------

**552,580****6 Street Furniture**

6.1	Stainless steel bicycle hoops (SF 401)	No	9	750.00	6,750
6.2	Stainless steel bollards including bollard caps (SF 501)	No	30	1,800.00	54,000
6.3	Aluminium framed waste unit - Single (SF 301 & 302)	No	4	2,500.00	10,000
6.4	Aluminium framed recycling unit - Single (SF 301 & 302)	No	4	2,650.00	10,600
6.5	Butt Out Bin fixed to waste unit	No	4	450.00	1,800
6.6	Promenade seating including back rest (SF 201)	No	9	2,100.00	18,900
6.7	Way finding signage (SF 701)	No	2	2,500.00	5,000
6.8	Traffic Sign - As advised by Maribyrnong City Council	No	1	250.00	250
6.9	Parking Sign - As advised by Maribyrnong City Council	No	21	200.00	4,200

**111,500****7 Street lighting (Electrical Measured Separately)**

7.1	Aluminium Light Pole including luminaries - Power supply measured in Power trade	No	9	5,000.00	45,000
-----	--	----	---	----------	--------

**45,000****8 Landscaping**Street Landscaping

8.1	Allowance of \$450 per plant advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	26	450.00	11,700
8.3	Gravel / Sand mixture to tree base	m2	47	100.00	4,700
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	141	160.00	22,560

**38,960**



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD04)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,528.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>9 Power</b>					
<u>General</u>					
9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
<u>Electricity</u>					
9.2	Allowance for substations	Excl			
<i>Underground Power Distribution</i>					
9.3	LV 1x150 conduit run including trenching and cable installation	m	18	315	5,670
9.4	HV 4x150 conduit run including trenching and cable installation	m	171	760	129,917
9.5	Allowance for cable joints	No	4	750	3,000
9.6	Pulling of cables undertaken by Authority	EXCL			
<i>Pits</i>					
9.7	Allowance for precast pits between conduit runs	Item	1	10,000.00	10,000
<i>Street Lighting</i>					
9.8	Allowance for luminary fitting to light pole	No	9	1,500.00	13,500
9.9	Allowance for connection to street mains	No	9	450.00	4,050
9.10	LV cabling ran within street light poles (assumed standard 11m height)	No	9	460.00	4,140
9.11	Conduit including LV cabling ran from light pole base to street mains (assumed 10 m per pole)	m	90	350.00	31,500
<i>Misc</i>					
9.12	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
9.13	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
9.14	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.15	We have allowed for rippable rock to 30% of trench excavation	Note			
9.16	Allowance for trenching in rock in assumed 600 wide	m3	34	120.00	4,082
					<b>213,360</b>

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD04)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,528.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>10 Stormwater</b>					
<u>Stormwater</u>					
<i>Pits</i>					
10.1	New stormwater pits	No	9	4,000.00	36,000
<i>Pipework</i>					
10.2	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network	Note			
<i>Existing</i>					
10.3	300 dia concrete pipe including excavation and backfill - Existing	m	113		
<i>Proposed</i>					
10.4	300 dia concrete pipe including excavation and backfill	m	30	130.00	3,900
10.5	375 dia concrete pipe including excavation and backfill	m	48	135.00	6,480
<i>Misc</i>					
10.6	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.7	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.8	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
10.9	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
10.10	We have allowed for rippable rock to 30% of trench excavation	Note			
10.11	Allowance for trenching in rock in assumed 600 wide	m3	14	120.00	1,685

**55,565****11 Sewer**

<u>Sewer</u>					
11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD04)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,528.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**12 Water**Water Supply

12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**13 Gas**Gas

13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--




**14 Communications**Communications

14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

*This page is intentionally left blank*

# PROJECT AREA: RD05

Description: South Joseph Road Public Realm Works  
 Drawing Ref: Pages 20 & 22 of the Joseph Road Public Realm Plan (Aspect Studios)  
 Date: 7 July 2017  
 Revision: 3



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD05)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,122.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	3,122	46.89	146,390
2	Contamination	m3	1,561	313.00	488,593
3	Groundworks	m3	468	433.33	202,930
4	Roadworks	m2	2,092	264.70	553,744
5	Pavements	m2	1,001	164.32	164,485
6	Street Furniture	m2	3,122	25.21	78,700
7	Street lighting (Electrical Measured Separately)	No	4	5,000.00	20,000
8	Traffic Signalisation	N/A			
9	Landscaping	m2	3,122	7.40	23,090
10	Power	m2	3,122	55.79	174,191
11	Stormwater	m2	3,122	24.69	77,078
12	Sewer	m2	3,122		
13	Water	m2	3,122		
14	Gas	m2	3,122		
15	Communications	m2	3,122		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>3,122</b>	<b>617.94</b>	<b>1,929,201</b>
16	Design Development Contingency	%	10.0	1,929,200.60	192,920
17	Temporary works	%	2	2,122,120.66	42,442
18	Preliminaries and Supervision	%	8	2,164,563	173,165
19	Builder's Margin	%	5	2,337,728	116,886
20	Cost Escalation (FEB - JUL)	%	1	2,454,615	24,546
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>3,122</b>	<b>794.09</b>	<b>2,479,161</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	2,479,161	371,874
22	Design and Consultant Fees	%	9	2,851,035	256,593
23	Project Management Fees	%	3	3,107,628	93,447

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD05)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,122.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	3,122	1,025.33	3,201,075
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	3,122	1,025.33	3,201,075

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD05)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,122.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for demolition of roads and pavement	m2	3,122	20.00	62,440
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
1.3	Demolition of existing stormwater pipework including redundant pit removal	m	86	75.00	6,450
1.4	Demolition of existing concrete pillar	Item	1	2,500	2,500

**146,390****2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017				
2.3	Assume 100% of RD05 area @ 0.50m deep is contaminated: $3,122\text{m}^2 \times 100\% \times 0.50\text{m deep} = 1,561\text{m}^3$ approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	78	1,700	132,685
2.5	Allow Nil at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	1,483	240	355,908

**488,593****3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of public RD05 affected @ 0.50m deep : $3,122\text{m}^2 \times 30\% \times 0.50\text{m deep} = 468\text{m}^3$ approx	m3	468	100.00	46,830



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD05)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,122.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>3 Groundworks</b>					<i>(Continued)</i>
3.3	Allowance for engineered fill in lieu of contamination removal	m3	1,561	100.00	156,100
					<b>202,930</b>

**4 Roadworks**

<u>Road</u>					
4.1	180mm Asphalt road with 480mm crushed rock sub-base including associated excavation works	m2	1,919	180.00	345,420
4.2	Bluestone pavement (Warde / Hallenstein Street Intersection & Joseph Road)	m2	119	350.00	41,650
4.3	Bluestone cobble pavement (Bluestone pavement (Warde / Hallenstein Street Intersection & Joseph Road)	m2	54	400.00	21,600
4.4	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	297	350.00	103,950
4.5	Allowance for linemarking to the extent of the works	m2	1,919	10.00	19,190
4.6	Allowance for traffic signage	Item	1	5,500.00	5,500
4.7	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.8	We have allowed for rippable rock to 10% of road excavation	Note			
4.9	Allowance for trenching in rock	m3	137	120.00	16,434
					<b>553,744</b>

**5 Pavements**

<u>Pavement</u>					
5.1	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	891	65.00	57,915
5.2	Bluestone pavement (Warde / Hallenstein Street Intersection & Joseph Road)	m2	110	350.00	38,500
5.3	300 wide sawn bluestone banding within Asphalt including mortar bedding, 32 MPa concrete pad and crushed rock subbase	m	82	135.00	11,070
5.4	E/O Vehicle Crossover	No	4	10,000.00	40,000

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,122.00

Joseph Road Precinct - 17 June 2019 (RD05)

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>5</b>	<b>Pavements</b>				<i>(Continued)</i>
5.5	E/O Pram/Pedestrian Crossover (assumed sloped into asphalt pavement as per Maribyrnong City Design Manual SF 003)	No	4	3,000.00	12,000
5.6	E/O Pram/Pedestrian Crossover - Extended	No	1	5,000.00	5,000

**164,485****6 Street Furniture**

6.1	Stainless steel bicycle hoops (SF 401)	No	9	750.00	6,750
6.2	Stainless steel bollards including bollard caps (SF 501)	No	14	1,800.00	25,200
6.3	Aluminium framed waste unit - Single (SF 301 & 302)	No	4	2,500.00	10,000
6.4	Aluminium framed recycling unit - Single (SF 301 & 302)	No	4	2,650.00	10,600
6.5	Butt Out Bin fixed to waste unit	No	4	450.00	1,800
6.6	Promenade seating including back rest (SF 201)	No	6	2,100.00	12,600
6.7	Way finding signage (SF 701)	No	2	2,500.00	5,000
6.8	Traffic Sign - As advised by Maribyrnong City Council	No	7	250.00	1,750
6.9	Parking Sign - As advised by Maribyrnong City Council	No	25	200.00	5,000

**78,700****7 Street lighting (Electrical Measured Separately)**

7.1	Aluminium Light Pole - Power supply measured elsewhere	No	4	5,000.00	20,000
-----	--	----	---	----------	--------

**20,000****8 Landscaping**

	<u>Street Landscaping</u>				
8.1	Allowance of \$450 per plant advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	15	450.00	6,750
8.3	Gravel / Sand mixture to tree base	m2	29	100.00	2,900
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	84	160.00	13,440

**23,090**

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD05)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,122.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**9 Power**General

9.1 Demolition of existing Infrastructure Services measured elsewhere Note

Electricity

9.2 Allowance for substations Excl

*Underground Power Distribution*

9.3 HV Power Conduits including associated trenching m 191 675.00 128,925

9.4 Pulling of cables undertaken by Authority EXCL

*Pits*

9.5 Allowance for precast pits between conduit runs Item 1 10,000.00 10,000

*Street Lighting*

9.6 Allowance for luminary fitting to light pole No 4 1,500.00 6,000

9.7 Allowance for connection to street mains No 4 450.00 1,800

9.8 LV cabling ran within street light poles (assumed standard 11m height) No 4 460.00 1,840

9.9 Conduit including LV cabling ran from light pole base to street mains (assumed 10 m per pole) m 40 350.00 14,000

*Misc*

9.10 Allowance for asset recording and quality testing Item 1 2,500.00 2,500

9.11 Allowance for taping into surrounding mains (Staged Works) Item 1 5,000.00 5,000

9.12 Refer to LR Pardo & Associates geotechnical report for identification of rock. Note

9.13 We have allowed for rippable rock to 30% of trench excavation Note

9.14 Allowance for trenching in rock in assumed 600 wide m3 34 120.00 4,126

**174,191****10 Stormwater**Stormwater*Pits*

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD05)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,122.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>10 Stormwater</b> <span style="float: right;">(Continued)</span>					
10.1	New stormwater pits <i>Pipework</i>	No	12	4,000.00	48,000
10.2	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network <i>Existing</i>	Note			
10.3	375 dia concrete pipe including excavation and backfill - Existing <i>Proposed</i>	m	73		
10.4	300 dia concrete pipe including excavation and backfill	m	28	130.00	3,640
10.5	375 dia concrete pipe including excavation and backfill	m	20	135.00	2,700
10.6	600 dia concrete pipe including excavation and backfill <i>Misc</i>	m	35	350.00	12,250
10.7	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.8	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.9	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
10.10	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
10.11	We have allowed for rippable rock to 30% of trench excavation	Note			
10.12	Allowance for trenching in rock in assumed 1000 wide	m3	25	120.00	2,988

77,078

**11 Sewer**

<u>Sewer</u>					
11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,122.00

Joseph Road Precinct - 17 June 2019 (RD05)

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**12 Water**Water Supply

12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**13 Gas**Gas

13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--




**14 Communications**Communications

14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

*This page is intentionally left blank*

# PROJECT AREA: RD06

Description: Hopkins Street Footpath Upgrade Works (Central East)  
 Drawing Ref: Pages 26-27 of the Joseph Road Public Realm Plan (Aspect Studios)  
 Date: 7 July 2017  
 Revision: 3



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD06)

**Job No: 16291**  
**Cost Base Date: July 2017**  
**GFA (m2): 580.00**
**Date Printed: 17/06/2019**

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	580	149.31	86,600
2	Contamination	m3	290	313.00	90,770
3	Groundworks	m3	87	433.33	37,700
4	Roadworks	m2	580	58.97	34,200
5	Pavements	m2	651	73.02	47,535
6	Street Furniture	m2	580	35.43	20,550
7	Street lighting (Electrical Measured Separately)	No	4	3,750.00	15,000
8	Traffic Signalisation	N/A			
9	Landscaping	m2	580	27.81	16,130
10	Power	m2	580	103.37	59,955
11	Stormwater	m2	580	19.83	11,500
12	Sewer	m2	580		
13	Water	m2	580		
14	Gas	m2	580		
15	Communications	m2	580		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>580</b>	<b>724.04</b>	<b>419,940</b>
16	Design Development Contingency	%	10.0	419,940.40	41,994
17	Temporary works	%	2	461,934.44	9,239
18	Preliminaries and Supervision	%	8	471,173	37,694
19	Builder's Margin	%	5	508,867	25,443
20	Cost Escalation (FEB - JUL)	%	1	534,310	5,343
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>580</b>	<b>930.44</b>	<b>539,653</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	539,653	80,948
22	Design and Consultant Fees	%	9	620,601	55,854
23	Project Management Fees	%	3	676,456	20,511



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD06)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 580.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	580	1,201.67	696,967
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	580	1,201.67	696,967

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD06)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 580.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**1 Demolition**

1.1	Allowance for demolition of roads and pavement	m2	580	20.00	11,600
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000

**86,600****2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assume 100% of RD06 area @ 0.50m deep is contaminated: 580m2 x 100% x 0.50m deep = 290m3 approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	15	1,700	24,650
2.5	Allow Nil at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	276	240	66,120

**90,770****3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of RD06 area affected @ 0.50m deep : 580m2 x 30% x 0.50m deep = 87m3 approx	m3	87	100.00	8,700
3.3	Allowance for engineered fill in lieu of contamination removal	m3	290	100.00	29,000

**37,700**

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD06)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 580.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>4 Roadworks</b>					
<u>Road</u>					
4.1	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	82	350.00	28,700
4.2	Allowance for traffic signage	Item	1	5,500.00	5,500
					<b>34,200</b>
<b>5 Pavements</b>					
<u>Pavement</u>					
5.1	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	561	65.00	36,465
5.2	300 wide sawn bluestone banding within Asphalt including mortar bedding, 32 MPa concrete pad and crushed rock subbase	m	82	135.00	11,070
5.3	The cost of the pavement (5.1 & 5.2) will be externally apportioned through Amendment C145 at 76.6% (\$36,412)	Note			
					<b>47,535</b>
<b>6 Street Furniture</b>					
6.1	Stainless steel bicycle hoops (SF 401)	No	6	750.00	4,500
6.2	Aluminium framed waste unit - Single (SF 301 & 302)	No	2	2,500.00	5,000
6.3	Aluminium framed recycling unit - Single (SF 301 & 302)	No	2	2,650.00	5,300
6.4	Butt Out Bin fixed to waste unit	No	2	450.00	900
6.5	Promenade seating including back rest (SF 201)	No	2	2,100.00	4,200
6.6	Traffic Sign - As advised by Maribyrnong City Council	No	1	250.00	250
6.7	Parking Sign - As advised by Maribyrnong City Council	No	2	200.00	400
					<b>20,550</b>
<b>7 Street lighting (Electrical Measured Separately)</b>					
7.1	Aluminium Light Pole - Power supply measured elsewhere	No	3	5,000.00	15,000
					<b>15,000</b>

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD06)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 580.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**8 Landscaping**

<u>Street Landscaping</u>					
8.1	Allowance of \$450 per plant advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	11	450.00	4,950
8.3	Gravel / Sand mixture to tree base	m2	19	100.00	1,900
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	58	160.00	9,280

**16,130****9 Power**

<u>General</u>					
9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
<u>Electricity</u>					
9.2	Allowance for substations	Excl			
<u>Underground Power Distribution</u>					
9.3	LV 1x150 conduit run including trenching and cable installation	m	69	315	21,735
9.4	Allowance for cable joints	No	2	750	1,500
9.5	Pulling of cables undertaken by Authority	EXCL			
<u>Pits</u>					
9.6	Allowance for precast pits between conduit runs	Item	1	10,000.00	10,000
<u>Street Lighting</u>					
9.7	Allowance for luminary fitting to light pole	No	3	1,500.00	4,500
9.8	Allowance for connection to street mains	No	3	450.00	1,350
9.9	LV cabling ran within street light poles (assumed standard 11m height)	No	3	460.00	1,380
9.10	Conduit including LV cabling ran from light pole base to street mains (assumed 10 m per pole)	m	30	350.00	10,500
<u>Misc</u>					
9.11	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD06)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 580.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>9</b>	<b>Power</b>				<i>(Continued)</i>
9.12	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
9.13	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.14	We have allowed for rippable rock to 30% of trench excavation	Note			
9.15	Allowance for trenching in rock in assumed 600 wide	m3	12	120.00	1,490
					<b>59,955</b>

**10 Stormwater**

	<u>Stormwater</u>				
	<i>Pits</i>				
10.1	New stormwater pits	No	1	4,000.00	4,000
	<i>Pipework</i>				
10.2	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network	Note			
	<i>Existing</i>				
10.3	600 dia concrete pipe including excavation and backfill - Existing	m	114		
	<i>Misc</i>				
10.4	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.5	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.6	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
10.7	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
10.8	We have allowed for rippable rock to 30% of trench excavation	Note			
					<b>11,500</b>

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD06)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 580.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**11 Sewer**Sewer

11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**12 Water**Water Supply

12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**13 Gas**Gas




13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**14 Communications**Communications

14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

# PROJECT AREA: RD08

Description: East Neilson Place Public Realm Works  
 Drawing Ref: Pages 18-19 of the Joseph Road Public Realm Plan (Aspect Studios)  
 Date: 2 July 2017  
 Revision: 3



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD08)

 Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,605.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	1,605	73.22	117,525
2	Contamination	m3	803	1,512.29	1,213,609
3	Groundworks	m3	241	433.33	104,325
4	Roadworks	m2	1,064	391.41	416,465
5	Pavements	m2	522	172.28	89,930
6	Street Furniture	m2	1,605	11.28	18,100
7	Street lighting (Electrical Measured Separately)	No	3	5,000.00	15,000
8	Traffic Signalisation	N/A			
9	Landscaping	m2	1,605	9.47	15,200
10	Power	m2	1,605	88.36	141,810
11	Stormwater	m2	1,605	41.42	66,476
12	Sewer	m2	1,605		
13	Water	m2	1,605		
14	Gas	m2	1,605		
15	Communications	m2	1,605		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>1,605</b>	<b>1,369.74</b>	<b>2,198,440</b>
16	Design Development Contingency	%	10.0	2,198,439.96	219,844
17	Temporary works	%	2	2,418,283.96	48,366
18	Preliminaries and Supervision	%	8	2,466,650	197,332
19	Builder's Margin	%	5	2,663,982	133,199
20	Cost Escalation (FEB - JUL)	%	1	2,797,181	27,972
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>1,605</b>	<b>1,760.22</b>	<b>2,825,152</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	2,825,152	423,773
22	Design and Consultant Fees	%	9	3,248,925	292,403
23	Project Management Fees	%	3	3,541,329	106,458



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD08)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,605.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	1,605	2,272.76	3,647,787
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	1,605	2,272.76	3,647,787

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD08)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,605.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for demolition of roads and pavement	m2	1,605	20.00	32,100
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
1.3	Demolition of existing stormwater pipework including redundant pit removal	m	139	75.00	10,425

**117,525****2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	The below quantities have been based of the information provided within LR Pardo & Associates Technical Report 1710011 Joseph Rd/1	Note			
2.4	Assume 100% of RD08 area @ 0.50m deep is contaminated: $1,605\text{m}^2 \times 100\% \times 0.50\text{m deep} = 803\text{m}^3$ approx	Note			
2.5	Allow 66% at Cat A including asbestos removal [\$925/t]	m3	538	1,850	995,624
2.6	Allow Nil at Cat B	m3	Nil		
2.7	Allow 33% at Cat C including asbestos removal [\$185/t]	m3	265	370	97,985
2.8	Allowance for additional preliminaries in regards to asbestos removal (approx \$3,000 per day)	Item	1	120,000.00	120,000

**1,213,609**

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD08)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,605.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of RD08 area affected @ 0.50m deep : 1,617m2 x 30% x 0.50m deep = 243m3 approx	m3	241	100.00	24,075
3.3	Allowance for engineered fill in lieu of contamination removal	m3	803	100.00	80,250

**104,325****4 Roadworks**

<u>Road</u>					
4.1	180mm Asphalt road with 480mm crushed rock sub-base including associated excavation works	m2	1,064	180.00	191,520
4.2	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	215	350.00	75,250
4.3	Allowance for linemarking to the extent of the works	m2	1,064	10.00	10,640
4.4	Allowance for traffic signage	Item	1	5,500.00	5,500
4.5	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.6	We have allowed for rippable rock to 10% of road excavation	Note			
4.7	Allowance for trenching in rock	m3	53	120.00	6,360
4.8	E/O for removal of asbestos during excavation [\$120/t]	m3	530	240.00	127,195

**416,465****5 Pavements**

<u>Pavement</u>					
5.1	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	522	65.00	33,930
5.2	E/O Vehicle Crossover	No	5	10,000.00	50,000
5.3	E/O Pram/Pedestrian Crossover (assumed sloped into asphalt pavement as per Maribyrnong City Design Manual SF 003)	No	2	3,000.00	6,000

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD08)

 Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,605.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>5</b>	<b>Pavements</b>				<i>(Continued)</i>

**89,930**

**6 Street Furniture**

6.1	Stainless steel bicycle hoops (SF 401)	No	5	750.00	3,750
6.2	Aluminium framed waste unit - Single (SF 301 & 302)	No	1	2,500.00	2,500
6.3	Aluminium framed recycling unit - Single (SF 301 & 302)	No	1	2,650.00	2,650
6.4	Butt Out Bin fixed to waste unit	No	1	450.00	450
6.5	Promenade seating including back rest (SF 201)	No	3	2,100.00	6,300
6.6	Traffic Sign - As advised by Maribyrnong City Council	No	1	250	250
6.7	Parking Sign - As advised by Maribyrnong City Council	No	11	200.00	2,200

**18,100**

**7 Street lighting (Electrical Measured Separately)**

7.1	Aluminium Light Pole - Power supply measured elsewhere	No	3	5,000.00	15,000
-----	--	----	---	----------	--------

**15,000**

**8 Landscaping**

	<u>Street Landscaping</u>				
8.1	Allowance of \$450 per plant advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	10	450.00	4,500
8.3	Gravel / Sand mixture to tree base	m2	19	100.00	1,900
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	55	160.00	8,800

**15,200**

**9 Power**

	<u>General</u>				
9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
	<u>Electricity</u>				
9.2	Allowance for substations	Excl			

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

Joseph Road Precinct - 17 June 2019 (RD08)

GFA (m2): 1,605.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>9</b>	<b>Power</b>				
	<i>(Continued)</i>				
	<i>Underground Power Distribution</i>				
9.3	HV Power Conduits including associated trenching	m	153	675.00	103,275
9.4	Pulling of cables undertaken by Authority	EXCL			
	<i>Pits</i>				
9.5	Allowance for precast pits between conduit runs	Item	1	10,000.00	10,000
	<i>Street Lighting</i>				
9.6	Allowance for luminary fitting to light pole	No	3	1,500.00	4,500
9.7	Allowance for connection to street mains	No	3	450.00	1,350
9.8	LV cabling ran within street light poles (assumed standard 11m height)	No	3	460.00	1,380
9.9	Conduit including LV cabling ran from light pole base to street mains (assumed 10 m per pole)	m	30	350.00	10,500
	<i>Misc</i>				
9.10	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
9.11	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
9.12	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.13	We have allowed for rippable rock to 30% of trench excavation	Note			
9.14	Allowance for trenching in rock in assumed 600 wide	m3	28	120.00	3,305

**141,810****10 Stormwater**

	<u>Stormwater</u>				
	<i>Pits</i>				
10.1	New stormwater pits	No	8	4,000.00	32,000
	<i>Pipework</i>				
10.2	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network	Note			

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD08)

 Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,605.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**10 Stormwater***(Continued)**Proposed*

10.3	300 dia concrete pipe including excavation and backfill	m	9	130.00	1,170
10.4	375 dia concrete pipe including excavation and backfill	m	13	135.00	1,755
10.5	450 dia concrete pipe including excavation and backfill	m	32	175.00	5,600
10.6	525 dia concrete pipe including excavation and backfill	m	78	200.00	15,600
10.7	600 dia concrete pipe including excavation and backfill	m		350.00	

*Misc*

10.8	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.9	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.10	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
10.11	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
10.12	We have allowed for rippable rock to 30% of trench excavation	Note			
10.13	Allowance for trenching in rock in assumed 600 wide	m3	24	120.00	2,851

**66,476****11 Sewer**Sewer

11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**12 Water**Water Supply

12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,605.00

Joseph Road Precinct - 17 June 2019 (RD08)

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**13 Gas**Gas

13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**14 Communications**Communications





14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

*This page is intentionally left blank*




# PROJECT AREA: RD09

Description: North Joseph Road Public Realm Works  
 Drawing Ref: Pages 20-21, 23-25 of the Joseph Road Public Realm Plan (Aspect Studios)  
 Date: 7 February 2017  
 Revision: 3



Typical section across Joseph Road, from page 21 of the Joseph Road Public Realm Plan



Section AA across North Joseph Road, from page 24 of the Joseph Road Public Realm Plan

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD09)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,174.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	3,174	48.80	154,912
2	Contamination	m3	1,587	313.00	496,789
3	Groundworks	m3	476	433.33	206,335
4	Roadworks	m2	2,141	240.76	515,476
5	Pavements	m2	975	115.26	112,375
6	Street Furniture	m2	3,174	10.43	33,100
7	Street lighting (Electrical Measured Separately)	No	7	5,000.00	35,000
8	Traffic Signalisation	N/A			
9	Landscaping	m2	3,174	14.56	46,230
10	Power	m2	3,174	67.70	214,908
11	Stormwater	m2	3,174	43.58	138,328
12	Sewer	m2	3,174		
13	Water	m2	3,174		
14	Gas	m2	3,174		
15	Communications	m2	3,174		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>3,174</b>	<b>615.38</b>	<b>1,953,454</b>
16	Design Development Contingency	%	10.0	1,953,453.62	195,345
17	Temporary works	%	2	2,148,798.98	42,976
18	Preliminaries and Supervision	%	8	2,191,775	175,342
19	Builder's Margin	%	5	2,367,117	118,356
20	Cost Escalation (FEB - JUL)	%	1	2,485,473	24,855
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>3,174</b>	<b>790.81</b>	<b>2,510,328</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	2,510,328	376,549
22	Design and Consultant Fees	%	9	2,886,877	259,819
23	Project Management Fees	%	3	3,146,696	101,158

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD09)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,174.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	3,174	1,023.15	3,247,853
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	3,174	1,023.15	3,247,853

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD09)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,174.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for demolition of roads and pavement	m2	3,174	20.00	63,487
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
1.3	Demolition of existing stormwater pipework including redundant pit removal	m	219	75.00	16,425

**154,912****2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assume 100% of RD09 area @ 0.50m deep is contaminated: $3,174\text{m}^2 \times 100\% \times 0.50\text{m deep} = 1,587\text{m}^3$ approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	79	1,700	134,911
2.5	Allow Nil at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	1,508	240	361,878

**496,789****3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of RD09 area affected @ 0.50m deep : $3,174\text{m}^2 \times 30\% \times 0.50\text{m deep} = 476\text{m}^3$ approx	m3	476	100.00	47,616
3.3	Allowance for engineered fill in lieu of contamination removal	m3	1,587	100.00	158,719

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD09)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,174.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>3</b>	<b>Groundworks</b>				<i>(Continued)</i> <b>206,335</b>

**4 Roadworks**

<u>Road</u>					
4.1	180mm Asphalt road with 400mm crushed rock sub-base including associated excavation works	m2	2,141	165.00	353,265
4.2	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	344	350.00	120,400
4.3	Allowance for linemarking to the extent of the works	m2	2,141	10.00	21,410
4.4	Allowance for traffic signage	Item	1	5,500.00	5,500
4.5	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.6	We have allowed for rippable rock to 10% of road excavation	Note			
4.7	Allowance for trenching in rock	m3	124	120.00	14,901
					<b>515,476</b>

**5 Pavements**

<u>Pavement</u>					
5.1	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	975	65.00	63,375
5.2	E/O Vehicle Crossover	No	2	10,000.00	20,000
5.3	E/O Pram/Pedestrian Crossover (assumed sloped into asphalt pavement as per Maribyrnong City Design Manual SF 003)	No	8	3,000.00	24,000
5.4	E/O Pram/Pedestrian Crossover - Extended	No	1	5,000.00	5,000
					<b>112,375</b>

**6 Street Furniture**

6.1	Stainless steel bicycle hoops (SF 401)	No	8	750.00	6,000
6.2	Aluminium framed waste unit - Single (SF 301 & 302)	No	2	2,500.00	5,000
6.3	Aluminium framed recycling unit - Single (SF 301 & 302)	No	2	2,650.00	5,300
6.4	Butt Out Bin fixed to waste unit	No	2	450.00	900

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD09)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,174.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**6 Street Furniture***(Continued)*

6.5	Promenade seating including back rest (SF 201)	No	4	2,100.00	8,400
6.6	Way finding signage (SF 701)	No	1	2,500.00	2,500
6.7	Traffic Sign - As advised by Maribyrnong City Council	No	8	250.00	2,000
6.8	Parking Sign - As advised by Maribyrnong City Council	No	15	200.00	3,000

**33,100****7 Street lighting (Electrical Measured Separately)**

7.1	Aluminium Light Pole - Power supply measured elsewhere	No	7	5,000.00	35,000
-----	--	----	---	----------	--------

**35,000****8 Landscaping**

	<u>Street Landscaping</u>				
8.1	Allowance of \$450 per plant advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	31	450.00	13,950
8.3	Gravel / Sand mixture to tree base	m2	59	100.00	5,900
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	153	160.00	24,480
8.5	135 wide 300 deep concrete surround to tree base within road including concrete colouring	m	20	95.00	1,900

**46,230****9 Power**

	<u>General</u>				
9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
	<u>Electricity</u>				
9.2	Allowance for substations	Excl			
	<u>Underground Power Distribution</u>				
9.3	HV Power Conduits including associated trenching	m	224	675.00	151,200
9.4	Pulling of cables undertaken by Authority	EXCL			

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD09)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 3,174.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**9 Power***(Continued)*

<i>Pits</i>					
9.5	Allowance for precast pits between conduit runs	Item	1	10,000.00	10,000
<i>Street Lighting</i>					
9.6	Allowance for luminary fitting to light pole	No	7	1,500.00	10,500
9.7	Allowance for connection to street mains	No	7	450.00	3,150
9.8	LV cabling ran within street light poles (assumed standard 11m height)	No	7	460.00	3,220
9.9	Conduit including LV cabling ran from light pole base to street mains (assumed 10 m per pole)	m	70	350.00	24,500
<i>Misc</i>					
9.10	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
9.11	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
9.12	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.13	We have allowed for rippable rock to 30% of trench excavation	Note			
9.14	Allowance for trenching in rock in assumed 600 wide	m3	40	120.00	4,838

**214,908****10 Stormwater**

<u>Stormwater</u>					
<i>Pits</i>					
10.1	New stormwater pits	No	10	4,000.00	40,000
<i>Pipework</i>					
10.2	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network	Note			
<i>Existing</i>					
10.3	1800 dia open drain - Existing	m	64		
<i>Proposed</i>					



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD09)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,174.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>10 Stormwater</b> <span style="float: right;">(Continued)</span>					
10.4	300 dia concrete pipe including excavation and backfill	m	24	130.00	3,120
10.5	600 dia concrete pipe including excavation and backfill	m	69	350.00	24,150
10.6	675 dia concrete pipe including excavation and backfill	m	135	410.00	55,350
	<i>Misc</i>				
10.7	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.8	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.9	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
10.10	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
10.11	We have allowed for rippable rock to 30% of trench excavation	Note			
10.12	Allowance for trenching in rock in assumed 1000 wide	m3	68	120.00	8,208

**138,328****11 Sewer**Sewer

11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**12 Water**Water Supply

12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**13 Gas**Gas

13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 3,174.00

Joseph Road Precinct - 17 June 2019 (RD09)

Date Printed: 17/06/2019



Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**14 Communications**Communications

14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

# PROJECT AREA: RD10

Description: West Neilson Place Public Realm Works  
Drawing Ref: Page 18 of the Joseph Road Public Realm Plan (Aspect Studios)  
Date: 7 July 2017  
Revision: 2



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD10)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,045.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	1,045	93.21	97,400
2	Contamination	m3	523	313.00	163,699
3	Groundworks	m3	157	433.12	68,000
4	Roadworks	m2	637	293.84	187,175
5	Pavements	m2	394	191.90	75,610
6	Street Furniture	m2	1,045	4.50	4,700
7	Street lighting (Electrical Measured Separately)	No	3	5,000.00	15,000
8	Traffic Signalisation	N/A			
9	Landscaping	m2	1,045	9.44	9,860
10	Power	m2	1,045	68.38	71,453
11	Stormwater	m2	1,045	34.06	35,593
12	Sewer	m2	1,045		
13	Water	m2	1,045		
14	Gas	m2	1,045		
15	Communications	m2	1,045		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>1,045</b>	<b>697.12</b>	<b>728,490</b>
16	Design Development Contingency	%	10.0	728,490.44	72,849
17	Temporary works	%	2	801,339.48	16,027
18	Preliminaries and Supervision	%	8	817,366	65,389
19	Builder's Margin	%	5	882,756	44,138
20	Cost Escalation (FEB - JUL)	%	1	926,893	9,269
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>1,045</b>	<b>895.85</b>	<b>936,162</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	936,162	140,424
22	Design and Consultant Fees	%	9	1,076,587	96,893
23	Project Management Fees	%	3	1,173,479	35,423

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD10)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,045.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	1,045	1,156.84	1,208,902
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	1,045	1,156.84	1,208,902

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD10)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,045.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for demolition of roads and pavement	m2	1,045	20.00	20,900
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
1.3	Demolition of existing stormwater pipework including redundant pit removal	m	20	75.00	1,500

**97,400****2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assume 100% of RD10 area @ 0.50m deep is contaminated: $1,045\text{m}^2 \times 100\% \times 0.50\text{m deep} = 523\text{m}^3$ approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	26	1,700	44,455
2.5	Allow Nil at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	497	240	119,244

**163,699****3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of RD10 area affected @ 0.50m deep : $1,045\text{m}^2 \times 30\% \times 0.50\text{m deep} = 157\text{m}^3$ approx	m3	157	100.00	15,700
3.3	Allowance for engineered fill in lieu of contamination removal	m3	523	100.00	52,300

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD10)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,045.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>3 Groundworks</b>					<i>(Continued)</i>
					<b>68,000</b>
<b>4 Roadworks</b>					
<u>Road</u>					
4.1	180mm Asphalt road with 480mm crushed rock sub-base including associated excavation works	m2	637	180.00	114,660
4.2	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	151	350.00	52,850
4.3	300 Flush bluestone kerb strip including 150 thick concrete footing on 75 thick crushed rock base (assumed reduced footing size in lieu of concrete channel)	m	10	275.00	2,750
4.4	Allowance for linemarking to the extent of the works	m2	637	10.00	6,370
4.5	Allowance for traffic signage	Item	1	5,500.00	5,500
4.6	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.7	We have allowed for rippable rock to 10% of road excavation	Note			
4.8	Allowance for trenching in rock	m3	42	120.00	5,045
					<b>187,175</b>
<b>5 Pavements</b>					
<u>Pavement</u>					
5.1	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	394	65.00	25,610
5.2	E/O Vehicle Crossover	No	4	10,000.00	40,000
5.3	Allowance for additional works associated with custom vehicle crossover (surface measured under asphalt pavement - subbase non specified)	Item	1	10,000.00	10,000
					<b>75,610</b>
<b>6 Street Furniture</b>					
6.1	Promenade seating including back rest (SF 201)	No	1	2,100.00	2,100
6.2	Parking Sign - As advised by Maribyrnong City Council	No	13	200.00	2,600
					<b>4,700</b>

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD10)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,045.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**7 Street lighting (Electrical Measured Separately)**

7.1	Aluminium Light Pole - Power supply measured elsewhere	No	3	5,000.00	15,000
-----	--	----	---	----------	--------

**15,000****8 Landscaping**Street Landscaping

8.1	Allowance of \$450 per plant advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	6	450.00	2,700
8.3	Gravel / Sand mixture to tree base	m2	14	100.00	1,400
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	36	160.00	5,760

**9,860****9 Power**General

9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
-----	---	------	--	--	--

Electricity

9.2	Allowance for substations	Excl			
-----	---------------------------	------	--	--	--

Underground Power Distribution

9.3	HV Power Conduits including associated trenching	m	52	675.00	35,100
-----	--	---	----	--------	--------

9.4	Pulling of cables undertaken by Authority	EXCL			
-----	---	------	--	--	--

Pits

9.5	Allowance for precast pits between conduit runs	Item	1	10,000.00	10,000
-----	---	------	---	-----------	--------

Street Lighting

9.6	Allowance for luminary fitting to light pole	No	3	1,500.00	4,500
-----	--	----	---	----------	-------

9.7	Allowance for connection to street mains	No	3	450.00	1,350
-----	--	----	---	--------	-------

9.8	LV cabling ran within street light poles (assumed standard 11m height)	No	3	460.00	1,380
-----	--	----	---	--------	-------



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD10)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,045.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>9</b>	<b>Power</b>				<i>(Continued)</i>
9.9	Conduit including LV cabling ran from light pole base to street mains (assumed 10 m per pole)	m	30	350.00	10,500
	<i>Misc</i>				
9.10	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
9.11	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
9.12	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.13	We have allowed for rippable rock to 30% of trench excavation	Note			
9.14	Allowance for trenching in rock in assumed 600 wide	m3	9	120.00	1,123

**71,453****10 Stormwater**

	<u>Stormwater</u>				
	<i>Pits</i>				
10.1	New stormwater pits	No	6	4,000.00	24,000
	<i>Pipework</i>				
10.2	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network	Note			
	<i>Existing</i>				
10.3	300 dia concrete pipe including excavation and backfill - Existing	m	72		
	<i>Proposed</i>				
10.4	300 dia concrete pipe including excavation and backfill	m	27	130.00	3,510
	<i>Misc</i>				
10.5	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.6	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.7	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD10)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,045.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>10 Stormwater</b> <span style="float: right;"><i>(Continued)</i></span>					
10.8	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
10.9	We have allowed for rippable rock to 30% of trench excavation	Note			
10.10	Allowance for trenching in rock in assumed 600 wide	m3	5	120.00	583
					<b>35,593</b>

**11 Sewer**Sewer

11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**12 Water**Water Supply

12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**13 Gas**Gas




13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**14 Communications**Communications

14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

# PROJECT AREA: RD11

Description: Wightman Street Public Realm Works  
 Drawing Ref: Pages 10-11 of the Joseph Road Public Realm Plan (Aspect Studios)  
 Date: 7 July 2017  
 Revision: 2



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD11)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,237.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	1,237	81.60	100,940
2	Contamination	m3	619	313.00	193,747
3	Groundworks	m3	186	432.80	80,500
4	Roadworks	m2	783	272.36	213,259
5	Pavements	m2	431	320.22	138,015
6	Street Furniture	m2	1,237	6.10	7,550
7	Street lighting (Electrical Measured Separately)	No	1	5,000.00	5,000
8	Traffic Signalisation	N/A			
9	Landscaping	m2	1,237	9.09	11,240
10	Power	m2	1,237	67.35	83,318
11	Stormwater	m2	1,237	18.66	23,080
12	Sewer	m2	1,237		
13	Water	m2	1,237		
14	Gas	m2	1,237		
15	Communications	m2	1,237		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>1,237</b>	<b>692.52</b>	<b>856,648</b>
16	Design Development Contingency	%	10.0	856,648.44	85,665
17	Temporary works	%	2	942,313.28	18,846
18	Preliminaries and Supervision	%	8	961,160	76,893
19	Builder's Margin	%	5	1,038,052	51,903
20	Cost Escalation (FEB - JUL)	%	1	1,089,955	10,900
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>1,237</b>	<b>889.94</b>	<b>1,100,854</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	1,100,854	165,128
22	Design and Consultant Fees	%	9	1,265,983	113,938
23	Project Management Fees	%	3	1,379,921	41,616

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD11)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,237.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	1,237	1,149.18	1,421,537
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	1,237	1,149.18	1,421,537

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD11)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,237.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for demolition of roads and pavement	m2	1,237	20.00	24,740
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
1.3	Demolition of existing stormwater pipework including redundant pit removal	m	16	75.00	1,200
					<b>100,940</b>

**2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	The below quantities have been based of the information provided within LR Pardo & Associates Technical Report 1710011 Joseph Rd/1	Note			
2.4	Assume 100% of RD11 area @ 0.50m deep is contaminated: $1,237\text{m}^2 \times 100\% \times 0.50\text{m deep} = 619\text{m}^3$ approx	Note			
2.5	Allow 5% at Cat A [\$850/t]	m3	31	1,700	52,615
2.6	Allow Nil at Cat B	m3	Nil		
2.7	Allow 95% at Cat C [\$140/t]	m3	588	240	141,132
					<b>193,747</b>

**3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
-----	---	--	--	--	--

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD11)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,237.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>3 Groundworks</b>					<i>(Continued)</i>
3.2	Assume 30% of RD11 area affected @ 0.50m deep : 1,237m <sup>2</sup> x 30% x 0.50m deep = 186m <sup>3</sup> approx	m3	186	100.00	18,600
3.3	Allowance for engineered fill in lieu of contamination removal	m3	619	100.00	61,900

**80,500****4 Roadworks**

<u>Road</u>					
4.1	180mm Asphalt road with 360mm crushed rock sub-base including associated excavation works	m2	783	160.00	125,280
4.2	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	187	350.00	65,450
4.3	300 Flush bluestone kerb strip including 150 thick concrete footing on 75 thick crushed rock base (assumed reduced footing size in lieu of concrete channel)	m	15	275.00	4,125
4.4	Allowance for linemarking to the extent of the works	m2	783	10.00	7,830
4.5	Allowance for traffic signage	Item	1	5,500.00	5,500
4.6	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.7	We have allowed for rippable rock to 10% of road excavation	Note			
4.8	Allowance for trenching in rock	m3	42	120.00	5,074

**213,259****5 Pavements**

<u>Pavement</u>					
5.1	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	431	65.00	28,015
5.2	E/O Vehicle Crossover	No	10	10,000.00	100,000
5.3	Allowance for additional works associated with custom vehicle crossover (surface measured under asphalt pavement - subbase non specified)	Item	1	10,000.00	10,000

**138,015**

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD11)

 Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 1,237.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>6 Street Furniture</b>					
6.1	Stainless steel bicycle hoops (SF 401)	No	3	750.00	2,250
6.2	Promenade seating including back rest (SF 201)	No	1	2,100.00	2,100
6.3	Parking Sign - As advised by Maribyrnong City Council	No	16	200.00	3,200

**7,550****7 Street lighting (Electrical Measured Separately)**

7.1	Aluminium Light Pole - Power supply measured elsewhere	No	1	5,000.00	5,000
7.2	Aluminium light pole all other street lights shown as existing	Note			

**5,000****8 Landscaping**

<u>Street Landscaping</u>					
8.1	Allowance of \$450 per plant advised by Footscray City Council dated 22 August 2016	note			
8.2	75L Tree including 2 year establishment and ongoing maintenance	No	6	450.00	2,700
8.3	Gravel / Sand mixture to tree base	m2	23	100.00	2,300
8.4	40 thick Bluestone surround to tree base including mortar bedding	m	39	160.00	6,240

**11,240****9 Power**

<u>General</u>					
9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
<u>Electricity</u>					
9.2	Allowance for substations	Excl			
<u>Underground Power Distribution</u>					
9.3	HV Power Conduits including associated trenching	m	86	675.00	58,050
9.4	Pulling of cables undertaken by Authority	EXCL			
<u>Pits</u>					



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD11)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,237.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>9</b>	<b>Power</b>				<i>(Continued)</i>
9.5	Allowance for precast pits between conduit runs <i>Street Lighting</i>	Item	1	10,000.00	10,000
9.6	Allowance for luminary fitting to light pole	No	1	1,500.00	1,500
9.7	Allowance for connection to street mains	No	1	450.00	450
9.8	LV cabling ran within street light poles (assumed standard 11m height)	No	1	460.00	460
9.9	Conduit including LV cabling ran from light pole base to street mains (assumed 10 m per pole) <i>Misc</i>	m	10	350.00	3,500
9.10	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
9.11	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
9.12	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.13	We have allowed for rippable rock to 30% of trench excavation	Note			
9.14	Allowance for trenching in rock in assumed 600 wide	m3	15	120.00	1,858

**83,318****10 Stormwater**

	<u>Stormwater</u>				
	<i>Pits</i>				
10.1	New stormwater pits	No	2	4,000.00	8,000
	<i>Pipework</i>				
10.2	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network <i>Proposed</i>	Note			
10.3	300 dia concrete pipe including excavation and backfill <i>Misc</i>	m	50	130.00	6,500

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD11)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 1,237.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>10 Stormwater</b> <span style="float: right;">(Continued)</span>					
10.4	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.5	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
10.6	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
10.7	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
10.8	We have allowed for rippable rock to 30% of trench excavation	Note			
10.9	Allowance for trenching in rock in assumed 600 wide	m3	9	120.00	1,080
					<b>23,080</b>

**11 Sewer**Sewer

11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**12 Water**Water Supply

12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**13 Gas**Gas

13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--

**14 Communications**Communications

14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			
------	--	------	--	--	--



**ESTIMATE DETAIL**

**16291 - Joseph Road Precinct**

**Joseph Road Precinct - 17 June 2019 (RD11)**

**Job No: 16291**

**Cost Base Date: July 2017**

**GFA (m2): 1,237.00**

**Date Printed: 17/06/2019**



Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**14 Communications** *(Continued)*

*This page is intentionally left blank*

## PROJECT AREA: RD12

Description: Hopkins Street Footpath Upgrade Works (West)  
 Drawing Ref: Page 8, 26 of the Joseph Road Public Realm Plan (Aspect Studios)  
 Date: 7 July 2017  
 Revision: 3



### Note:

The cost estimate for RD12 includes the area coloured in light blue. The area represents the future widened footpath should the properties fronting Hopkins Street be redeveloped within the life of the DCP. The assumption that the footpath will be widened is in accordance with the Schedule to Clause 37.08 of the Maribyrnong Planning Scheme, which requires all new developments to be set back by 3m from their frontages to Hopkins Street. The widened footpath will facilitate the continuation of the shared bike path in front of 18-24 Hopkins Street and the planting of trees and the provision of street furniture in the project area. For this reason, the cost estimate includes allowances for future bike path, street trees, and street furniture.

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD12)

 Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 673.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	673	131.44	88,460
2	Contamination	m3	337	313.00	105,325
3	Groundworks	m3	101	433.33	43,745
4	Roadworks	m2	673	86.70	58,350
5	Pavements	m2	673	143.75	96,745
6	Street Furniture	m2	673	45.77	30,800
7	Street lighting (Electrical Measured Separately)	m2	673		
8	Traffic Signalisation	N/A			
9	Landscaping	m2	673	22.29	15,000
10	Power	m2	673	124.70	83,925
11	Stormwater	m2	673	3.71	2,500
12	Sewer	m2	673		
13	Water	m2	673		
14	Gas	m2	673		
15	Communications	m2	673		
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>673</b>	<b>779.86</b>	<b>524,849</b>
16	Design Development Contingency	%	10.0	524,849.10	52,485
17	Temporary works	%	2	577,334.01	11,547
18	Preliminaries and Supervision	%	8	588,881	47,110
19	Builder's Margin	%	5	635,991	31,800
20	Cost Escalation (FEB - JUL)	%	1	667,791	6,678
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>673</b>	<b>1,002.18</b>	<b>674,469</b>
21	Construction Contingency (As advised by Maribyrnong City Council)	%	15	674,469	101,170
22	Design and Consultant Fees	%	9	775,639	69,808
23	Project Management Fees	%	3	845,446	25,582

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD12)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 673.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	673	1,294.25	871,028
24	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	673	1,294.25	871,028

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD12)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 673.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**1 Demolition**

1.1	Allowance for demolition of roads and pavement	m2	673	20.00	13,460
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000

**88,460****2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	Due to the preliminary nature of the project, WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assume 100% of RD12 area @ 0.50m deep is contaminated: $673\text{m}^2 \times 100\% \times 0.50\text{m deep} = 337\text{m}^3$ approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	17	1,700	28,603
2.5	Allow Nil at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	320	240	76,722

**105,325****3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of RD12 area affected @ 0.50m deep : $673\text{m}^2 \times 30\% \times 0.50\text{m deep} = 101\text{m}^3$ approx	m3	101	100.00	10,095
3.3	Allowance for engineered fill in lieu of contamination removal	m3	337	100.00	33,650

**43,745**



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD12)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 673.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
------	---------	------	-----	------	---------

**4 Roadworks**

<u>Road</u>					
4.1	Road kerbing consisting of 300 wide sawn bluestone block and 300 wide concrete channel including 150 thick concrete footing on 75 thick crushed rock base	m	151	350.00	52,850
4.2	Allowance for traffic signage	Item	1	5,500.00	5,500
					<b>58,350</b>

**5 Pavements**

<u>Pavement</u>					
5.1	50 thick asphalt pavement including 75 thick crushed rock subbase	m2	673	65.00	43,745
5.2	E/O Vehicle Crossover	No	5	10,000.00	50,000
5.3	E/O Pram/Pedestrian Crossover (assumed sloped into asphalt pavement as per Maribyrnong City Design Manual SF 003)	No	1	3,000.00	3,000
5.4	The cost of the pavement (5.1, 5.2 & 5.3) will be externally apportioned through Amendment C145 at 76.6% (\$74,107)	Note			
					<b>96,745</b>

**6 Street Furniture**

6.1	Bus shelter (SF 801)	No	1	10,000.00	10,000
6.2	Parking Sign - As advised by Maribyrnong City Council	No	4	200.00	800
6.3	Allowance for street furniture to future proposed bike path	Item	1	20,000.00	20,000
					<b>30,800</b>

**7 Street lighting (Electrical Measured Separately)**

7.1	Street lights shown within RD12 are existing	Note			
-----	--	------	--	--	--

**8 Landscaping**

8.1	Allowance for misc landscaping to future proposed bike path	Item	1	15,000.00	15,000
					<b>15,000</b>

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD12)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 673.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>9 Power</b>					
<i>General</i>					
9.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
<i>Electricity</i>					
9.2	Allowance for substations	Excl			
<i>Underground Power Distribution</i>					
9.3	HV Power Conduits including associated trenching	m	81	675.00	54,675
9.4	Pulling of cables undertaken by Authority	EXCL			
<i>Pits</i>					
9.5	Allowance for precast pits between conduit runs	Item	1	10,000.00	10,000
<i>Street Lighting</i>					
9.6	Allowance to connect existing street lights to newly proposed underground cables	Item	1	10,000.00	10,000
<i>Misc</i>					
9.7	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
9.8	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
9.9	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
9.10	We have allowed for rippable rock to 30% of trench excavation	Note			
9.11	Allowance for trenching in rock in assumed 600 wide	m3	15	120.00	1,750

**83,925****10 Stormwater**

<i>Pipework</i>					
10.1	The below stormwater reticulation is as per TTW Stormwater Drainage Concept Plan read in conjunction with Maribynong City Council drainage network	Note			
<i>Existing</i>					
10.2	450 dia concrete pipe including excavation and backfill - Existing	m	95		

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (RD12)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 673.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>10 Stormwater</b> <span style="float: right;">(Continued)</span>					
	<u>Misc</u>				
10.3	Allowance for the reconnection of development space stormwater services to new pits and pipes - Bourne by developers	Excl			
10.4	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500
					<b>2,500</b>

**11 Sewer**

	<u>Sewer</u>				
11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

**12 Water**

	<u>Water Supply</u>				
12.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

**13 Gas**

	<u>Gas</u>				
13.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

**14 Communications**

	<u>Communications</u>				
14.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			



*This page is intentionally left blank*

## PROJECT AREA: TR01

Description: Traffic Lights at the Intersection of Hallenstein St and Hopkins St

Drawing Ref: Hopkins Street / Moreland Street /Hallenstein Street  
Maribyrnong City Traffic Signal Plan (One Mile Grid)  
Drawing No. 170820TSP201, 25.07.18.

Date: As above



For details please refer to the traffic signals plan  
(One Mile Grid)

SIGN SCHEDULE

#3 KEEP LEFT

#4

#5

#6

#7

#8

#9

#10

#11

#12

#13

#14

#15

#16

#17

#18

#19

#20

#21

#22

#23

#24

#25

#26

#27

#28

#29

#30

#31

#32

#33

#34

#35

#36

#37

#38

#39

#40

#41

#42

#43

#44

#45

#46

#47

#48

#49

#50

#51

#52

#53

#54

#55

#56

#57

#58

#59

#60

#61

#62

#63

#64

#65

#66

#67

#68

#69

#70

#71

#72

#73

#74

#75

#76

#77

#78

#79

#80

#81

#82

#83

#84

#85

#86

#87

#88

#89

#90

#91

#92

#93

#94

#95

#96

#97

#98

#99

#100

LANTERNS

(A)

(B)

(C)

(D)

(E)

(F)

(G)

(H)

(I)

(J)

(K)

(L)

(M)

(N)

(O)

(P)

(Q)

(R)

(S)

(T)

(U)




(V)

(W)

(X)

(Y)

(Z)



REMARK: AND REF: 42.54  
FOOTCERY

**NOTE**  
PROPOSED SIGNAL HARDWARE LOCATIONS ARE INDICATING ONLY CONSULT WITH CONSULTANTS TO VERIFY THAT ALL EXISTING SERVICES ARE SHOWN AT P. INSTALLATION MARKING (FIELD PRINTS).

**WARNING**  
BEWARE OF UNDERGROUND SERVICES THE LOCATIONS OF UNDERGROUND SERVICES ARE SHOWN BY PROVIDING AN OTE AND A WARNING SIGN THAT ALL EXISTING SERVICES ARE SHOWN AT P. INSTALLATION MARKING (FIELD PRINTS).

**GENERAL NOTES:**

1. BASE INFORMATION SUPPLIED BY: MODLAND GROUP - REFERENCED M1127
2. ALL DIMENSIONS ARE TO FACE OF KEYS AND CHANNEL UNLESS OTHERWISE NOTED.
3. LOCAL ROAD - HOPKINS STREET (SPEED ZONE 40KM/H)
4. LOCAL ROAD - HALENSTEIN STREET (SPEED ZONE 40KM/H)
5. LOCAL ROAD - MORELAND STREET (SPEED ZONE 50KM/H)

**LEGEND:**

- 1. SIGNAL-CONTRACTOR
- 2. SUPPLY AND INSTALL NEW HARDWARE AS SHOWN
- 3. REMOVE EXISTING HARDWARE AS SHOWN
- 4. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 5. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 6. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 7. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 8. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 9. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 10. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 11. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 12. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 13. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 14. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 15. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 16. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 17. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 18. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 19. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 20. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 21. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 22. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 23. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 24. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 25. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 26. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 27. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 28. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 29. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 30. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 31. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 32. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 33. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 34. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 35. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 36. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 37. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 38. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 39. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 40. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 41. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 42. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 43. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 44. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 45. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 46. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 47. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 48. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 49. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 50. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 51. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 52. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 53. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 54. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 55. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 56. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 57. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 58. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 59. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 60. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 61. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 62. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 63. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 64. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 65. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 66. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 67. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 68. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 69. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 70. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 71. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 72. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 73. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 74. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 75. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 76. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 77. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 78. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 79. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 80. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 81. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 82. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 83. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 84. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 85. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 86. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 87. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 88. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 89. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 90. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 91. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 92. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 93. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 94. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 95. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 96. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 97. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 98. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 99. REMOVE EXISTING SIGN AND POLE FROM P1-R4
- 100. REMOVE EXISTING SIGN AND POLE FROM P1-R4

**RESOURCES:**  
TREVOR WAUGH (ONE MILE GRID)  
APPROVED

**DATE:** 25.01.18  
**SCALE:** 1:1000  
**PROJECT:** 170820-SP201  
**CLIENT:** Metro-North West  
**ISSUE:** 1 OF 1

**PROJECT:** HOPKINS STREET / MORELAND STREET / HALENSTEIN STREET  
**CITY:** MARGARITING CITY  
**TRAFFIC SIGNAL PLAN**

**SHEET NO.:** 1 OF 1  
**DRAWING NO.:** 37544

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (TR01)

 Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 768.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	768	132.66	101,880
2	Contamination	m3	384	313.00	120,192
3	Groundworks	m3	115	433.33	49,920
4	Roadworks	m2	768	210.94	162,003
5	Pavements	m2	768	15.63	12,000
6	Street lighting (Electrical Measured Separately)	N/A			
7	Street Furniture	N/A			
8	Traffic Signalisation	Item	1	372,870.00	372,870
9	Traffic Signalisation - Traffic Management	Weeks	3	14,000.00	42,000
10	Landscaping	N/A			
11	Power	m2	768	34.71	26,656
12	Stormwater	N/A			
13	Sewer	m2	768		
14	Water	m2	768		
15	Gas	m2	768		
16	Communications	Item	1	1,000,000.00	1,000,000
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>768</b>	<b>2,457.71</b>	<b>1,887,520</b>
17	Design Development Contingency	%	10.0	1,887,520.06	188,752
18	Temporary works	%	2	2,076,272.07	41,525
19	Preliminaries and Supervision	%	8	2,117,798	169,424
20	Builder's Margin	%	5	2,287,221	114,361
21	Cost Escalation (FEB - JUL)	%	1	2,401,582	24,016
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>768</b>	<b>3,158.33</b>	<b>2,425,598</b>
22	Construction Contingency (As advised by Maribyrnong City Council)	%	15	2,425,598	363,840
23	Design and Consultant Fees	%	9	2,789,438	251,049

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (TR01)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 768.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
24	Project Management Fees	%	3	3,040,487	91,433
25	SUB-TOTAL DESIGN & CONSTRUCT COST	m2	768	4,078.02	3,131,920
26	Authority and Head works Charges	Excl			
	TOTAL DESIGN & CONSTRUCTION COST AS AT JUL 2017	m2	768	4,078.02	3,131,920



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (TR01)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 768.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for Demolition and Alteration works to roads and pavement to allow for traffic signalisation works including making good	m2	768	35.00	26,880
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
					<b>101,880</b>

**2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assume 100% of TR01 area @ 0.50m deep is contaminated: $768\text{m}^2 \times 100\% \times 0.50\text{m deep} = 384\text{m}^3$ approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	19	1,700	32,640
2.5	Allow Nil at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	365	240	87,552
					<b>120,192</b>

**3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of public realm area affected @ 0.50m deep : $768\text{m}^2 \times 30\% \times 0.50\text{m deep} = 115\text{m}^3$ approx	m3	115	100.00	11,520
3.3	Allowance for engineered fill in lieu of contamination removal	m3	384	100.00	38,400
					<b>49,920</b>

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (TR01)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 768.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>4 Roadworks</b>					
<u>Road</u>					
4.1	180mm Asphalt road with 480mm crushed rock sub-base including associated excavation works	m2	768	180.00	138,240
4.2	Allowance for linemarking to the extent of the works	m2	768	10.00	7,680
4.3	Additional linemarking to roads leading into newly proposed intersection	Item	1	10,000.00	10,000
4.4	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.5	We have allowed for rippable rock to 10% of road excavation	Note			
4.6	Allowance for trenching in rock	m3	51	120.00	6,083
					<b>162,003</b>

**5 Pavements**

<u>Pavement</u>					
5.1	Allowance for Pram/Pedestrian Crossover (assumed sloped into asphalt pavement as per Maribyrnong City Design Manual SF 003)	No	4	3,000.00	12,000
					<b>12,000</b>

**6 Traffic Signalisation**

<u>Allowance for traffic signalisation to the Hopkins street / Whitehall Street intersection including the following:</u>					
6.1	1 No. 20 dia signal/power conduits including trenching	m	10	110	1,100
6.2	1 No. 50 dia signal/power conduits including trenching	m	5	110	550
6.3	1 No. 64 dia signal/power conduits including trenching	m	4	110	440
6.4	2 No. 100 dia signal/power conduits including trenching	m	127	140	17,780
6.5	Conduit Pits	No	11	1,000	11,000
6.6	Pedestals	No	11	6,000	66,000
6.7	Pedestrian lanterns including push buttons	No	8	2,000	16,000
6.8	Lanterns including boom arms	No	20	3,750	75,000
6.9	Miscellaneous cabling	Item	1	20,000	20,000

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (TR01)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 768.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>6 Traffic Signalisation</b> <span style="float: right;">(Continued)</span>					
6.10	Detector loops	No	10	2,500	25,000
6.11	Distribution Cabinet	No	1	5,000	5,000
6.12	Controller	No	1	25,000	25,000
6.13	Connections to existing Jemmena power mains	Item	1	10,000	10,000
6.14	Allowance for miscellaneous signage	Item	1	15,000	15,000
6.15	Allowance for decommissioning of redundant services	Item	1	35,000	35,000
6.16	Allowance for traffic signalling programming and co-ordination	Item	1	50,000	50,000

**372,870****7 Traffic Signalisation – Traffic Management**

7.1	Allowance for traffic management during the works	Weeks	3	14,000.00	42,000
-----	---	-------	---	-----------	--------

**42,000****8 Power**

<u>General</u>					
8.1	Demolition of existing Infrastructure Services measured elsewhere	Note			
<u>Electricity</u>					
8.2	Allowance for substations	Excl			
<i>Underground Power Distribution</i>					
8.3	LV 1x63 conduit run including trenching and cable installation	m	30	200	6,008
8.4	Allowance for cable joints	Item	1	2,500	2,500
8.5	Pulling of cables undertaken by Authority	EXCL			
<i>Pits</i>					
8.6	Allowance for precast pits between conduit runs	Item	1	10,000.00	10,000
<i>Misc</i>					
8.7	Traffic Signal power connections measured under Traffic Signalisation	Note			
8.8	Allowance for asset recording and quality testing	Item	1	2,500.00	2,500

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (TR01)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 768.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>8 Power</b> <span style="float: right;">(Continued)</span>					
8.9	Allowance for taping into surrounding mains (Staged Works)	Item	1	5,000.00	5,000
8.10	Refer to LR Pardo & Associates geotechnical report for identification of rock.	Note			
8.11	We have allowed for rippable rock to 30% of trench excavation	Note			
8.12	Allowance for trenching in rock in assumed 600 wide	m3	5	120.00	648
					<b>26,656</b>

**9 Sewer**

<u>Sewer</u>					
9.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

**10 Water**

<u>Water Supply</u>					
10.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

**11 Gas**

<u>Gas</u>					
11.1	Costs of all service work (with the exception of street lighting and stormwater) to be borne by developers	Note			

**12 Communications**



12.1	Allowance for Telstra upgrade works as per Maribyrnong Council advise received 20 February 2019	Item	1	1,000,000	1,000,000
					<b>1,000,000</b>

## PROJECT AREA: TR03

Description: Whitehall St/Hopkins St signals upgrade

Drawing Ref: Hopkins Street / Whitehall Street Maribyrnong City Traffic Signal Plan (One Mile Grid) Drawing No. 170820TSP200, 24.07.19

Date: As above



For details please refer to the traffic signals plan  
(One Mile Grid)



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (TR03)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 760.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Demolition	m2	760	133.68	101,600
2	Contamination	m3	380	313.00	118,940
3	Groundworks	m3	114	433.33	49,400
4	Roadworks	m2	760	207.12	157,410
5	Traffic Signalisation	Item	1	209,720.00	209,720
6	Traffic Signalisation - Traffic Management	Weeks	2	14,000.00	28,000
	<b>SUB-TOTAL TRADE WORKS</b>	<b>m2</b>	<b>760</b>	<b>875.09</b>	<b>665,070</b>
7	Design Development Contingency	%	10.0	665,069.60	66,507
8	Temporary works	%	2	731,576.56	14,632
9	Preliminaries and Supervision	%	8	746,208	59,697
10	Builder's Margin	%	5	805,905	40,295
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>760</b>	<b>1,113.42</b>	<b>846,200</b>
11	Construction Contingency (As advised by Maribyrnong City Council)	%	15	846,200	126,930
12	Design and Consultant Fees	%	9	973,130	87,582
13	Project Management Fees	%	3	1,060,712	32,040
	<b>SUB-TOTAL DESIGN &amp; CONSTRUCT COST</b>	<b>m2</b>	<b>760</b>	<b>1,437.83</b>	<b>1,092,752</b>
14	Authority and Head works Charges	Excl			
	<b>TOTAL DESIGN &amp; CONSTRUCTION COST AS AT JUL 2017</b>	<b>m2</b>	<b>760</b>	<b>1,437.83</b>	<b>1,092,752</b>

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (TR03)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 760.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1 Demolition</b>					
1.1	Allowance for Demolition and Alteration works to roads and pavement to allow for traffic signalisation works including making good	m2	760	35.00	26,600
1.2	Allowance to de-commission and remove from site electrical infrastructure, comprising; under & overground cables, sub stations and redundant street lighting	Item	1	75,000.00	75,000
					<b>101,600</b>

**2 Contamination**

2.1	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
2.2	WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
2.3	Assume 100% of TR03 area @ 0.50m deep is contaminated: $760\text{m}^2 \times 100\% \times 0.50\text{m deep} = 380\text{m}^3$ approx	Note			
2.4	Allow 5% at Cat A [\$850/t]	m3	19	1,700	32,300
2.5	Allow Nil at Cat B	m3	Nil		
2.6	Allow 95% at Cat C [\$140/t]	m3	361	240	86,640
					<b>118,940</b>

**3 Groundworks**

3.1	The below allowances relate to to remediation of the isolated soft spots and contaminated soil including soil removal				
3.2	Assume 30% of public realm area affected @ 0.50m deep : $760\text{m}^2 \times 30\% \times 0.50\text{m deep} = 114\text{m}^3$ approx	m3	114	100.00	11,400
3.3	Allowance for engineered fill in lieu of contamination removal	m3	380	100.00	38,000
					<b>49,400</b>



## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (TR03)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 760.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>4 Roadworks</b>					
<u>Road</u>					
4.1	180mm Asphalt road with 480mm crushed rock sub-base including associated excavation works	m2	760	180.00	136,800
4.2	Allowance for linemarking to the extent of the works	m2	760	10.00	7,600
4.3	Additional linemarking to roads leading into newly proposed intersection	Item	1	10,000.00	10,000
4.4	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
4.5	We have allowed for rippable rock to 10% of road excavation	Note			
4.6	Allowance for trenching in rock	m3	25	120.00	3,010

**157,410****5 Traffic Signalisation**

<u>Allowance for traffic signalisation to the Hopkins street / Hallenstein Street intersection including the following:</u>					
5.1	Existing signal distribution board to be utilized	Note			
5.2	2 No. 100 dia signal/power conduits including trenching	m	23	140	3,220
5.3	Conduit Pits	No	1	1,000	1,000
5.4	Pedestals	No	5	6,000	30,000
5.5	Pedestrian lanterns including push buttons	No	4	2,000	8,000
5.6	Lanterns including boom arms	No	10	3,750	37,500
5.7	Miscellaneous cabling	Item	1	10,000	10,000
5.8	Detector loops	No	5	2,000	10,000
5.9	Connections to existing Jemmena power mains	Item	1	10,000	10,000
5.10	Allowance for miscellaneous signage	Item	1	15,000	15,000
5.11	Allowance for decommissioning of redundant services	Item	1	35,000	35,000
5.12	Allowance for traffic signalling programming and co-ordination	Item	1	50,000	50,000

**209,720**

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 760.00




Joseph Road Precinct - 17 June 2019 (TR03)

Date Printed: 17/06/2019


Item	Section	Unit	Qty	Rate	Cost \$
<b>6</b>	<b>Traffic Signalisation – Traffic Management</b>				
6.1	Allowance for traffic management during the works	Weeks	2	14,000.00	28,000
					<b>28,000</b>

# PROJECT AREA: GPT01

Description: Gross Pollutant Trap  
 Drawing Ref: Pages 23 & 53 of the Joseph Road Public Realm Plan (Aspect Studios), 7 July 2017; and Rocla CDS Unit Brochure.  
 Date: As above




Excerpt from pages 23 & 53 of the Joseph Road Public Realm Plan




**Rocla**®

**CDS® Unit**  
Gross Pollutant Traps



**WATER QUALITY**



The advertisement features a background image of a concrete CDS Unit installed in a trench. The unit is a large, rectangular structure with a circular opening on top. An inset diagram shows a cross-section of the unit, illustrating the flow of water through a series of chambers. The first chamber contains a rotating disc that traps debris. The second chamber contains a filter that captures fine particles. The final chamber contains a collection bin for the trapped pollutants. The background image also shows a large pipe entering the unit from the left.

## The leading stormwater pollutant trap



### Characteristics of the CDS® Unit

- Non-blocking functionality
- 95% capture of gross pollutants >1mm
- 95% sediment capture >200µm
- Captures organics and oils
- Captures adsorbed toxics and nutrients
- Can treat any pipe or multiple pipes
- Various sump sizes available
- Customised bypass requirements
- Underground - small footprint
- Easy installation
- No moving parts
- Lowest life cycle costs
- More water treated than comparable treatment designs
- Pollutants stored in the sump, not the screens



### Applications

- Subdivisions and roads
- Residential, commercial and industrial developments
- Carparks and shopping centres
- Pre-treatment for wetlands
- Pre-treatment for reuse applications
- Pipes, channels, culverts and creeks

Other CDS® models are available for non-stormwater applications involving high flow solids/liquids separation, such as industrial processes and sewer overflows.

**High performance GPTs using patented CDS® indirect screening technology**

## Selecting a CDS® Unit

The size and type of CDS® GPT required depends on catchment area, flows, pollution loads, performance requirements, maintenance method, hydraulic limitations and site constraints. Visit the Rocla website ([www.rocla.com.au](http://www.rocla.com.au)) or email [solutions@rocla.com.au](mailto:solutions@rocla.com.au) for a sizing request. Details submitted with this form provide all the information needed to calculate the size of device most applicable for the site.

### CDS® Unit Models

CDS Unit No	Construction Material	Catchment Area (ha)
CDS0506	in-line polymer	< 1 ha
CDS0708	in-line concrete	< 2 ha
CDS0708M	in-line concrete	< 4 ha
CDS1009	pre-cast concrete	2-8 ha
CDS1012	pre-cast concrete	4-12 ha
CDS1015	pre-cast concrete	6-15 ha
CDS1512	pre-cast concrete	8-20 ha
CDS2018	pre-cast concrete	15-45 ha
CDS2028	pre-cast concrete	30-75 ha
CDS3018	pre-cast concrete	40-100 ha
CDS3024	pre-cast concrete	60-150 ha
CDS3030	pre-cast concrete	80-200 ha

### How Stormwater Pollutant Traps Rate

The CDS® GPT is rated the most effective stormwater pollution trap in every independent comparison.

On-Line Devices	<b>POOR</b>
Off-Line Devices	<b>GOOD</b>
Off-Line Non-Blocking Devices	<b>BETTER</b>
<b>Off-Line Non-Blocking Devices with Double Off-Line Storage (CDS)</b>	<b>BEST</b>

Independent studies show that no GPT rates higher than the CDS® GPT on performance and pollution retention.

## Complete design service

Rocla offers a complete design service for CDS® products that takes into account the catchment's characteristics, pollution load, hydraulic site constraints and opportunities, system capacities, velocity, backwater, as well as the location of services and access for cleaning. Hydraulic reports are available on request and are automatically carried out for larger units.

### Diversion chamber

Precast diversion chambers can be manufactured to suit most typical installations, or chambers can be tailored to meet the hydraulic limitations of the site.

The diversion chamber has the capacity to cater for the highest possible flow in the stormwater system. The chamber is configured on the assumption that the CDS® unit has not been maintained and there is no flow passing through the unit.

A weir is located within the diversion chamber to create a driving head and direct the majority of flows into the CDS® GPT.

### Diversion chamber options

- Precast diversion chambers
- Semi-precast diversion chambers
- Customised designs for multiple pipes, drops and bends
- In-situ channel designs
- Fixed or collapsible weirs
- Any flow capacity
- No flooding

The CDS® GPT and diversion chamber design depends on the system capacity and site constraints. Rocla will design the most suitable CDS® GPT configuration to meet project requirements.


### Maintaining CDS® GPTs

CDS® units have the lowest life-cycle costs due to their non-blocking functionality, large off-line storage and multiple cleaning options.

There are 3 methods of emptying CDS® GPTs:


- Removable basket
- Material grab
- Suction method

With no requirement to unblock screens, confined space entry is minimised. Large off-line sump volumes (up to 10m<sup>3</sup> available) also minimise cleaning frequency, reducing maintenance costs and hence life-cycle costs over the next 50 years.



## Patented screening technology

CDS<sup>®</sup> gross pollutant traps (GPTs) are designed to capture and retain gross pollutants, litter, grit, sediments and associated oils, utilising patented CDS<sup>®</sup> indirect screening technology.



The CDS<sup>®</sup> Unit comprises a GPT located next to a diversion chamber


### Continuous deflective separation (CDS)

It has long been acknowledged that best management practice for stormwater pollutant traps involves locating the devices off-line.

- GPTs located on-line suffer badly from turbulence and eddies, often resulting in the re-suspension and loss of previously captured pollutants.
- GPTs which store pollution in the screening area suffer decreasing screen area and therefore decreasing flow rates, as they fill up.
- GPTs which function by direct filtration have a treatable flow rate decay that is proportional to the percentage of screen blockage.
- GPTs that utilise a vortex only, without a screen, cannot guarantee neutrally buoyant pollution removal.



Direct screening



Indirect screening (CDS)

Only CDS<sup>®</sup> units combine the advantages of being off-line, having non-blocking functionality, vortex forces and storing pollution outside the screening area. For these reasons, no other device is "equivalent" to a CDS<sup>®</sup> Unit.

**The only off-line GPT with non-blocking screens and storage outside the screening area**



**Rocla**  
Water Quality

# CDS<sup>®</sup> Unit Gross Pollutant Traps

For further information on CDS<sup>®</sup> products and solutions

Call Rocla on  
**131 004**

For an information kit email  
**solutions@rocla.com.au**

Or visit our website  
**www.waterquality.rocla.com.au**

- Sydney
- Dapto
- Dubbo
- Newcastle
- Glen Innes
- Grafton
- Canberra
- Melbourne
- Avoca
- Traralgon
- Wodonga
- Brisbane
- Toowoomba
- Mackay
- Cairns
- Adelaide
- Perth




Quality Endorsed Company  
1312 4021  
SA- No. 2177  
SKI Global

© These marks of Rocla Pty Limited  
ABN 21 000 032 191  
A member of the Fletcher Building Group  
© Rocla Pty Limited November 2007

The content of this brochure is protected by copyright and may not be reproduced in any form without the prior written consent of Rocla Pty Limited. The information in this brochure is as far as possible accurate at the date of publication, however, before application in any situation, Rocla recommends that you obtain qualified expert advice confirming the suitability of product(s) and information in question for the application proposed. While Rocla accepts its legal obligations, be aware however that to the extent permitted by law, Rocla disclaims all liability (including liability for negligence) for all loss and damage resulting from the use of the information provided in this brochure.

## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (GPT01)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 19,787.00

Date Printed: 17/06/2019

Section	Unit	Quantity	Rate	Cost (\$)	
1	Gross Pollutant Trap	Item	1	228,344	228,344
	<b>SUB-TOTAL TRADE WORKS</b>	<b>Item</b>	<b>1</b>	<b>228,344</b>	<b>228,344</b>
2	Design Development Contingency	%	10.0	228,344	22,834
3	Temporary works	%	2	251,178	5,024
4	Preliminaries and Supervision	%	8	256,202	20,496
5	Builder's Margin	%	5	276,698	13,835
6	Cost Escalation (FEB - JUL)	%	1	290,533	2,905
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>Item</b>	<b>1</b>	<b>293,438</b>	<b>293,438</b>
7	Construction Contingency	%	20	293,438	58,688
8	Design and Consultant Fees	%	9	352,126	31,691
9	Project Management Fees	%	3	383,817	12,394
	<b>SUB-TOTAL DESIGN &amp; CONSTRUCT COST</b>	<b>Item</b>	<b>1</b>	<b>396,211</b>	<b>396,211</b>
10	Authority and Head works Charges	Excl			
	<b>TOTAL DESIGN &amp; CONSTRUCTION COST AS AT JUL 2017</b>	<b>Item</b>	<b>1</b>	<b>396,211</b>	<b>396,211</b>

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (GPT01)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 19,787.00

Date Printed: 17/06/2019



Item	Section	Unit	Qty	Rate	Cost \$
<b>1</b>	<b>Gross Pollutant Trap</b>				
1.1	Gross pollutant Trap inclusive of stormwater connections, excavation and associated backfilling works - ROCLA CDS1015	Item	1	50,000.00	50,000
	<u>Stepped Excavation</u>				
1.2	10 x 10 x 2.5	m3	250	50.00	12,500
1.3	5 x 5 x 2.5	m3	63	50.00	3,125
1.4	300mm Crushed Rock Base	m2	25	30.00	750
1.5	Stormwater connections	No	2	2,000.00	4,000
1.6	Refer to LR Pardo & Associates technical report for identification of rock.	Note			
1.7	We have allowed for rippable rock removal during GPT excavation works	Note			
1.8	Allowance for trenching in rock	m3	500	120.00	60,000
1.9	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
1.10	WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within LR Pardo & Associates Technical Report No. 171011 Joseph Rd/1 dated 16/06/2017	Note			
1.11	Assume 100% of GPT excavation is contaminated: 313m3 x 100% = 313m3 approx	Note			
1.12	Allow 5% at Cat A [\$850/t]	m3	16	1,700	26,605
1.13	Allow Nil at Cat B	m3	Nil		
1.14	Allow 95% at Cat C [\$140/t]	m3	297	240	71,364

**228,344**

*This page is intentionally left blank*

# PROJECT AREA: BR01

Description: Bio-Retention System  
 Drawing Ref: Joseph Road Precinct Preferred WSUD Concepts (Alluvium Consulting)  
 Date: 12 May 2017  
 Revision: 1



## ESTIMATE SUMMARY

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (BR01)

Job No: 16291  
 Cost Base Date: July 2017  
 GFA (m2): 19,787.00

Date Printed: 17/06/2019

	Section	Unit	Quantity	Rate	Cost (\$)
1	Bio-Retention Basin (BR01)	Item	1	236,082	236,082
	<b>SUB-TOTAL TRADE WORKS</b>	<b>Item</b>	<b>1</b>	<b>236,082</b>	<b>236,082</b>
2	Design Development Contingency	%	10.0	236,082	23,608
3	Temporary works	%	2	259,690	5,194
4	Preliminaries and Supervision	%	8	264,884	21,191
5	Builder's Margin	%	5	286,075	14,304
6	Cost Escalation	Excl			
	<b>TOTAL CONSTRUCTION COST AS AT JUL 2017</b>	<b>Item</b>	<b>1</b>	<b>300,379</b>	<b>300,379</b>
7	Archaeological Contingency	Excl			
8	Construction Contingency	%	20	300,379	60,076
9	Design and Consultant Fees	%	9	360,454	32,441
10	Project Management Fees	%	3	392,895	11,787
	<b>SUB-TOTAL DESIGN &amp; CONSTRUCT COST</b>	<b>Item</b>	<b>1</b>	<b>404,682</b>	<b>404,682</b>
11	Authority and Head works Charges	Excl			
	<b>TOTAL DESIGN &amp; CONSTRUCTION COST AS AT JUL 2017</b>	<b>Item</b>	<b>1</b>	<b>404,682</b>	<b>404,682</b>

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (BR01)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 19,787.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1</b>	<b>Bio-Retention Basin (BR01)</b>				
1.1	Scope have been allowed for as per Alluvium Consulting WSUD Concept Report (Appendix A)	Note			
	<u>Excavation</u>				
1.2	Strip topsoil (100mm to site area)	m2	586	10	5,860
1.3	Allowance for bulk excavation including formation of retention basin batters (assumed 450mm deep)	m3	264	45	11,867
	<u>Contamination</u>				
1.4	The below allowances relate to to remediation of the precinct outside of the development allotments and includes disposing of contaminated soil off-site	Note			
1.5	WTP have not measured detailed quantities of contamination. We would expect that the environmental consultant will provide detailed quantities at a later date. As a result, we have updated our previous methodology based on the information provided within Ground Science Geotechnical Investigation G3622.1 dated 21 March 2018	Note			
1.6	Unclassified contamination present within 1000mm depth of Bio Retention Basin footprint.	Note			
1.7	Allow 5% at Cat A [\$850/t]	m3	13	1,700	22,415
1.8	Allow Nil at Cat B	m3	NIL		
1.9	Allow 95% at Cat C [\$140/t]	m3	251	240	60,124
	<u>Landscaping</u>				
1.10	Allowance for liner to basin footprint	m2	586	30	17,580
1.11	Allowance for subsoil drainage to basin footprint	m2	586	25	14,650
1.12	Filtration media layer to bio-retention basin treatment area (assumed 500mm thick)	m3	133	65	8,613
1.13	Crushed rock backfill to bio-retention basin (assumed 50mm thick)	m2	265	75	19,875
1.14	Bark mulch back fill to batters (assumed 50mm thick)	m2	321	40	12,840
1.15	Allowance to spread previously stripped topsoil to batters/surrounding areas (assumed 200mm thick)	m3	321	40	12,840

## ESTIMATE DETAIL

16291 - Joseph Road Precinct

Joseph Road Precinct - 17 June 2019 (BR01)

Job No: 16291

Cost Base Date: July 2017

GFA (m2): 19,787.00

Date Printed: 17/06/2019

Item	Section	Unit	Qty	Rate	Cost \$
<b>1</b>	<b>Bio-Retention Basin (BR01)</b>				<i>(Continued)</i>
1.16	Allowance for planting to Bio-retention basin footprint (4 - 6 plants per m2)  <u>Stormwater</u>	m2	586	35	20,510
1.17	375 dia RCP diversion pipe including trenching	m	66	135.00	8,910
1.18	Allowance for new pits	No	5	4,000	20,000
					<b>236,082</b>



# Joseph Road Precinct - Cost Reconciliation

WT PARTNERSHIP

Trades	Estimate - 1 March 2019	Estimate - 17 June 2019	Difference	Comments
Demolition	\$ 1,472,825	\$ 1,446,192	(\$26,633)	Changes due to reduction of RD09 work area
Contamination	\$ 4,267,864	\$ 4,059,464	(\$208,400)	""
Groundworks	\$ 1,372,915	\$ 1,286,350	(\$86,565)	""
Roadworks	\$ 3,368,965	\$ 3,182,877	(\$186,088)	""
Pavements	\$ 1,509,405	\$ 1,471,705	(\$37,700)	""
Street Furniture	\$ 387,650	\$ 384,100	(\$3,550)	""
Street lighting	\$ 200,000	\$ 185,000	(\$15,000)	""
Traffic Signalisation	\$ 582,590	\$ 582,590	\$0	""
Traffic Signalisation - Traffic Management	\$ 70,000	\$ 70,000	\$0	""
Landscaping	\$ 218,660	\$ 215,780	(\$2,880)	""
Power	\$ 1,352,060	\$ 1,282,085	(\$69,975)	""
Stormwater	\$ 957,188	\$ 957,188	\$0	""
Sewer	\$ -	\$ -	\$0	""
Water	\$ -	\$ -	\$0	""
Gas	\$ -	\$ -	\$0	""
Communications	\$ 1,000,000	\$ 1,000,000	\$0	""
CCTV	\$ -	\$ -	\$0	""
<b>SUB-TOTAL TRADE WORKS (EXCL GST)</b>	<b>\$ 16,760,122</b>	<b>\$ 16,123,331</b>	<b>(\$636,791)</b>	""
Design Development Contingency	\$ 1,676,012	\$ 1,612,333	(\$63,679)	Generic increase due to an overall reduction in trade cost in the above trades
Temporary works	\$ 368,723	\$ 354,714	(\$14,009)	""
Preliminaries and Supervision	\$ 1,504,388	\$ 1,447,230	(\$57,158)	""
Builder's Margin	\$ 1,015,462	\$ 976,880	(\$38,582)	""
Cost Escalation (FEB - JULY)	\$ 201,782	\$ 193,680	(\$8,102)	""
<b>TOTAL CONSTRUCTION COST (EXCL GST)</b>	<b>\$ 21,526,489</b>	<b>\$ 20,708,168</b>	<b>(\$818,321)</b>	""
Construction Contingency	\$ 3,258,664	\$ 3,135,916	(\$122,748)	Generic increase due to an overall reduction in trade cost in the above trades
Design and Consultant fees	\$ 2,230,663	\$ 2,145,967	(\$84,696)	""
Project Management fees	\$ 814,189	\$ 789,956	(\$24,233)	""
<b>SUB-TOTAL DESIGN &amp; CONSTRUCTION COST (EXCL GST)</b>	<b>\$ 27,830,005</b>	<b>\$ 26,780,007</b>	<b>(\$1,049,998)</b>	""
Authority and Head works Charges	\$ -	\$ -	\$0	""
Decimal Rounding	\$ 5	\$ 7	(\$2)	Minor rounding
<b>TOTAL DESIGN &amp; CONSTRUCTION COST (EXCL GST)</b>	<b>\$ 27,830,000</b>	<b>\$ 26,780,000</b>	<b>(\$1,050,000)</b>	""



# Joseph Road Precinct Public Realm Plan

7 July 2017



Maribyrnong  
CITY COUNCIL

## Concept Design Report

# Contents

---

<b>1. Public Realm Plan</b>	<b>03</b>	<b>3. Planting Palette</b>	<b>29</b>	5.7. Proposed Street Frontage Typology	44
1.1. Introduction	05	3.1. Proposed Street Tree Species	30	5.8. Proposed Vehicle Movements	45
1.2. Public Realm Legend	06	3.2. Ground Covers and Grasses Species Master List	31	<b>6. Schedules</b>	<b>46</b>
1.3. Public Realm Plan	07	<b>4. Materials Palette</b>	<b>33</b>	6.2. Remaining Design Work	49
1.4. Public Realm Plan - Without Trees	08	4.1. Materials, Surfaces and Edges	34	<b>7. Appendix Civil and Traffic Inputs</b>	<b>50</b>
<b>2. Street Concepts</b>	<b>09</b>	4.2. Furniture and Fixtures	35		
2.1. Wightman Street	10	<b>5. Strategic &amp; Site Analysis</b>	<b>37</b>		
2.2. Whitehall Street	12	5.1. Background Documents	38		
2.3. Warde Street	14	5.2. Development Applications	39		
2.4. Hallenstein Street	16	5.3. Existing Bus Routes	40		
2.5. Neilson Place	18	5.4. Existing and Proposed Site Circulation	41		
2.6. South Joseph Road	20	5.5. Overall Ground Floor Plan	42		
2.7. North Joseph Road	23	5.6. Proposed Street Typology	43		
2.8. Hopkins Street	26				

# 1. Public Realm Plan

---





1. Public Realm Plan


# 1.1. Introduction

The Joseph Road Precinct is approximately 15 hectares, located 5km from the Melbourne CBD. It is bounded by Hopkins Street to the south, the Maribyrnong River to the east and the Werribee/ Sunbury railway line to the north-west.

The public realm is made up of road reserves and public streets including all assets and services within the Joseph Road Precinct that are vested in Council or VicRoads.



Melbourne map indicating City of Maribyrnong locality



City of Maribyrnong boundary map

## Design objectives

The public realm design objectives for the Joseph Road Precinct are to

- Provide connections through the precinct and to surrounding areas,
- Provide a seamless transition in activity levels and function between Footscray central and Melbourne CBD,
- Have regard to the built form outcomes of the Precinct,
- Create a public realm that complements active ground floor uses, provides for safe and pleasant pedestrian circulation, and encourages wider public access and usage,
- Prioritise pedestrians, cyclists and encourage active transport modes,
- Provide an accessible and equitable public realm,
- Provide services and infrastructure required for the level of development in ways that do not limit opportunities for quality green infrastructure in the streetscape; and,
- Consider and manage grading of the site and stormwater drainage in a positive way to contribute towards a resilient city.



Diagram of design objectives

## Existing site photos



Wightman Street



Warde Street



Whitehall Street



Hallenstein Street



Neilson Place



South Joseph Road






















North Joseph Road

## 1.2. Public Realm Legend

Materials and surfaces for the Joseph Road precinct will be consistent with the Maribyrnong City Design Manual for Footscray area. This legend applies to the the functional layout plan as shown in pg.08

Refer to Chapter 4 of this report for further information on the materials palette.

	<b>EXTENT OF WORKS</b>		<b>WAYFINDING AND SIGNAGE</b> as per SF701
	<b>PAVEMENT - ASPHALT</b> Asphalt footpath (type N) as per SF 010		<b>PROPOSED GROSS POLLUTANT TRAP</b>
	<b>PAVEMENT - BLUESTONE</b>		<b>PROPOSED ADVANCED TREE</b>
	<b>PAVEMENT - STONE COBBLE</b> Sawn bluestone picher		<b>PROPOSED GARDEN BED</b>
	<b>VEHICLE CROSSING WITH BLUESTONE KERB</b>		<b>PROPOSED LIGHTING</b> Street Light - Footscray
	<b>CROSSING</b> Pram crossing asphalt transition, bluestone transition flush kerb as per SF 003		<b>EXISTING LIGHTING</b>
	<b>KERB</b> Sawn bluestone and concrete channel. As per SF 008		<b>BOLLARD</b> Bollard - stainless steel as per S501
	<b>STONE FLUSH EDGE</b> Sawn bluestone kerb extension. 300 x 150 x 40mm sawn bluestone units as per SF 012		<b>EXISTING CONCRETE EDGE TO BRIDGE</b>
	<b>SPOON DRAIN</b> 600mm width concrete spoon drain		<b>EDGE OF EXISTING CONCRETE BRIDGE TO BE REMOVED</b>
	<b>SEAT</b> 'Promenade' with back rest as per SF 201		<b>TITLE AND PROPERTY BOUNDARY</b>
	<b>BYCYCLE RACK</b> Standard hoop polished stainless steel as per SF 401		<b>EASEMENTS</b>
	<b>WASTE AND RECYCLING UNITS</b> As per general SF 301 and recycling SF 301		<b>JOSEPH ROAD PRECINCT BOUNDARY</b>
	<b>TREE SURROUND IN FOOTPATH</b> Bluestone surround with granitic gravel, as per SF602		
	<b>TREE SURROUND IN ROAD RESERVE</b> Concrete edging with granitic gravel as per SF605		



1. Public Realm Plan

1.3. Public Realm Plan


The public realm plan for the Joseph Road precinct includes proposed street concepts for the following

- Wightman Street
- Whitehall Street
- Warde Street
- Hallenstein Street
- Neilson Place
- South Joseph Road
- Hopkins Street
- North Joseph Road

It also includes the connection and relationship to the Maribyrnong River and public open space in the precinct.

The plan makes reference to the current designs of the private open space networks.

Please refer to the site analysis report for further information on the proposed surrounding developments.



### 1.4. Public Realm Plan - Without Trees



## 2. Street Concepts

---



2. Street Concepts

## 2.1. Wightman Street


Wightman Street provides access to a number of existing light industrial properties. The design accommodates the existing built form and vehicle cross over proposed locations. There are no current development plans with frontages facing the street. The western end of the street terminates with the Williamstown Rail line.

The proposed design includes re-instated kerbs and pavements consistent with the Maribyrnong Design Manual. Streetscape trees and planters have been provided where possible.


### Proposed Street Details

Carriageway width	3.3m
Parallel parking bays	3
Vehicle cross overs	7
Trees in footpath	
(Council details SF-602)	6
Trees in road reserve	
(Council details SF-605)	0
Benches	1
Bins (Waste & recycle unit)	0
Bike hoops	3
Wayfinding and signage	0


The location of street furniture is indicative and final locations are to be approved by Council.



Key Plan



Plan 1:500 @ A3




SCALE 1:500 @ A3

LEGEND

- 01 Public open space
- 02 Public pedestrian/cycle connection
- Joseph Road precinct boundary
- Railway title/property boundary

2. Street Concepts

2.1.1 Wightman Street Section



Section 1:75 @ A3

2. Street Concepts

## 2.2. Whitehall Street

Whitehall Street provides north-south connection from Hopkins Street to Warde Street. Developments are currently under construction on the east side of the street (18-24 Hopkins Street). This development will provide active frontages-yet to be confirmed facing onto Whitehall Street. On the southern corner of Hopkins Street the development will provide active frontages (showrooms).


The design proposal aims to nurture an active street by providing widened public realm and a consistent avenue of street scape trees.

The northern end of Whitehall Street meets with a proposed public open space.


### Proposed Street Details

Carriageway width	3.3m
Parallel parking bays	6
Vehicle cross overs	2
Trees in footpath (Council details SF-602)	11
Trees in road reserve (Council details SF-605)	0
Benches	2
Bins (Waste & recycle unit)	2
Bike hoops	2
Wayfinding and signage	1


The location of street furniture is indicative and final locations are to be approved by Council.



Plan 1:500 @ A3



Key Plan



SCALE 1:500 @ A3

2. Street Concepts

2.2.1 Whitehall Street Section



Section 1:75 @ A3

2. Street Concepts

### 2.3. Warde Street

Warde Street is proposed to become a shared vehicle and pedestrian zone. This will provide pedestrian priority link East-West through the development making a key connection to the Maribyrnong River and the river side.

A flush transition, without barrier kerbs, between the pedestrian only footpath and the shared zone will assist to establish the street as a pedestrian priority zone. Vehicles movements will be reduced to a maximum speed limit to accommodate pedestrians. Street furniture will define the edge of the pedestrian only zone and compliment the active edges provide by the development.


A speed limit of 10Km/h will be applied. To be approved by VicRoads.



Sawn bluestone picher at raised transition thresholds



Row of bluestone setts at edge of shared zone



Key Plan


#### Proposed Street Details

Carriageway width	3.1m
Parallel parking bays	0
Vehicle cross overs	1
Trees in footpath (Council details SF-602)	10
Trees in road reserve (Council details SF-605)	0
Benches	7
Bins (Waste & recycle unit)	2
Bike hoops	9
Wayfinding and signage	1


The location of street furniture is indicative and final locations are to be approved by Council.

#### LEGEND

- 01 Publicly accessible private open space
- 02 Public open space
- 03 Raised transition threshold into shared zone - Sawn bluestone pichers
- 04 Pavement - bluestone
- 05 Flush transition between pedestrian only footpath and shared zone - Row of bluestone setts
- 06 Shared zone - asphalt surfacing to carriageway



Plan 1:500 @ A3




SCALE 1:500 @ A3



2. Street Concepts

2.3.1 Warde Street Section



2. Street Concepts

## 2.4. Hallenstein Street

Hallenstein Street will create a pedestrian friendly zone through to Neilson Place in the north. A widened footpath will provide clear pedestrian movement zones as well as room for streetscape furniture and street trees.

Street trees are arranged in two rows, one in verge and the other within the pedestrian zone. This approach provides Hallenstein Street with a consistent green canopy as well as on street car parking.


### Proposed Street Details

Carriageway width	3.3m
Parallel parking bays	15
Vehicle cross overs	3
Trees in footpath (Council details SF-602)	20
Trees in road reserve (Council details SF-605)	1
Benches	5
Bins (Waste & recycle unit)	4
Bike hoops	5
Wayfinding and signage	2


The location of street furniture is indicative and final locations are to be approved by Council.




Hallenstein Street Visualisation



Key Plan



Plan 1:500 @ A3



SCALE 1:500 @ A3

- LEGEND**
- 01 Publicly accessible private open space - Connection to Maribyrnong River
  - 02 Hallenstein St. and Hopkins St. intersection
  - 03 Easement
  - 04 Sawn Bluestone paver to ramp and raised transition threshold at intersection with Warde Street
  - 05 DDA accessible car park
  - 06 Substation

2. Street Concepts

2.4.1 Hallenstein Street Section



Section 1:50 @ A3

2. Street Concepts

## 2.5. Neilson Place

Neilson Place has a reduced width however is required to provide for both east and west bound vehicle movements. To provide a consistent green canopy along the length of the street, it is proposed to shift the carriageway north and provide trees along the south side with the most solar access.


Between Hallenstein Street and Joseph Road there will be no on street car parking, however, some will be provided west of Hallenstein Street. Cross over access into the proposed developments will be provided.

No. 2 Neilson Place will provide active frontages with retail opportunities provided in the east.

The location of street furniture is indicative and final locations are to be approved by Council.

### Proposed Street Details


Carriageway width	3.3m
Parallel parking bays	3
Vehicle cross overs	7
Trees in footpath (Council details SF-602)	14
Benches	4
Bins (Waste & recycle unit)	1
Bike hoops	6
Wayfinding and signage	0




Key Plan

#### LEGEND

- 01 Access to private car park
- 02 Easement
- - - Joseph Road precinct boundary
- - - Railway title/property boundary




Plan 1:500 @ A3



SCALE 1:500 @ A3

2. Street Concepts

2.5.1 Neilson Place Section



Section 1:50 @ A3

## 2.6. South Joseph Road

South Joseph Road will be a new main street for the Joseph Road precinct. The design for the street will provide on street parking to encourage visitors and residents to park and walk to key destinations. A consistent avenue of trees will provide a lush green canopy, the arrangement similar to Hallenstein Street will contribute to creating a unique identity for Joseph Road precinct.

A raised pedestrian crossing will prioritise pedestrian movements and create a direct link from the Maribyrnong River to the pedestrian mall at 4 Hopkins Street, Warde Street shared zone and to Footscray Metropolitan Activity Centre.

Separated cycle lanes will provide cyclist priority along Joseph Road to Maribyrnong River.


The location of street furniture is indicative and final locations are to be approved by Council.

### Proposed Street Details

Carriageway width	3.3m
Parallel parking bays	20
Vehicle cross overs	3
Trees in footpath (Council details SF-602)	19
Trees in road reserve (Council details SF-605)	4
Benches	7
Bins (Waste & recycle unit)	5
Bike hoops	7
Wayfinding and signage	2




Visualisation of proposed design for South Joseph Road




Key Plan

#### LEGEND

- 01 Publicly accessible private open space.
- 02 Proposed pedestrian connection to Maribyrnong River
- 03 Maribyrnong River open space design.
- 04 Portion of existing bridge to be altered
- 05 Bluestone pavement to raised pedestrian crossing
- 06 Sawn bluestone picher to pedestrian crossing ramp
- 07 On-Street cycle lanes
- 08 Edge of existing concrete bridge to be removed
- 09 Footpath to connect to existing path on rivers edge




Plan 1:500 @ A3



SCALE 1:500 @ A3

2. Street Concepts

2.6.1 South Joseph Road Section A-A



Section A-A 1:50 @ A3

2. Street Concepts

2.6.2 South Joseph Road Section B-B



Section B-B 1:50 @ A3



2. Street Concepts

## 2.7. North Joseph Road

North Joseph Road will provide a green connection to Maribyrnong River. On road bicycle lanes will travel east and west until the turn toward the river.

### Proposed street details

Carriageway width	3m
Parallel parking bays	0
Vehicle cross overs	2
Trees in Footpath (Council details SF-602)	43
Trees in road reserve (Council details SF-605)	0
Benches	4
Bins	1
Bike hoops	8
Wayfinding and signage	1


The location of street furniture is indicative and final locations are to be approved by Council.

#### LEGEND

- 01 Publicly accessible private open space
- 02 Public pedestrian/cycle connection
- 03 Maribyrnong River open space design
- 04 Easement
- 05 Indicative location for GPT (Gross Pollution Trap)
- Joseph Road precinct boundary



Key Plan



Plan 1:500 @ A3




SCALE 1:500 @ A3



2. Street Concepts

2.7.1 North Joseph Road Section A-A



Section A-A 1:50 @ A3

2. Street Concepts

2.7.2 North Joseph Road Section B-B



Section B-B 1:50 @ A3

2. Street Concepts

## 2.8. Hopkins Street

Hopkins Street is a large multi-lane road providing arterial access into the city from Footscray Metropolitan Activity Centre. The design for Hopkins Street is to provide a designated shared bicycle pathway. The location of existing underground services has meant the location of trees is located in the north, providing a consistent green avenue to frame Hopkins Street. West of Whitehall Street, where the 3m setback is not confirmed, trees have not been provided. However, the current design would allow for the planting of trees in the future.

Developments fronting Hopkins street will have active frontages from showrooms/offices.

The intersection with Hallenstein Street is proposed to have a signalised junction (by Aurecon) providing for improved pedestrian circulation.


Future pedestrian crossing amenity will be provided at Cowper Street.

### Proposed Road Details

Carriageway width	3.3m
Parallel parking bays	0
Vehicle cross overs	3
Trees in footpath (Council detail SF-602)	22
Trees in road reserve (Council detail SF-605)	0
Benches	4
Bins (waste and recycle units)	4
Bike hoops	14
Wayfinding and signage	0

The location of street furniture is indicative and final locations are to be approved by Council.

- LEGEND**
- 01 Public pedestrian/cycle connection
  - 02 Pedestrian connection to Maribyrnong River
  - 03 New Hallenstein St. and Hopkins St. intersection
  - 04 Existing Whitehall St. and Hopkins St. intersection
  - 05 Potential future signalised pedestrian crossing
  - 06 Maribyrnong River open space design
  - 07 Existing bus stop to be retained
  - 08 Potential future bicycle path widening and tree planting
  - 09 Existing bus stop to be consolidated with bus stop noted as 07. Final approval from all relevant authorities including VicRoads is required
  - 10 Edge of existing concrete bridge to be removed
  - Joseph Road precinct boundary




Key Plan



Plan A 1:500

Continued this page Plan B




Plan B 1:500 @ A3



SCALE 1:500 @ A3

2. Street Concepts


2.8.1 Hopkins Street Section A-A



Section 1:75 @ A3

2. Street Concepts

2.8.2 Hopkins Street Section B-B



Section 1:75 @ A3

# 3. Planting Palette

---



3. Planting Palette

### 3.1. Proposed Street Tree Species

The street tree selection for Joseph Road is based upon the nominated species as per the City of Maribyrnong Street Planting Strategy Adopted August 27, 2013.

The design objectives of the proposed tree planting schedule are as follows:

- A consistent boulevard of trees from South Joseph Road and continued along North Joseph Road,
- Consistency of tree canopy east-west (Neilson Street and Wightman Street) and north-south, Hallenstein Street and Whitehall Street); and,
- South Joseph Road, Hallenstein Street and Whitehall Street have the opportunity to include two types of streetscape trees.



City of Maribyrnong Street Planting Strategy, 2013 Cover Page

#### Tree Planting Schedule

Botanical Name	Common Name	Pot Size (mm)	"Native/ Exotic"	Spacing (mm)
<b>Hopkins Street</b>				
<i>Zelkova serrata</i> 'Green Vase'	Green Vase Zelkova	200L	E	-
<b>Whitehall Street</b>				
<i>Fraxinus pennsylvanica</i> 'Urbanite'	Urbanite Ash	200L	N	-
<b>South Joseph Road</b>				
<i>Fraxinus pennsylvanica</i> 'Urbanite'	Urbanite Ash	200L	N	-
<b>Hallenstein Street</b>				
<i>Acer freemanii</i> 'Jeffersred' Autumn Blaze	'Jeffersred' Autumn Blaze Maple	200L	E	-
<b>North Joseph Road</b>				
<i>Corymbia citriodora</i>	Lemon-scented Gum	200L	N	-
<b>Warde Street</b>				
<i>Acer campestre</i>	Field Maple	200L	N	-
<b>Neilson Place</b>				
<i>Waterhousea floribunda</i> 'Green Avenue'	Green Avenue Lilypily	200L	N	-
<b>Wightman Street</b>				
<i>Waterhousea floribunda</i> 'Green Avenue'	Green Avenue Lilypily	200L	N	-



*Waterhousea floribunda* 'Green Avenue' Green Avenue Lilypily



*Zelkova serrata* 'Green Vase' Green Vase Zelkova



*Acer campestre* Field Maple



*Acer freemanii* 'Jeffers Red'



*Corymbia citriodora* Lemon Scented Gum



*Fraxinus pennsylvanica* 'Urbanite' Urbanite Ash



3. Planting Palette

### 3.2. Ground Covers and Grasses Species Master List

The species for ground covers and grasses have been selected from a masterlist of recommended species for Maribyrnong.

The majority of these plants are native or indigenous plants. These plants are more suited to the environment, establish and maintain urban habitat for birds and insects and sustain biodiversity within the urban landscape.

Botanic Name	Common Name
<b>Grasses and Ground Covers</b>	
<i>Anigozanthos flavidus</i>	Kangaroo Paw
<i>Austrostipa elegantissima</i>	Feather Spear Grass
<i>Austrostipa scabra ssp falcata</i>	Slender Spear Grass
<i>Dianella longifolia</i>	Pale Flax Lily
<i>Dianella brevicaulis</i>	Spreading Flax Lily
<i>Dichanthium sericeum</i>	Silky Blue Grass
<i>Lomandra longifolia</i>	Spiny-headed Mat-rush
<i>Poa morrisii</i>	Silky Tussock Grass
<i>Poa sieberiana</i>	Grey Tussock Grass
<i>Themeda triandra</i>	Kangaroo Grass
<b>Small Plants</b>	
<i>Brachyscome multifida</i>	Cut Leaf Daisy
<i>Bracteantha viscosa</i>	Sticky Everlasting
<i>Calocephalus citreus</i>	Lemon Beauty Heads
<i>Calotis scapigera</i>	Tufted Burr Daisy
<i>Chrysocephalum apiculatum</i>	Common Everlasting
<i>Chrysocephalum semipapposum</i>	Clustered Everlasting
<i>Craspedia variabilis</i>	Common Billy Buttons
<i>Doodia media ssp. Australis</i>	Common Rasp Fern
<i>Einadia nutans</i>	Climbing Saltbush
<i>Enychylaena tomentosa</i>	Ruby Saltbush
<i>Leucophyta brownii</i>	Cushion Bush
<i>Linum marginale</i>	Native Flax
<i>Pelargonium australe</i>	Austral Storks Bill
<i>Pycnosorus chrysnathes</i>	Golden Billy Buttons
<i>Pycnosorus globosus</i>	Drumsticks Vittadinia cuneata
<i>Drumsticks Vittadinia cuneata</i>	Woolly New Holland Daisy
<i>Wahlenbergia communis</i>	Tufted Bluebell



*Poa sieberiana* Silky Tussock Grass



*Dianella brevicaulis* Spreading Flax Lily



*Austrostipa elegantissima* Feather Spear Grass



*Pycnosorus globosus* Vittadinia cuneata



*Lomandra longifolia* Spiny-headed Mat-rush



*Pycnosorus chrysanthus* Golden Billy Buttons



*Brachyscome multifida* Cut Leaf Daisy




*Leucophyta brownii* Cushion Bush



*Austrostipa scabra ssp falcata* Slender Spear Grass



*Chrysocephalum apiculatum* Common Everlasting




*Anigozanthus flavidus* Kangaroo Paw





## 4. Materials Palette

---



4. Materials Palette

### 4.1. Materials, Surfaces and Edges

Materials and surfaces for the Joseph Road development will be consistent with the Maribyrnong City Design Manual. Joseph Road Development sits within the Footscray Central Activities Area and the typical details for this area apply.

This will assist in integrating the new development into its surrounding context.



**Pedestrian Pavements**

Standard Detail No.: SF-010

Materials: Asphalt type N



**Kerb**

Standard Detail No.: SF-008

Materials: Bluestone - Sawn finish



**Tree Surround in Footpath**

Standard Detail No.: SF-602


Materials: Bluestone - Sawn finish, granitic gravel



**Vehicle Cross Overs**

Standard Detail No.: SF-002 (402.01)

Materials: Sawn bluestone



**Bluestone Kerb Extension**

Standard Detail No.: SF-012

Materials: Bluestone



**Tree Surround in Road Reserve**

Standard Detail No.: SF-605

Materials: Concrete wheel stop and edge strip, granitic gravel



4. Materials Palette

## 4.2. Furniture and Fixtures

Furniture and fixtures for the Joseph Road development will be consistent with the Maribyrnong City Design Manual. Joseph Road Development sits within the Footscray Central Activities Area and the typical details for this area apply.

This will assist in integrating the new development into its surrounding context.



**Bicycle Rail - Footscray Hoop**

Standard Detail No.: SF-401

Materials: Grade 304 stainless steel tube 50.8mm OD x 2.0mm wall 44.5mm OD x 2.77mm wall welded steel tube. Stiffener fitted to inside of stainless steel tube.



**Bollard**

Standard Detail No.: SF-501

Materials: Stainless steel posts with stainless steel fittings, flat bollard cap and base 3mm 316 grade stainless steel



**Wayfinding and Signage**

Standard Detail No.: SF-701

Materials: Stainless steel tubing, Marine grade 316, SDES 150mm Signage and 1.99mm aluminium map panel



**Waste Unit and Butt Out Bin**

Standard Detail No.: SF-302

Materials: Cast Aluminium Frame with punch perforated 304 Grade stainless steel sheet panels



**Standard Seat - Promenade with Back Rest**

Standard Detail No.: SF-201

Materials: Polished cast Aluminium frame with hardwood timber slats



**Light Pole**

Standard Detail No.: SF-901


Materials: Cast Aluminium Light Pole





## 5. Strategic & Site Analysis

---



## 5.1. Background Documents

### 5.1.1 Relevant background documents

**2016**

City Design Manual, March

**2015**

Footscray Access and Mobility Strategy

**2014**

Open Space Strategy, October 2014

Footscray River Edges Masterplan, 2014

Footscray Structure Plan, March

**2013**

Street Planting Strategy, Maribyrnong City Council. Adopted 27 August 2013

**2013**

VicRoads Network and Operating Plan

Footscray Central Activity Area

**2012**

Maribyrnong Integrated Transport Strategy, for Maribyrnong City Council



**2011**

Housing Strategy, December 2011. *To ensure the housing needs of the City's residents are met in terms of location, diversity, affordability and design*

**2008**

Highpoint Activity Structure Plan, Maribyrnong City Council

### 5.1.2 Footscray CAA Structure Plan 2013





5. Strategic and Site Analysis

5.2. Development Applications

01

1 Warde Street

Architect: Elenburg Fraser



Status: Permit Issued



Development Application Render

02

2 Hopkins Street

Architect: Plus Architecture



Status: Plans Endorsed, Permit Issued



Development Application Render

03

4 Hopkins Street

Architect: Kavellaris Urban Design



Status: Permit Issued



Development Application Ground Floor Plan



Key Plan

04

4 Nielson Place

Architect: Peddle Thorp



Status: Permit Issued



Development Application Render


05

10 Moreland Street

Architect: Architecton



Status: Plans Endorsed, Permit Issued



Development Application Render

06

18-24 Hopkins Street

Architect: Peddle Thorp



Status: Under Construction



Development Application Render

07

2 Nielson Place

Architect: Architecton




Status: Plans Endorsed, Permit Issued




### 5.3. Existing Bus Routes

Route No.	Route Description	Locations of Stops within Study Area	Frequency (Mins)
216	Caroline Springs - Brighton Beach	Dynon Rd (Sims St), Hopkins St (Hallenstein St), Hopkins St (Whitehall St)	10 (peak) 40 (off peak)
219	Sunshine South - Gardenvale	Dynon Rd (Sims St), Hopkins St (Hallenstein St), Hopkins St (Whitehall St)	20 (peak) 40 (off peak)
402	Footscray - East Melbourne via North Melbourne	Dynon Rd (Sims St), Hopkins St (Hallenstein St), Hopkins St (Whitehall St)	10 (peak) 20 (off peak)
941	Night Bus - City - Footscray - Sunshine North - Taylors Lakes - Watergardens	Hopkins St (Whitehall St)	60 (2 services)
942	Night Bus - City - Footscray - Sunshine - Deer Park - St Albans	Hopkins St (Whitehall St)	60 (6 services)
952	Night Bus - City - Footscray - Maribyrnong - Airport West - Gladstone Park - Broadmeadows	Hopkins St (Whitehall St)	60 (9 services)



Local Bus Networks - Joseph Road Precinct


### 5.4. Existing and Proposed Site Circulation








### 5.7. Proposed Street Frontage Typology




### 5.8. Proposed Vehicle Movements



## 6. Schedules

---





## 6.2. Remaining Design Work

---

This schedule covers the anticipated remaining design work to achieve the Proposed Public Realm Plan. This design work is including but not limited to the following.

### 6.2.1 Landscape Architectural Scope

#### Concept design

- Undertake concept design of the Whitehall street open space
- Undertake Concept design of proposed pedestrian/cycle link and any other footpath connections along railway boundary
- VicRoads approval of proposed shared zone
- VicRoads approval of signalised pedestrian crossing at Hopkins Street
- Further develop design at Hopkins Maribyrnong River Bridge and seek relevant approvals for changes to existing structure

#### Detailed design

- Preparation of all typical detail and junction details
- Coordination with development architects to resolve any issues with the FFL and the RL of the proposed public realm
- Preparation of detailed cross sections of streets
- Preparation of detailed levels and grading plans
- Preparation of documentation package for construction and tender purposes
- Landscape specifications, bill of quantities and cost estimates
- Final confirmation of tree species selections
- Confirmation of all building overhangs and any potential clashes with public realm functions including vehicle movements

### 6.2.2 Civil Scope

#### Functional layout, road safety audit, service proving and geotechnical

- Progress the public realm plan to a functional layout plan
- Undertake utility services capacity investigation to determine supply and loads of new development, and impact on existing infrastructure
- Ongoing liaison with drainage and roads authorities as required to achieve the proposed functional layout
- Commission geotechnical consultant to undertake geotechnical investigation and provide recommendations on pavement design and subgrade preparation
- Horizontal geometrical design for roads, kerbing, vehicle crossovers, drainage and services
- Electrical Undergrounding concept design
- Public lighting preliminary design
- Preliminary Signage and Linemarking design
- Undertake Road Safety Audit
- Commission service locator and non-destructive digging contractor to identify critical services and areas where potential clashes are likely following approval by Council


#### Civil detailed design

- Incorporate agreed Road Safety Audit recommendations in design
- Progress design to Detailed Design Submission
- Vertical geometrical grading of roads, kerbs, paths and drainage
- Vertical grading of proven services to identify clashes
- Pavement Design
- Bulk Earthworks Design
- Setout Design
- Signage and Linemarking
- Coordinate design of Hopkins Street intersections upgrade works with VicRoads and Council
- Prepare Specifications, Bill of Quantities and Cost Estimates
- Submission of public lighting plan to Jemena Electricity Networks for approval
- Electrical and Services design approvals sought and reviewed

# 7. Appendix Civil and Traffic Inputs

---





**EXISTING SERVICES LEGEND:**

- Existing Drainage —
- Existing Electricity —
- Existing Telecommunication —
- Existing NBN —
- Existing Water —
- Existing Gas —
- Existing Sewer —
- Existing Contours —

SCALE 1:1000 0 10 20 30 40 50  
AT ORIGINAL SIZE


**Note:**  
Moreland Street was renamed to Hallenstein Street and Maribyrnong Street was renamed to Joseph Road in May 2017

ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.

**FOR INFORMATION ONLY**

FOR CONTINUATION REFER DRAWING NO. C002

	<p>BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN</p>	<p>61 Napier Street, Footscray, VIC 3011</p>	<p>613 9602 1433   L13 379 Collins Street Melbourne VIC 3000 This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.</p>	<p>Project <b>JOSEPH ROAD PRECINCT</b></p>	<p>Sheet Subject <b>EXISTING SERVICES PLAN</b></p>	<p>Scale: A1 Drawn: SK</p> <p>Job No: <b>164020</b> Drawing No: <b>C000</b> Revision: <b>C</b></p> <p>Plot File Created: Jan 11, 2017 - 9:43am</p>																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rev</th> <th>Description</th> <th>Eng</th> <th>Draft</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>ISSUED FOR INFORMATION ONLY</td> <td>SK</td> <td>RB</td> <td>11.01.17</td> </tr> <tr> <td>B</td> <td>ISSUED FOR INFORMATION ONLY</td> <td>SK</td> <td>RB</td> <td>05.12.16</td> </tr> <tr> <td>A</td> <td>ISSUED FOR INFORMATION ONLY</td> <td>SK</td> <td>RB</td> <td>05.09.16</td> </tr> </tbody> </table>	Rev	Description	Eng	Draft	Date	C	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17	B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16	A	ISSUED FOR INFORMATION ONLY	SK	RB	05.09.16	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rev</th> <th>Description</th> <th>Eng</th> <th>Draft</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Rev	Description	Eng	Draft	Date										
Rev	Description	Eng	Draft	Date																																
C	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17																																
B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16																																
A	ISSUED FOR INFORMATION ONLY	SK	RB	05.09.16																																
Rev	Description	Eng	Draft	Date																																




FOR CONTINUATION REFER DRAWING NO. C002

**PROPOSED WORKS LEGEND:**

- PROPOSED KERB
- EXISTING DRAINAGE TO BE MAINTAINED
- EXISTING DRAINAGE TO BE ABANDONED AND/OR REMOVED
- PROPOSED DRAINAGE PIT, PIPE, SIZE AND FLOW DIRECTION
- PROPOSED SIDE ENTRY PIT
- PROPOSED GRATED JUNCTION PIT
- PROPOSED JUNCTION PIT

**NOTES:**

1. REFER TYPICAL STREET SECTIONS FOR SERVICE ALIGNMENTS BENEATH PROPOSED STREETSCAPE
2. REFER STORMWATER LONGITUDINAL SECTIONS FOR DETAILED DRAINAGE INFORMATION
3. ALL OVERHEAD POWER WITHIN PRECINCT EXTENT IS TO BE RELOCATED UNDERGROUND
4. ALL PROPOSED STORMWATER PITS TO BE IN ACCORDANCE WITH RELEVANT MARIBYRNONG CITY COUNCIL STANDARD DRAWINGS



Note:  
Moreland Street was renamed to Hallenstein Street and Maribyrnong Street was renamed to Joseph Road in May 2017


ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.

**FOR INFORMATION ONLY**

Rev	Description	Eng	Draft	Date
C	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17
B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16
A	ISSUED FOR INFORMATION ONLY	SK	RB	05.09.16

Rev	Description	Eng	Draft	Date
-----	-------------	-----	-------	------

**DIAL BEFORE YOU DIG**  
Beware of underground services. The location of underground services are approximate only and their exact position should be proven on site. No guarantee is given that all existing services are shown.




Client  
**Maribyrnong**  
CITY COUNCIL  
61 Napier Street, Footscray, VIC 3011

**TTW Taylor Thomson Whitting**  
613 9602 1433 | L13 379 Collins Street Melbourne VIC 3000  
This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.

Project  
**JOSEPH ROAD PRECINCT**

Sheet Subject  
**MINOR STORMWATER (5 YEAR ARI) DRAINAGE CONCEPT PLAN SHEET 1**

Scale : A1	Drawn: SK
Job No <b>164020</b>	Drawing No <b>C001</b>
	Revision <b>C</b>
Plot File Created: Jan 11, 2017 - 9:43am	



**PROPOSED WORKS LEGEND:**

- PROPOSED KERB
- EXISTING DRAINAGE TO BE MAINTAINED
- EXISTING DRAINAGE TO BE ABANDONED AND/OR REMOVED
- PROPOSED DRAINAGE PIT, PIPE, SIZE AND FLOW DIRECTION
- PROPOSED SIDE ENTRY PIT SEPxx
- PROPOSED GRATED JUNCTION PIT GJPxx
- PROPOSED JUNCTION PIT JPxx

SCALE 1:500 0 5 10 15 20 25  
AT ORIGINAL SIZE

**NOTES:**

1. REFER TYPICAL STREET SECTIONS FOR SERVICE ALIGNMENTS BENEATH PROPOSED STREETSCAPE
2. REFER STORMWATER LONGITUDINAL SECTIONS FOR DETAILED DRAINAGE INFORMATION
3. ALL OVERHEAD POWER WITHIN PRECINCT EXTENT IS TO BE RELOCATED UNDERGROUND
4. ALL PROPOSED STORMWATER PITS TO BE IN ACCORDANCE WITH RELEVANT MARIBYRNONG CITY COUNCIL STANDARD DRAWINGS

FOR CONTINUATION REFER DRAWING NO. C001

Note:  
Moreland Street was renamed to Hallenstein Street and Maribyrnong Street was renamed to Joseph Road in May 2017

ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.

**FOR INFORMATION ONLY**

Rev	Description	Eng	Draft	Date
D	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17
C	ISSUED FOR INFORMATION ONLY	SK	RB	12.12.16
B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16
A	ISSUED FOR INFORMATION ONLY	SK	RB	05.09.16

Rev	Description	Eng	Draft	Date
-----	-------------	-----	-------	------

**DIAL BEFORE YOU DIG**  
BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN

Client  
**Maribyrnong** CITY COUNCIL  
61 Napier Street, Footscray, VIC 3011

**TTW** Taylor Thomson Whitting  
613 9602 1433 | L13 379 Collins Street Melbourne VIC 3000  
This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.

Project  
**JOSEPH ROAD PRECINCT**


Sheet Subject  
**MINOR STORMWATER (5 YEAR ARI) DRAINAGE CONCEPT PLAN SHEET 2**

Scale : A1 Drawn: SK  
Job No: **164020** Drawing No: **C002** Revision: **D**  
Plot File Created: Jan 31, 2017 - 2:37pm



FOR CONTINUATION REFER DRAWING NO. C004

**Note:**  
Moreland Street was renamed to Hallenstein Street and Maribyrnong Street was renamed to Joseph Road in May 2017



**NOTES:**


- ASSUMED ROAD CROSSFALL: 3%
- ASSUMED PEDESTRIAN ZONE CROSSFALL: 1%
- ASSUMED ROAD LONGITUDINAL FALL: 7.7%

**FOR INFORMATION ONLY**

Rev	Description	Eng	Draft	Date
C	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17
B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16
A	ISSUED FOR INFORMATION ONLY	SK	RB	05.09.16

Rev	Description	Eng	Draft	Date

**DIAL BEFORE YOU DIG**  
Beware of underground services. The location of underground services are approximate only and their exact position should be proven on site. No guarantee is given that all existing services are shown.



Client  
**Maribyrnong**  
City Council  
61 Napier Street, Footscray, VIC 3011


**TTW** Taylor Thomson Whitting  
613 9602 1433 | L13 379 Collins Street Melbourne VIC 3000  
This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.

Project  
**JOSEPH ROAD PRECINCT**

Sheet Subject  
**OVERLAND FLOW AND STORMWATER CATCHMENT CONCEPT PLAN SHEET 1**

Job No	Drawing No	Revision
164020	C003	C

Scale: A1 Drawn: SK  
Plot File Created: Jan 11, 2017 - 9:43am




**PROPOSED WORKS LEGEND:**

- PROPOSED KERB
- EXISTING DRAINAGE TO BE MAINTAINED
- EXISTING DRAINAGE TO BE ABANDONED AND/OR REMOVED
- PROPOSED DRAINAGE PIT
- PROPOSED SIDE ENTRY PIT
- PROPOSED GRATED JUNCTION PIT
- PROPOSED JUNCTION PIT
- PROPOSED INDICATIVE ROAD CENTRELINE LEVEL
- OVERLAND FLOW PATH
- LOT CATCHMENT
- ROAD RESERVE CATCHMENT
- EXTENT OF REGRADED FILL ZONE IN ROAD RESERVE

**NOTES:**

1. REFER TYPICAL STREET SECTIONS FOR SERVICE ALIGNMENTS BENEATH PROPOSED STREETScape
2. REFER STORMWATER LONGITUDINAL SECTIONS FOR DETAILED DRAINAGE INFORMATION
3. ALL OVERHEAD POWER WITHIN PRECINCT EXTENT IS TO BE RELOCATED UNDERGROUND
4. ALL PROPOSED STORMWATER PITS TO BE IN ACCORDANCE WITH RELEVANT MARIBYRNONG CITY COUNCIL STANDARD DRAWINGS
5. FUTURE DETAILED DESIGN TO ENSURE OVERLAND FLOW IS MAINTAINED WITHIN ROAD RESERVES



JOSEPH ROAD INDICATIVE 100 YEAR ARI WATER LEVEL (B C004)

- NOTES:**
- ASSUMED ROAD CROSSFALL: 2%
  - ASSUMED PEDESTRIAN ZONE CROSSFALL: 1.3%
  - ASSUMED ROAD LONGITUDINAL FALL: 0.5%
  - NEW CROSSOVERS INTO LOTS TO BE DESIGNED TO TOWARDS ROAD PAVEMENT (AWAY FROM LOT BOUNDARY)

**Note:** Moreland Street was renamed to Hallenstein Street and Maribyrnong Street was renamed to Joseph Road in May 2017

ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.

FOR INFORMATION ONLY

Rev	Description	Eng	Draft	Date
D	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17
C	ISSUED FOR INFORMATION ONLY	SK	RB	12.12.16
B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16
A	ISSUED FOR INFORMATION ONLY	SK	RB	05.09.16

Rev	Description	Eng	Draft	Date
-----	-------------	-----	-------	------

**DIAL BEFORE YOU DIG**  
BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN

Client  
**Maribyrnong** CITY COUNCIL  
61 Napier Street, Footscray, VIC 3011


**TTW** Taylor Thomson Whitting  
613 9602 1433 | L13 379 Collins Street Melbourne VIC 3000  
This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.

Project  
**JOSEPH ROAD PRECINCT**


Sheet Subject  
**OVERLAND FLOW AND STORMWATER CATCHMENT CONCEPT PLAN SHEET 2**

Scale: A1 Drawn: SK  
Job No: 164020 Drawing No: C004 Revision: D  
Plot File Created: Jan 11, 2017 - 10:24am

ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.



LINE 1 LONGITUDINAL SECTION




FOR INFORMATION ONLY


<p>Rev Description Eng Draft Date</p> <p>C ISSUED FOR INFORMATION ONLY SK RB 11.01.17</p> <p>B ISSUED FOR INFORMATION ONLY SK RB 05.12.16</p> <p>A ISSUED FOR INFORMATION ONLY SK RB 31.08.16</p>		<p>BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN</p>	<p>Client 61 Napier Street, Footscray, VIC 3011</p>	<p>613 9602 1433   L13 379 Collins Street Melbourne VIC 3000 This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.</p>	<p>Project JOSEPH ROAD PRECINCT</p>	<p>Sheet Subject CONCEPTUAL STORMWATER DRAINAGE LONGITUDINAL SECTIONS SHEET 1 OF 10</p>	<p>Scale: A1 Drawn: SK</p> <p>Job No: 164020 Drawing No: C005 Revision: C</p> <p>Plot File Created: Jan 11, 2017 - 9:43am</p>
---	--	--	---	---	---	---	---



ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.




LINE 1 LONGITUDINAL SECTION




FOR INFORMATION ONLY

<p><b>DIAL BEFORE YOU DIG</b> BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN</p>		<p>Client <b>Maribyrnong</b> CITY COUNCIL 61 Napier Street, Footscray, VIC 3011</p>	<p>Project <b>JOSEPH ROAD PRECINCT</b></p>	<p>Sheet Subject <b>CONCEPTUAL STORMWATER DRAINAGE LONGITUDINAL SECTIONS SHEET 2 OF 10</b></p>	<p>Scale : A1 Drawn: SK</p>
<p>Rev Description Eng Draft Date</p> <p>C ISSUED FOR INFORMATION ONLY SK RB 11.01.17 B ISSUED FOR INFORMATION ONLY SK RB 05.12.16 A ISSUED FOR INFORMATION ONLY SK RB 31.08.16</p>	<p>Job No <b>164020</b></p>	<p>Drawing No <b>C006</b></p>	<p>Revision <b>C</b></p>	<p>Plot File Created: Jan 11, 2017 - 9:43am</p>	

ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.



LINE 1 LONGITUDINAL SECTION




FOR INFORMATION ONLY


<p>Rev Description Eng Draft Date</p> <p>C ISSUED FOR INFORMATION ONLY SK RB 11.01.17</p> <p>B ISSUED FOR INFORMATION ONLY SK RB 05.12.16</p> <p>A ISSUED FOR INFORMATION ONLY SK RB 31.08.16</p>		<p>Rev Description Eng Draft Date</p>		<p>BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN</p>	<p>Client 61 Napier Street, Footscray, VIC 3011</p>	<p>613 9602 1433   L13 379 Collins Street Melbourne VIC 3000 This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.</p>	<p>Project JOSEPH ROAD PRECINCT</p>	<p>Sheet Subject CONCEPTUAL STORMWATER DRAINAGE LONGITUDINAL SECTIONS SHEET 3 OF 10</p>	<p>Scale : A1 Drawn: SK</p> <p>Job No 164020 Drawing No C007 Revision C</p> <p>Plot File Created: Jan 11, 2017 - 9:43am</p>
---	--	---------------------------------------	--	--	---	---	---	---	---



ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.



	Line 2	Line 3	Line 4
PIPE FLOW (cu.m/s)	0.004	0.014	0.078
PIPE CAPACITY (cu.m/s)	0.127	0.232	0.228
PIPE GRADE (%)	1.0%	3.4%	1.0%
PIPE SLOPE (1 IN X)	98.4	29.5	100.0
PIPE SIZE (mm)	300	300	375
PIPE CLASS	RCP	RCP	RCP
DATUM R.L.	-6.00	-5.00	-4.00
HYDRAULIC GRADE LINE	4.620, 4.618, 4.468, 4.263, 4.117	4.835, 4.815, 4.814, 4.629	6.121, 5.864, 5.573, 5.469, 5.413
INVERT LEVEL	4.430, 2.778	3.901, 3.576, 3.163	5.421, 5.114
DEPTH TO INVERT FROM DESIGN SURFACE	0.831, 1.070, 2.722	1.85, 2.174, 2.587	1.003, 1.311
REGRADED SURFACE LEVELS		5.75	
EXISTING SURFACE LEVEL	5.500	5.013, 4.641	6.876, 6.425
CHAINAGE	0.00, 13.66	0.00, 9.59	0.00, 23.82



FOR INFORMATION ONLY

Rev	Description	Eng	Draft	Date
C	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17
B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16
A	ISSUED FOR INFORMATION ONLY	SK	RB	31.08.16

**DIAL BEFORE YOU DIG**  
 BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN

Client  
  
 61 Napier Street, Footscray, VIC 3011



**TTW Taylor Thomson Whitting**  
 613 9602 1433 | L13 379 Collins Street Melbourne VIC 3000  
 This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.

Project  
**JOSEPH ROAD PRECINCT**

Sheet Subject  
**CONCEPTUAL STORMWATER DRAINAGE LONGITUDINAL SECTIONS SHEET 5 OF 10**

Scale: A1 Drawn: SK  
 Job No: **164020** Drawing No: **C009** Revision: **C**  
 Plot File Created: Jan 11, 2017 - 9:43am



ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.



FOR INFORMATION ONLY

<p><b>DIAL BEFORE YOU DIG</b></p> <p>BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN</p>		<p>Client</p> <p>61 Napier Street, Footscray, VIC 3011</p>	<p>Project</p> <p>JOSEPH ROAD PRECINCT</p>	<p>Sheet Subject</p> <p>CONCEPTUAL STORMWATER DRAINAGE LONGITUDINAL SECTIONS SHEET 6 OF 10</p>	<p>Scale: A1</p> <p>Drawn: SK</p>
<p>Rev Description</p> <p>C ISSUED FOR INFORMATION ONLY SK RB 11.01.17</p> <p>B ISSUED FOR INFORMATION ONLY SK RB 05.12.16</p> <p>A ISSUED FOR INFORMATION ONLY SK RB 31.08.16</p>	<p>Eng Draft Date</p>	<p>Eng Draft Date</p>	<p>Job No</p> <p>164020</p>	<p>Drawing No</p> <p>C010</p>	<p>Revision</p> <p>C</p>
<p>Plot File Created: Jan 11, 2017 - 9:43am</p>					



ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.



FOR INFORMATION ONLY

<p><b>DIAL BEFORE YOU DIG</b></p> <p>BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN</p>		<p>Client</p> <p>61 Napier Street, Footscray, VIC 3011</p>	<p>Project</p> <p><b>JOSEPH ROAD PRECINCT</b></p>	<p>Sheet Subject</p> <p><b>CONCEPTUAL STORMWATER DRAINAGE LONGITUDINAL SECTIONS SHEET 7 OF 10</b></p>	<p>Scale : A1</p> <p>Drawn: SK</p>
<p>Rev Description</p> <p>C ISSUED FOR INFORMATION ONLY SK RB 11.01.17</p> <p>B ISSUED FOR INFORMATION ONLY SK RB 05.12.16</p> <p>A ISSUED FOR INFORMATION ONLY SK RB 31.08.16</p>	<p>Rev Description</p>	<p>Eng Draft Date</p>	<p>Eng Draft Date</p>	<p>Job No</p> <p><b>164020</b></p>	<p>Drawing No</p> <p><b>C011</b></p>
			<p>613 9602 1433   L13 379 Collins Street Melbourne VIC 3000</p> <p>This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.</p>	<p>Revision</p> <p><b>C</b></p>	<p>Plot File Created: Jan 11, 2017 - 9:43am</p>


ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.




FOR INFORMATION ONLY

<p>REVISIONS</p> <table border="1"> <tr><th>Rev</th><th>Description</th><th>Eng</th><th>Draft</th><th>Date</th></tr> <tr><td>C</td><td>ISSUED FOR INFORMATION ONLY</td><td>SK</td><td>RB</td><td>11.01.17</td></tr> <tr><td>B</td><td>ISSUED FOR INFORMATION ONLY</td><td>SK</td><td>RB</td><td>05.12.16</td></tr> <tr><td>A</td><td>ISSUED FOR INFORMATION ONLY</td><td>SK</td><td>RB</td><td>31.08.16</td></tr> </table>		Rev	Description	Eng	Draft	Date	C	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17	B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16	A	ISSUED FOR INFORMATION ONLY	SK	RB	31.08.16	<p>BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN</p>	<p>Client 61 Napier Street, Footscray, VIC 3011</p>	<p>613 9602 1433   L13 379 Collins Street Melbourne VIC 3000 This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.</p>	<p>Project JOSEPH ROAD PRECINCT</p>	<p>Sheet Subject CONCEPTUAL STORMWATER DRAINAGE LONGITUDINAL SECTIONS SHEET 8 OF 10</p>	<p>Scale: A1 Drawn: SK</p> <table border="1"> <tr><th>Job No</th><th>Drawing No</th><th>Revision</th></tr> <tr><td>164020</td><td>C012</td><td>C</td></tr> </table> <p>Plot File Created: Jan 11, 2017 - 9:43am</p>	Job No	Drawing No	Revision	164020	C012	C
Rev	Description	Eng	Draft	Date																													
C	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17																													
B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16																													
A	ISSUED FOR INFORMATION ONLY	SK	RB	31.08.16																													
Job No	Drawing No	Revision																															
164020	C012	C																															

ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.



LINE 14 LONGITUDINAL SECTION





FOR INFORMATION ONLY

<p>BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN</p>		<p>Client 61 Napier Street, Footscray, VIC 3011</p>	<p>Project JOSEPH ROAD PRECINCT</p>	<p>Sheet Subject CONCEPTUAL STORMWATER DRAINAGE LONGITUDINAL SECTIONS SHEET 9 OF 10</p>	<p>Scale: A1 Drawn: SK</p>
<p>Rev Description Eng Draft Date</p> <p>C ISSUED FOR INFORMATION ONLY SK RB 11.01.17</p> <p>B ISSUED FOR INFORMATION ONLY SK RB 05.12.16</p> <p>A ISSUED FOR INFORMATION ONLY SK RB 31.08.16</p>	<p>Rev Description Eng Draft Date</p>	<p>Job No 164020</p>	<p>Drawing No C013</p>	<p>Revision C</p>	<p>Plot File Created: Jan 11, 2017 - 9:43am</p>




ENGINEERING PLANS ARE CONCEPTUAL IN NATURE AND ARE PREPARED FOR INFORMATION PURPOSES ONLY. ALL LEVELS, ALIGNMENTS AND DETAILS SHOWN ARE SUBJECT TO FURTHER DETAILED DESIGN.




FOR INFORMATION ONLY

<p>Client: <b>Maribyrnong CITY COUNCIL</b> 61 Napier Street, Footscray, VIC 3011</p>		<p>Project: <b>JOSEPH ROAD PRECINCT</b></p>		<p>Sheet Subject: <b>CONCEPTUAL STORMWATER DRAINAGE LONGITUDINAL SECTIONS SHEET 10 OF 10</b></p>		<p>Scale: A1 Drawn: SK</p>	
<p>BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN</p>		<p><b>TTW Taylor Thomson Whitting</b> 613 9602 1433   L13 379 Collins Street Melbourne VIC 3000 This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.</p>		<p>Job No: <b>164020</b> Drawing No: <b>C014</b> Revision: <b>C</b></p>		<p>Plot File Created: Jan 11, 2017 - 9:43am</p>	
<p>Rev Description Eng Draft Date</p> <p>C ISSUED FOR INFORMATION ONLY SK RB 11.01.17</p> <p>B ISSUED FOR INFORMATION ONLY SK RB 05.12.16</p> <p>A ISSUED FOR INFORMATION ONLY SK RB 31.08.16</p>	<p>Rev Description Eng Draft Date</p>						



FOR CONTINUATION REFER DRAWING NO. C016



SVEH                      meters  
 Width                    : 2.50  
 Track                     : 2.50  
 Lock to Lock Time    6.0  
 Steering Angle        : 26.2

SCALE 1:500 0 5 10 15 20 25  
 AT ORIGINAL SIZE


Note:  
 Moreland Street was renamed to Hallenstein Street and Maribyrnong Street was renamed to Joseph Road in May 2017

FOR INFORMATION ONLY

	<p><b>DIAL BEFORE YOU DIG</b> www.1100.com.au</p>	<p>Maribyrnong CITY COUNCIL</p>	<p><b>TTW</b> Taylor Thomson Whitting 613 9602 1433   L13 379 Collins Street Melbourne VIC 3000 This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.</p>	Project JOSEPH ROAD PRECINCT	Sheet Subject PRELIMINARY SWEEP PATH PLAN - SHEET 1	Scale : A1      Drawn: SK Job No            Drawing No      Revision 164020            C015            C Plot File Created: Jan 11, 2017 - 9:44am
BEWARE OF UNDERGROUND SERVICES. THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN						
Client 61 Napier Street, Footscray, VIC 3011						
Rev    Description      Eng    Draft    Date C    ISSUED FOR INFORMATION ONLY      SK    RB    11.01.17 B    ISSUED FOR INFORMATION ONLY      SK    RB    05.12.16 A    ISSUED FOR INFORMATION ONLY      SK    RB    05.09.16						



FOR CONTINUATION REFER DRAWING NO. C015



SVEH meters  
 Width : 2.50  
 Track : 2.50  
 Lock to Lock Time 6.0  
 Steering Angle : 26.2


SCALE 1:500 0 5 10 15 20 25  
 AT ORIGINAL SIZE

Note:  
 Moreland Street was renamed to Hallenstein Street and Maribyrnong Street was renamed to Joseph Road in May 2017

FOR INFORMATION ONLY

Rev	Description	Eng	Draft	Date	Rev	Description	Eng	Draft	Date
C	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17					
B	ISSUED FOR INFORMATION ONLY	SK	RB	05.12.16					
A	ISSUED FOR INFORMATION ONLY	SK	RB	05.09.16					

**DIAL BEFORE YOU DIG**  
 BEWARE OF UNDERGROUND SERVICES.  
 THE LOCATION OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN



Client  
  
 61 Napier Street, Footscray, VIC 3011

**TTW Taylor Thomson Whitting**  
 613 9602 1433 | L13 379 Collins Street Melbourne VIC 3000  
 This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.

Project  
 JOSEPH ROAD PRECINCT

Sheet Subject  
 PRELIMINARY SWEEP PATH PLAN - SHEET 2

Scale : A1	Drawn: SK
Job No 164020	Drawing No C016
	Revision C
Plot File Created: Jan 11, 2017 - 9:44am	

**PROPOSED PEDESTRIAN OPERATED SIGNALS LEGEND:**


- NEW PEDESTAL - TYPE 2A, TYPE 2B ○ 2A, 2B
- 3 ASPECT LANTERN - 200mm ⦿
- PEDESTRIAN PUSH BUTTON & LANTERN ⦿
- CONDUIT WITH NUMBER/DUCT DIAMETER 1/100
- PIT - CONDUIT ●
- PROPOSED LINEMARKING —
- PROPOSED ONE WAY RRP

**EXISTING SERVICES LEGEND:**

- Existing Drainage —
- Existing Electricity — E —
- Existing Telecommunication — T —
- Existing NBN — T —
- Existing Water — W —
- Existing Gas — G —
- Existing Sewer — S —
- Existing Contours ~


**NOTES:**

1. PREQUALIFIED CONTRACTOR UNDER THE VICROADS PREQUALIFICATION SCHEME TO UNDERTAKE ALL SIGNAL ASSOCIATED WORKS
2. ALL SIGNAL WORKS TO BE IN ACCORDANCE WITH RELEVANT VICROADS STANDARDS
3. CONCEPT LAYOUT SHOWN IS FOR INFORMATION PURPOSES ONLY.
4. ALL PEDESTRIAN OPERATED SIGNALS RELATED WORKS INCLUDING LAYOUT, HARDWARE, ELECTRICAL SUPPLY AND LINEMARKING TO BE DESIGNED BY A PREQUALIFIED CONSULTANT UNDER THE VICROADS PREQUALIFICATION SCHEME
5. CONSTRUCT 2 DDA COMPLIANT PRAM CROSSINGS IN ACCORDANCE WITH AUSTRALIAN STANDARDS
6. REMOVE REDUNDANT LINEMARKING AND INSTALL NEW LINEMARKING AS SHOWN
7. REMOVE REDUNDANT RRP'S AND SUPPLY AND INSTALL NEW RRP'S AS SHOWN
8. SUPPLY AND INSTALL NEW ROAD SIGNAGE AS SHOWN



KEY PLAN

SCALE 1:1000 0 10 20 30 40 50  
AT ORIGINAL SIZE m



SCALE 1:100 0 1 2 3 4 5  
AT ORIGINAL SIZE m

FOR INFORMATION ONLY

Rev	Description	Eng	Draft	Date	Rev	Description	Eng	Draft	Date
B	ISSUED FOR INFORMATION ONLY	SK	RB	11.01.17					
A	ISSUED FOR INFORMATION ONLY	SK	SK	05.12.16					

**DIAL BEFORE YOU DIG**  
Beware of underground services. The location of underground services are approximate only and their exact position should be proven on site. No guarantee is given that all existing services are shown.

Client  
**Maribyrnong**  
CITY COUNCIL  
61 Napier Street, Footscray, VIC 3011

**TTW** Taylor Thomson Whitting  
613 9602 1433 | L13 379 Collins Street Melbourne VIC 3000  
This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (VIC) Pty Ltd and must not be used without authorisation.

Project  
**JOSEPH ROAD PRECINCT**

Sheet Subject  
**PEDESTRIAN OPERATED SIGNALS PLAN**

Scale : A1	Drawn: SK
Job No <b>164020</b>	Drawing No <b>C017</b>
	Revision <b>B</b>
Plot File Created: Jan 11, 2017 - 9:47am	





Joseph Road Precinct  
Development Contributions Plan

**Attachment 3**

Joseph Road Precinct Preferred WSUD  
Concepts by Alluvium Consulting  
(May 2017)





# Memo

**Subject** Joseph Road Precinct Preferred WSUD Concepts  
**Distribution** ██████████  
**Date** 12 May 2017  
**Project** Joseph Road Precinct WSUD

## 1 Introduction

Maribyrnong City Council (council) engaged Alluvium to investigate the concept design of a stormwater treatment asset to treat flows from the redeveloped Joseph Road precinct in Footscray. The Joseph Road precinct will accommodate 3000 additional residents over the next 10 years. Redevelopment of the site must consider effects on stormwater quality and quantity with the aim of protecting the downstream environment in the Maribyrnong River.

This project investigated **three preliminary options** for stormwater quality treatment, followed by the development of **two preferred options** at a concept design level.

The three preliminary concept options investigated were:

1. Option 1: A bioretention system within Council owned land
2. Option 2: A wetland system (with sediment basin) requiring acquisition of privately owned land, and reconfiguration of the existing open drain into a vegetated swale
3. Option 3: A bioretention system with pre-treatment sediment basin requiring acquisition of privately owned land, and reconfiguration of the existing open drain into a vegetated swale

Based on Council feedback, Option 3 and a variant of Option 1 (Option 1b) were refined to a full concept design level providing Council with an option of a WSUD asset wholly located within Council owned land, and an option of a WSUD asset located within private land and partly within Council owned land.

## 2 Site context

The Joseph Road site encompasses approximately 15 hectares of previously industrial land bounded by the Maribyrnong River to the east, the Regional Rail Link corridor to the north and west, and Hopkins Road to the south (Figure 1).

The existing terrain around the Joseph Road site slopes towards the Maribyrnong River. The current drainage network splits runoff from the site to two outfalls on the Maribyrnong River. The northern outfall and network collects the majority of runoff and enters the river via a brick lined open drain (catchment area of 4.8 ha).

The open space in proximity of the outfall is the intended location for the stormwater quality treatment asset. Figure 2 shows the catchment area and drainage network upstream of the proposed treatment asset site.

This space is split between council owned land closer to the river and privately land northward (Figure 1). It has been assumed that Council acquisition of the private land portion is a possibility, and this has been considered into the stormwater quality treatment options developed (see section 4).



Figure 1. Site context




Figure 2 Drainage catchment plan

### 3 Asset type considered

The following asset types were considered in developing the preliminary concept options.

#### 3.1 Wetland

Constructed wetland systems use enhanced sedimentation, fine filtration and biological uptake processes to remove pollutants from stormwater. They generally consist of:

- An inlet zone (such as a sediment basin)
- A macrophyte zone (a shallow heavily vegetated area to remove fine particulates and take up soluble pollutants), and
- A high-flow bypass pipe or channel (to protect the macrophyte zone).

Wetland systems can incorporate open water areas. In addition to playing an important role in stormwater treatment, wetlands can also have significant community benefits. They provide habitat for wildlife and a focus for recreation, including walking paths and resting areas. They can also improve the aesthetics of new developments and can be a central landscape feature. An example of an Alluvium designed constructed wetland is shown in Figure 3.



**Figure 3** Alluvium/Rakali designed wetland recently constructed in 2016

#### 3.2 Bioretention system

Bioretention systems treat stormwater by infiltrating it through a vegetated sand filter media (Figure 4). Bioretention systems are particularly efficient at removing nutrients and can achieve treatment performance over a small footprint compared to wetlands. The main components of the bioretention system include:

- A filter media layer
- Vegetation that uptakes nutrients in stormwater
- A transition layer (of sand or geotextile) that prevents the filtration media being washed away, and
- Perforated pipes to transfer treated stormwater downstream.



**Figure 4.** *Bioretention system examples*

### **3.3 Swale**

A swale is a vegetated open channel, designed to convey flows and provide limited treatment of stormwater. Swales can be easily integrated into the surrounding landscape and provide additional amenity benefits over a traditional open drain. Swales typically occupy a larger footprint than a concrete drain to convey a given flow rate owing to higher surface roughness.

## 4 Preliminary concept designs

Three preliminary WSUD options were proposed to Council on 27<sup>th</sup> March 2017.

### 4.1 Option 1 – Bioretention system within council owned land

Option 1 consists of a bioretention system with a coarse sediment forebay (see Appendix B for concept plans). Table 1 outlines the key design parameters.

The 3-month ARI flows is diverted into the system for treatment from the proposed pit SEP21 with higher flows bypassing to the existing open drain. Treated flow re-joins the open drain before the outfall into the Maribyrnong River.

This option is constrained by the existing tree line to the south and the property boundary to the north. The existing site levels require a small section of mounding to maintain necessary pipe cover. Alternatively, a surcharge inlet could be used to avoid a fill mound. This arrangement will result in a submerged inlet pipe over approximately half its length.

**Table 1** Option 1 key design parameters

Parameter	Figure
Treatment area/filter surface a (m <sup>2</sup> )	150
NWL (m AHD)	RL 0.9
EDD (m)	0.35
TED (m AHD)	RL 1.25
Total footprint including batters (m <sup>2</sup> )	490
Batter	1 in 5
Filter media depth	0.5 m
Transition layer and drainage layer	0.5 m

### 4.2 Option 2 – Wetland (with sediment basin) requiring acquisition of private land

Option 2 assumes Council acquisition of the privately owned land. This opens the opportunity for a constructed wetland system (refer to appendix B for concept plan). Table 2 outlines the key design parameters.

This option will include a sediment basin and macrophyte zone area for stormwater treatment, with the existing open drain replaced by a vegetated swale. Flows up to the 3-month event are diverted into the system for treatment from the proposed pit SEP21 with higher flows bypassing the wetland. Treated flow re-joins the proposed swale before the outfall into the Maribyrnong River. Due to the downstream tailwater levels it must be noted that this outlet arrangement will require the sediment basin to be drained using pumps during maintenance clean outs (every 3-5 years).

Reconfiguration of the open drain into a swale provides a more integrated visual drainage. The wetland provides improved amenity over a larger footprint compared to the bioretention system options. However, the larger wetland footprint also takes up valuable open space for public use (assuming Council acquires the land in the first place).

**Table 2** Option 2 key design parameters

<b>Parameter</b>	<b>Figure</b>
Sediment basin NWL area (m <sup>2</sup> )	200
Treatment area at NWL (m <sup>2</sup> )	870
NWL (m AHD)	RL 0.9
EDD (m)	0.35
TED (m AHD)	RL 1.25
Total footprint inc. batters (m <sup>2</sup> )	2420
Batter	1 in 6
Swale length (m)	41
Swale top width (m)	6.5
Swale capacity (m <sup>3</sup> /s)	2.0

### 4.3 Option 3 – Bioretention system and pre-treatment sediment basin requiring acquisition of private land

Option 3 assumes Council acquisition of the privately owned land to fit a larger asset and in turn improve treatment performance (compared to option 1). Acquisition of the private parcel also enables the opportunity to include a sediment basin to the bioretention system, which both serves to provide an interim stormwater quality asset during construction phase of the precinct and improve the overall treatment performance of the system enabling best practice targets to be achieved for TSS, TN and TP (Refer to appendix A for concept plan). Table 3 outlines the key design parameters.

Option 3 uses a bioretention system as the main treatment asset to the west side of the existing open drain and retains the swale design from option 2. Option 3 requires a smaller total footprint compared to Option 2, and achieves a higher level of water quality treatment (Total Nitrogen removal).

**Table 3** Option 3 key design parameters

<b>Parameter</b>	<b>Figure</b>
Sediment basin NWL area (m <sup>2</sup> )	200
Treatment area at filter surface (m <sup>2</sup> )	100
NWL (m AHD)	0.9
EDD (m)	0.35
TED (m)	1.25
Total footprint inc. batters (m <sup>2</sup> )	490
Batter	1 in 5
Filter media depth	0.5 m
Transition layer and drainage layer	0.5 m

#### 4.4 Water quality modelling

The performance of the different options was modelled in MUSIC (v6.2) and results are outlined in Table 4.

**Table 4** Treatment train performance for concept options

Pollutant	Sources	Percentage removed		
		Option 1	Option 2	Option 3
Flow (ML/yr)	19.3			
Total Suspended Solids (kg/yr)	3880	72 %	70.5 %	82.7 %
Total Phosphorus (kg/yr)	7.96	35.9 %	59.5 %	44.1 %
Total Nitrogen (kg/yr)	55.8	39.6 %	39.1 %	48 %
Gross Pollutants (kg/yr)	745	100 %	100 %	100 %

**Table 5** BPEM requirements for treating urban pollutant loads

Pollutant	Target
Total suspended solids	80% retention (or removal) of the typical urban load
Total phosphorus	45% retention of the typical urban load
Total nitrogen	45% retention of the typical urban load
Litter	70% retention of the typical urban load
Flows	Maintain discharges for the 1-in-1.5 year ARI at pre-development

#### 4.5 Preliminary high level cost estimate

A preliminary estimate of total construction and maintenance costs for the concept options has been prepared based on high level rates in the Melbourne Water WSUD Life cycle costing data guidelines (Table 6 and

Table 7). These are high-level cost estimates and are intended to be used as a reference guide when comparing options. More accurate cost estimate have been developed for the preferred options.

**Table 6** Unit cost rates for construction and maintenance

	Wetland	Sediment basin	Swale	Bioretention system
Construction cost (\$/m <sup>2</sup> )	100	200	60	350
Maintenance cost (\$/m <sup>2</sup> /yr)	2	10	3	5

**Table 7** Construction and maintenance cost estimate for concept options

Concept	Wetland area (m <sup>2</sup> )	Sediment basin area (m <sup>2</sup> )	Bioretention area (m <sup>2</sup> )	Swale area (m <sup>2</sup> )	Construction cost (\$)	Maintenance cost (\$/yr)
1	-	-	150	-	52,500	750
2	830	200	-	267	139,020	4460
3	-	200	100	267	91,020	3300

#### 4.6 Summary – Option comparison

Table 8 provides a brief summary of the pros and cons of the proposed concept options, including their ranking in total footprint, treatment performance, cost, amenity, land acquisition and loss of open space.

**Table 8** Concept option comparison

Concept	Ranking							
	Construction cost	Maintenance cost	Total footprint	Treatment performance	Interim treatment option	Improved amenity	Land acquisition	Loss of open space
<b>Option 1</b>	1	1	1	3	2	2	1	1
<b>Option 2</b>	3	3	3	2	1	1	3	3
<b>Option 3</b>	2	2	2	1	1	2	2	2

\*Note: ranking is such that 1 = more desirable (i.e. lowest cost, lowest footprint, best performance).



## 5 Final concept designs – Preferred options

Based on feedback from Council, a bioretention system was preferred for the site and two options were developed to a full concept design level – Option 3 and a variant of Option 1.

1. Variant of Option 1 (Option 1b): A bioretention system within Council owned land (see Appendix A)

The preference was to relocate the WSUD asset to the west side of the open drain. This reduces the length of pipe required, and the ground is also lower on the West side reducing the extent of batters. This location impacts on an existing treed area, however only one tree needs to be removed.

A surcharge inlet pit is preferred to avoid mounding above the diversion pipe. This inlet arrangement will require more frequent maintenance as it is more prone to blockages. However, the inclusion of an upstream GPT will provide pre-treatment of litter and coarse sediment, and thus reduce the risk of the surcharge pit becoming blocked.

2. Option 3: A bioretention system with pre-treatment sediment basin requiring acquisition of privately owned land, and reconfiguration of the existing open drain into a vegetated swale (see Appendix A)

This concept was largely based on the preliminary option. The asset footprint has been refined with improved earthwork modelling.

The options have also been optimised to meet best practice pollutant removal targets (Table 5 and Table 9).

**Table 9** Treatment train performance for final concept options

Pollutant	Sources	Percentage removed	
		Option 1b	Option 2
Total Suspended Solids (kg/yr)	3920	79 %	83 %
Total Phosphorus (kg/yr)	8	45 %	50 %
Total Nitrogen (kg/yr)	55	47 %	47 %
Gross Pollutants (kg/yr)	745	100 %	100 %

### 5.1 Costing

The costing for option 1b and 3 are presented in Table 10 and Table 11 below.

The construction cost of Option 1b is estimated at \$ 397,000.

The construction cost of Option 3 is estimated at \$ 464,000. However, this does not include land acquisition.

### 5.2 Risks

A key risk with the WSUD options presented is tidal influences from the Maribyrnong River. Given that the invert level of the asset outlet pipe is low (0.35 m AHD), there is possibility of inflows from the Maribyrnong River into the WSUD asset during high tides. This will impact on the ability of the asset to drain effectively. Salt water intrusion can also impact on plant health. To manage this risk, further investigation of the water level in the Maribyrnong River is required in future design stages, as well as monitoring of flows from the Maribyrnong River at the existing open drain to confirm the extent of tidal influences. In terms of design, this risk can also be managed by elevating the invert of the outlet pipe by another 150 mm, and/or lifting the bioretention filter media by another 150 mm (i.e. NWL of 1.0 m AHD with higher embankment required), and/or locating the bioretention system closer to the existing escarpment (i.e. where the sediment pond of Option 3 is located) on slightly higher ground (approximately 350 mm higher).

## 6 Conclusion and recommendations

This projects has provided Council with two potential WSUD concept options for the Joseph Road Precinct with sufficient detail to progress further to detailed design and construction.

The selection of a preferred option by Council will depend on the potential to acquire the private parcel, available budget, Council's interest in an interim treatment asset during the precinct development (i.e. sediment pond in Option 3), and Council's view on the loss of available open space and impact on existing trees.

Future design stages will require further investigation of the Maribyrnong River water level and monitoring of flows at the existing open drain.

**Table 10** Costing (Option 1b)

	Quantity	Unit	Unit Rate	Cost
<b>General items</b>				
Site establishment, sediment and erosion control	1	No	5%	\$ 12,106
<b>Subtotal</b>				<b>\$ 12,106</b>
<b>GPT</b>				
Supply and install < 300 L/s	1	No	\$ 60,000	\$ 60,000
<b>Subtotal</b>				<b>\$ 60,000</b>
<b>Bioretention system</b>				
Strip and stockpile site topsoil prior to bulk excavation (avg. depth 100mm)	58.5	m <sup>3</sup>	\$ 50	\$ 2,925
Excavation	262	m <sup>3</sup>	\$ 20	\$ 5,230
Dispose of excess spoil offsite (Category C)	233	m <sup>3</sup>	\$ 420	\$ 97,650
Supply and place liner	372	m <sup>2</sup>	\$ 30	\$ 11,153
Supply and place subsoil drain	146	m	\$ 26	\$ 3,792
Supply and lay gravel and filter media (bioretention)	220	m <sup>3</sup>	\$ 80	\$ 17,600
Supply and place rock mulch in bioretention system (50mm)	11	m <sup>3</sup>	\$ 150	\$ 1,650
Supply and place bark mulch on batter (50mm thick)	18	m <sup>3</sup>	\$ 60	\$ 1,095
Re spread 200 mm depth site top soil to batters surrounding bioretention areas	29	m <sup>3</sup>	\$ 50	\$ 1,450
Planting (6 plants/sqm)	220	m <sup>2</sup>	\$ 30	\$ 6,600
<b>Inlet zone</b>				
Supply and construct 375 dia pipe outlet endwall	1	No.	\$ 2,000	\$ 2,000
Install rock apron at inlet	4	m <sup>2</sup>	\$ 150	\$ 600
<b>Embankment</b>				
Compaction of soil to 85% using site soil	20	m <sup>3</sup>	\$ 50	\$ 1,000
<b>Subtotal</b>				<b>\$ 152,745</b>
<b>Stormwater drainage works</b>				
Modify pit with concrete weir (diversion point)	1	No	\$ 5,000	\$ 5,000
Supply and install new drop pit and bubbling pit	1	No	\$ 8,000	\$ 8,000
Supply and install stormwater diversion pipe / inlet pipe	44	m	\$ 45	\$ 1,980
Supply and install overflow/outlet pipe	10	m	\$ 45	\$ 450
Supply and install new pit (overflow pit)	1	No	\$ 3,000	\$ 3,000
<b>Subtotal</b>				<b>\$ 18,430</b>
<b>Landscaping</b>				
Planting (4 plants/sqm)	365	m <sup>2</sup>	\$ 30	\$ 10,950
<b>Subtotal</b>				<b>\$ 10,950</b>
<b>Subtotal for all items</b>				
				<b>\$ 254,231</b>
<b>Other</b>				
Allowance for approvals (heritage, ecology etc. )	0	No	\$ 5,000	\$ -
Allowance for service alterations	0	No	\$ 5,000	\$ -
Design	1	No	10%	\$ 25,423
Site investigations (geotech, survey, service detection, potholing, contam, etc)	1	No	5%	\$ 12,712
Maintenance and establishment period	1	No	15%	\$ 38,135
<b>Subtotal</b>				<b>\$ 76,269</b>
<b>Subtotal for all items</b>				
				<b>\$ 330,501</b>
Contingency			20%	\$ 66,100
<b>Total</b>				<b>\$ 397,000</b>


**Table 11** Costing (Option 3)

	Quantity	Unit	Unit Rate	Cost
<b>General items</b>				
Site establishment, sediment and erosion control	1	No	5%	\$ 14,164
<b>Subtotal</b>				<b>\$ 14,164</b>
<b>GPT</b>				
Supply and install < 300 L/s	1	No	\$ 60,000	\$ 60,000
<b>Subtotal</b>				<b>\$ 60,000</b>
<b>Bioretention system</b>				
Strip and stockpile site topsoil prior to bulk excavation (avg. depth 100mm)	73.4	m <sup>3</sup>	\$ 50	\$ 3,670
Excavation (bioretention system + sediment pond)	378	m <sup>3</sup>	\$ 20	\$ 7,552
Dispose of excess spoil offsite (Category C)	311	m <sup>3</sup>	\$ 420	\$ 130,536
Supply and place liner	206	m <sup>2</sup>	\$ 30	\$ 6,187
Supply and place subsoil drain	72	m	\$ 26	\$ 1,872
Supply and lay gravel and filter media (bioretention)	100	m <sup>3</sup>	\$ 80	\$ 8,000
Supply and place rock mulch in bioretention system (50mm)	5	m <sup>3</sup>	\$ 150	\$ 750
Supply and place bark mulch on batter (50mm thick)	9	m <sup>3</sup>	\$ 60	\$ 510
Re spread 200 mm depth site top soil to batters surrounding bioretention areas and sed pond	67	m <sup>3</sup>	\$ 50	\$ 3,340
Planting (6 plants/sqm)	100	m <sup>2</sup>	\$ 25	\$ 2,500
<b>Sediment pond</b>				
Supply and construct 375 dia pipe endwall	3	No.	\$ 500	\$ 1,500
Install rock beaching at inlet zone	4	m <sup>3</sup>	\$ 150	\$ 600
Access ramp bulk excavation (200 mm deep) and compaction of ground	8	m <sup>3</sup>	\$ 50	\$ 400
Ramp construction (bottom 100 mm layer of FCR and top 100 mm layer of 0-40 mm NDCR)	10	m	\$ 150	\$ 1,500
Supply and build rock base	2	m <sup>3</sup>	\$ 600	\$ 1,260
<b>Embankment</b>				
Compaction of soil to 85% using site soil	22	m <sup>3</sup>	\$ 50	\$ 1,100
<b>Subtotal</b>				<b>\$ 171,277</b>
<b>Stormwater drainage works</b>				
Modify pit with concrete weir (diversion point)	1	No	\$ 5,000	\$ 5,000
Supply and install new drop pit	1	No	\$ 5,000	\$ 5,000
Supply and install stormwater diversion pipe / inlet pipe	26	m	\$ 45	\$ 1,170
Supply and install overflow/outlet pipe	7	m	\$ 45	\$ 315
Concrete weir separating sediment pond and bioretention system	2.45	m <sup>3</sup>	\$ 550	\$ 1,348
Supply and install new pit (overflow pit)	1	No	\$ 3,000	\$ 3,000
<b>Subtotal</b>				<b>\$ 15,833</b>
<b>Landscaping</b>				
Planting (2 plants/sqm)	434	m <sup>2</sup>	\$ 20	\$ 8,680
<b>Subtotal</b>				<b>\$ 8,680</b>
<b>Swale</b>				
Demolition of brick drain	1	No	\$ 7,500	\$ 7,500
Earthworks and drainage (approximate)	1	No	\$ 12,500	\$ 12,500
Preparation, supply and planting for revegetation works (approximate)	300	m <sup>2</sup>	\$ 25	\$ 7,500
<b>Subtotal</b>				<b>\$ 27,500</b>
<b>Subtotal for all items</b>				<b>\$ 297,454</b>
<b>Other</b>				
Allowance for approvals (heritage, ecology etc. )	0	No	\$ 5,000	\$ -
Allowance for service alterations	0	No	\$ 5,000	\$ -
Land acquisition	910	m <sup>2</sup>	TBC	
Design	1	No	10%	\$ 29,745
Site investigations (geotech, survey, service detection, potholing, contam, etc)	1	No	5%	\$ 14,873
Maintenance and establishment period	1	No	15%	\$ 44,618
<b>Subtotal</b>				<b>\$ 89,236</b>
<b>Subtotal for all items</b>				<b>\$ 386,691</b>
Contingency			20%	\$ 77,338
<b>Total</b>				<b>\$ 464,000</b>

## Appendix A: Preferred Options

Pollutant	Sources	Residual	% removed
TSS (kg/y)	3920	826	79
TP (kg/y)	8	4	45
TN (kg/y)	55	29	47
GP (kg/y)	745	0	100


### Option 1b Bioretention system on council owned land




Pollutant	Sources	Residual	% removed
TSS (kg/y)	3900	685	83
TP (kg/y)	8	4	50
TN (kg/y)	56	30	47
GP (kg/y)	745	0	100

### Option 3 Sediment basin and bioretention system

Total excavation: 451 cu. m




## Appendix B: Other options investigated





Treatment performance			
Pollutant	Sources	Residual	% removed
TSS(kg/yr)	3880	1140	71
TP (kg/yr)	8	3	60
TN (kg/yr)	56	34	39
GP (kg/yr)	745	0	100

## Option 2 Wetland, sediment basin and swale on expanded parcel



Total cut: ~3170 cu. m  
Volume under TED: ~1370 cu. m

Wetland:  
NWL: 0.9 mAHD  
TED: 1.25 mAHD  
Treatment area: 870 sq.m  
Batter: 1 in 6  
Total footprint: 2420 sq.m

375 mm dia. diversion pit/pipe to divert  
Q3month flows to wetland system

SEP 21  
IL: 1.45 mAHD

JP 22  
IL: 0.49 mAHD

Swale:  
Base: 0.5 m  
Length: 41 m  
Top width: 6.5 m  
Capacity: 2 cu. m/s  
Area: 267 sq. m

Sediment basin:  
NWL: 0.9 mAHD  
TED: 1.25 mAHD  
Treatment area: 200 sq.m  
Batter: 1 in 6

Wetland outlet to swale  
Swale connects to existing outfall

Maribymong River

**Legend**

- Pit
- Diversion pipe
- Batter
- NWL
- Swale base
- TED
- Contours (0.5m)
- Property boundary
- Existing stormwater infrastructure
- High voltage cable
- Water main

